

Charles D. Trebor Goyer

X 23140



22101760082

Med
K8697

~~Charles J. Trevor Hoper~~




B. MAGNUS TIMPERLEY



OUR BODIES

AND

HOW WE LIVE AND KEEP WELL



OUR BODIES

AND

HOW WE LIVE AND KEEP WELL

OR

HOW TO KNOW OURSELVES

BEING

*A Popular and Hygienic Account of the Human
System, and its Healthful Workings,
with Glossary of Physiological
Terms and Meanings*

BY

ALBERT F. BLAISDELL, M. D.

Author of

*"Physiology for Schools,"
&c., &c*

LONDON: SIMPKIN, MARSHALL & CO

GLASGOW: THOMAS D. MORISON

1892

15472

WELLCOME INSTITUTE LIBRARY	
Coll.	welMOmec
Call No.	
	Q7

P R E F A C E.

IT has been my aim in making this little book, to present clearly, concisely, and in a logical order, the most important facts about the build and health of our bodies. To keep any machine in good running-order, we must know something of the structure and use of its various parts. So in the study of that wonderful and complex machine, the human body,—“the house in which we live,”—we must build a sure foundation upon its anatomy and physiology if we would understand its health. To this end, prominence has been given to such facts of anatomy and physiology as are essential to a proper understanding of the laws of hygiene, keeping in mind that the prime object of studying “physiology” is to teach us how to keep well and strong. Hence, special emphasis has been laid upon the practical bearing of this branch of science upon our daily life and our personal health. As far as possible, each paragraph is complete in itself, and diseusses a definite subject. No more scientific terms are used than are really necessary to make the text plain.

While it is all well and good to know what a book says about the various structures of our body, it is not the whole

story. Actual observation and actual experiment are as necessary for the sound learning of even elementary physiology as for any other branch of science. We must handle the skeleton itself if we would know thoroughly all its bones. We must look at a drop of blood under the microscope if we would get a good idea of the real appearance of blood. There is no reason why physiology should be called a dry and tiresome study, especially if it is studied from the stand-point of every-day health and practical experiments, which has been outlined in this book.

In discussing the subject of stimulants and narcotics, only such points of their physiological action have been touched upon as are generally accepted by standard writers, and such as are of importance to those for whom this book has been written.

It has been my aim to be concise and practical, and to make everything plain by using a somewhat simple and homely style of writing; in short, to make a working handbook which will be of every-day service, and give a suggestive and useful guide to more extended studies.

CONTENTS.

CHAPTER I.

	PAGE
INTRODUCTION,	9

CHAPTER II.

THE BONY FRAMEWORK,	17
-------------------------------	----

CHAPTER III.

THE MUSCLES,	35
------------------------	----

CHAPTER IV.

FOOD AND DRINK,	46
---------------------------	----

CHAPTER V.

DIGESTION,	58
----------------------	----

CHAPTER VI.

THE BLOOD AND ITS CIRCULATION,	78
--	----

	PAGE
<i>CHAPTER VII.</i>	
BREATHING,	92
<i>CHAPTER VIII.</i>	
THE SKIN,	105
<i>CHAPTER IX.</i>	
THE NERVOUS SYSTEM,	118
<i>CHAPTER X.</i>	
THE SPECIAL SENSES,	141
<i>CHAPTER XI.</i>	
EXCRETION,	169
<i>CHAPTER XII.</i>	
THE THROAT AND VOICE,	175
<i>CHAPTER XIII.</i>	
SIMPLE MATTERS OF EVERY-DAY HEALTH—	
WHAT TO DO, AND HOW TO DO IT,	170
GLOSSARY,	192

OUR BODIES, AND HOW WE LIVE AND KEEP WELL.

CHAPTER I.

INTRODUCTION.

Animal Life.—We need not to be told that we have bodies made of flesh and bone, whose substance we see and handle every day of our life. Even a child knows that certain parts of his body, as the walls of his chest, and his heart that he feels beating within it, are always moving of themselves. We can move of our own free will from one place to another. The wind may rustle the leaves, and a breeze may sway a strong oak; but the leaves and the oak have no power to move of themselves. We need not wait, like the trees of the forest, for the wind to blow us to and fro, or, like the pebbles by the roadside, for some one to stir us. Like the horse, dog, bird, or any other animal that has life, we can move from place to place. Every living animal, then, from ourselves down to the tiniest creature that lives its brief life in a single day, and that cannot be seen without the aid of the microscope, has the power to move of itself.

Again, every child must see for himself that he is warm. Even in the coldest day of midwinter, let the stones and trees be as cold as the winter wind, our bodies, except perhaps the tips of the fingers and toes, are always warm. The horse, dog, and even the birds and the bees, are warm. All animals, in fact, are more or less warm as long as they are alive.

The Body compared to a Locomotive.—Our bodies are in some respects very much like the locomotive. The bones and muscles answer to the machinery of the engine, and the motive-power is produced by the food we eat. We put fuel into the furnace. The water in the boiler is heated, and expands into steam. Then the piston begins to work to and fro; this moves the wheels, joints, and levers: and so the whole engine is set agoing by the fuel which is put into the furnace. Now, just the same thing occurs in our bodies. We take food, and that food passes into the stomach. By reason of that food, we are kept warm, muscular force is developed, and the levers and joints within us are set working, as we see in the locomotive. There is, however, an important difference between the two. The locomotive is all the time wearing itself out. It must be stopped, taken to pieces and repaired by the machinist. So our bodies are all the time wearing out, but they are constantly repairing themselves. We take food, not only to warm us, but also for the building-up and repairing of our bodies. Remember, then, that the body far surpasses the engine in the perfection of its mechanism, inasmuch as it is self-repairing.

The Body and its Nervous System.—Again, if we exert our will, or “make up our mind,” as we call it, to cross the room, to write with a pen, to pick a flower, to eat an apple, or to repeat some familiar maxim, we can do it. The mind, or brain, wills to do this or that thing. It sends out its order by the tiny, white, thread-like cords called nerves; and the muscles are put in motion to do whatever the brain has willed them to do.

Every child must have noticed, that when he pricks his fingers with a needle, touches a hot stove, or has eaten some unwholesome food, like an unripe apple, pain is produced. These same silvery-white cords, like telegraph-wires, carry special despatches to the central station; that is, the brain: and the feeling of pain is there made known.

This is the way every part of our bodies is watched over and protected. If it were not so, we should be continually hurting ourselves. This mind, which feels and thinks, but which we cannot see, forms the essential part of our being. It is the power to feel, to know, to think, to reason, and to will, that makes us what we are. Our bodies are ever busy. We eat, drink, and sleep. We move about, and are warm. We feel, hear, see, talk, breathe, and think. We do not wonder about it, simply because it is so common. But, when we do stop to think about it, how wonderful it is simply to be alive! What study could be more important, interesting, and even fascinating, than that which has to do with the working of our own bodies! We gaze with wonder and admiration at the marvellous work of some intricate machine made by man. Well we may, for it seems endowed with life. But, in the human body, we find, the more we study and think about it, not simply a most perfect and delicate machine, but one endowed with life,—a mind—a soul. Indeed, the more we study, and the longer we live, and reflect upon it, the more we shall realize the great fact that the All-wise Creator, in his goodness and wisdom, has made for us bodies, which, in the words of the Psalmist, are “fearfully and wonderfully made.”

Anatomy, Physiology, and Hygiene.—Before we can tell how plants and animals *live*, we must know what animals and plants *are*. A watchmaker would be unable to describe the working of a watch or clock unless he first made himself acquainted with the various parts of which watches and clocks are made. So it is with the study of human beings. We must know the structure of their bodies before we can understand the manner in which these bodies act and move, or, in one word, *live*.

The science which tells us about the structure, form, and position of the different parts of the body, is called *anatomy*. It tells us *what* they are, *where* they are, and *how* they look.

The word "anatomy" comes from the Greek, meaning "a cutting through," or dissection: that is, the act of cutting an animal in pieces for the purpose of study.

The science which explains the uses or functions of the different parts of the body is called *physiology*, meaning "a story about nature."

Now, after we have learned something about the structure and uses of different parts of the body, it is needful to learn how to take care of these parts, and how to keep them in health. We do this by the study of *hygiene*, or the science which tells us about health. The word "hygiene" is derived from the name of the Greek goddess Hygeia, who is said to have watched over the health of the people.

Take the stomach for an illustration. If we learn what it is, where it is, how it looks, its shape, size, and general appearance, its coats, etc., this would be its *anatomy*. Going on from this point, if we learn for what special purpose it is made, just what these different parts do, and how they do it, this would be its *physiology*. Finally, if we learn what might interfere with the proper working of each part, and how it is kept in good order,—what will injure its health, and what will do it good,—this would be its *hygiene*.

It will, perhaps, be well at this point to explain certain words which will be constantly occurring in the succeeding pages.

Tissues and Organs.—A *tissue* is the simplest form in which any part of the body can exist without entirely losing its distinctive character. We thus speak of bony tissue, muscular tissue, fatty tissue, and so on. The total number of tissues is not great. Each tissue has certain features about it which mark it wherever in the body it may be found. They may be compared to the brick, stone, wood, iron, mortar, glass, and other materials, which, properly arranged, make up a dwelling-house.

Any part of the body which does a special work is called an *organ*. It is simply several tissues working together as a whole, and specially fitted to do a particular thing. Thus, the eye is the organ of sight, the nose of smell, the ear of hearing, the stomach of digestion, and so on. If there are a number of similar organs scattered through the body, but of different size and shape, we call them a *system*. Thus, we speak of the arterial system, the nervous system, and so on. The special work which an organ has to do, is said to be the *function*, or use, of that organ: thus, it is the function of the eye to see, and of the stomach to digest food.

Minute Structure of the Body.—If, now, we examine under a microscope any tissue of the body, we shall find it is mainly made up of a countless number of minute solid particles called *cells*. They are so small that we must use a powerful microscope to see them at all. The cell is the original element out of which every tissue and part of the body is formed. In a general way we may compare these cells to the tiniest bags filled with a semi-fluid mass, in which another still smaller bag floats, and is called the *nucleus* of the larger one. Cells are of all shapes and sizes (though all are very small), round, flat, thick, and long. Thus, we shall learn in a succeeding chapter of the rounded cells, or corpuscles, which float in the blood, and of the flattened cells which can be scraped from the outer or scarf skin.

The life of a cell is one of ceaseless change. It is ever changing its form. If we watch the cells under a microscope, we find them dividing themselves into parts with the greatest rapidity. In their never-ending changes they are doing a remarkable work in our bodies. Some change their forms, and become muscle: others become fluids, which help to digest our food. The liver-cells manufacture or secrete the bile, and the bone-cells help to make the bones. Millions of blood-cells do their work and perish every day,

while the brain-cells act in some mysterious way to help us to think. In short, our very life exists in the cell.

Elements found in the Body.—Now, if we put aside the microscope, and call upon the chemist to help us, he will tell us that there are about seventy different elements known to chemistry. Of these, only sixteen exist in our bodies. The most important are carbon, hydrogen, nitrogen, oxygen, sulphur, iron, phosphorus, soda, potash, lime, and magnesium. Thus, there is iron in the blood, lime in the bones, soda in the bile, and potash in the muscles. Very few of these elements exist as such in the body. They are mainly found as chemical compounds. Thus water, a combination of oxygen and hydrogen, forms about two-thirds of the weight of the body; and the average human body contains about six ounces of common salt, which is a form of soda.

General Build of the Body.—If we look at the human body, we cannot help noticing that it is made up of a middle, nearly round portion, which is called the *trunk*. On the top of this is placed a kind of round ball, called the *head*; while two pairs of branches, called the *extremities*, are attached to the upper and lower corners of the trunk. Again, we notice that the whole body has an outer covering, which is called the *skin*. Underneath the skin lie soft masses of red flesh, called the *muscles*. These muscles are mostly fastened to the hard parts, or *bones*. These bones make up the framework of our bodies. There are about two hundred separate bones in the body, which they serve to support. Taken together, they form the *skeleton*. The limbs are solid; but the head is hollow, and holds an organ called the *brain*, which is the centre of the nervous system. A cheesy-like silvery-white cord, called the *spinal cord*, runs from the brain down the middle of the backbone, and sends its thread-like branches, called *nerves*, all over the body. It is through the nervous system that we are able

to think or feel, or, in fact, know anything. The trunk is also hollow. It is divided into an upper and a lower room by means of a partition called the *diaphragm*. The upper room is called the *chest*, and holds the heart and the lungs. The lower room is called the *abdomen*, and holds the stomach, liver, intestines, and other vital organs.

General Plan of Study.—We shall now proceed to study the human body, or “the house in which we live,” under the following general topics:—

(1) The Skeleton, or bony framework. (2) The Muscles, or fleshy parts. (3) The Food and Drink. (4) The Digestion of Food. (5) The Blood and its Circulation. (6) The Respiration, or Breathing. (7) The Skin, or outer covering. (8) The Nervous System and the Brain. (9) The Special Senses. (10) Excretion, or getting rid of waste matter. (11) The Throat and the Voice.

The skeleton, or bony framework, consists of about two hundred bones of various shapes and sizes. It forms the main support of our bodies, and serves to protect the vital organs within.

The muscles are the fleshy or lean parts of the body; and they, together with the fat, give to the body its general form and proportion.

Food and drink are the materials necessary to keep up the warmth and growth of the body, and enable it to make its movements.

Digestion is the process of changing the food into a condition suitable for absorption into the blood.

The blood is the vital fluid of the body. The course of the blood through the body is called its circulation.

Respiration is the act of breathing. It is carried on mainly by the lungs.

The skin is the outer covering of the body.

The nervous system enables us to move, see, feel, taste, and so on. The brain and the spinal cord are its central organs.

The special senses enable us to touch, taste, smell, hear and see. We often speak of them as the five senses.

Excretion is the process by which the body gets rid of its waste matters, mainly through the lungs, skin, and kidneys.

The voice is produced by the vibration of two little cords, or bands, in the top part of the windpipe.

Each one of these topics will be treated of in the succeeding chapters of this book, to be followed by a chapter on simple matters of every-day health.

CHAPTER II.

THE BONY FRAMEWORK.

The Skeleton.—Every animal must have some kind of a framework or support to give its body form or shape. This framework in most animals is a support made up of a number of firm and hard substances called bones. The bones may be on the outside, like a coat of mail, as seen in the lobster and turtle; or there may be a framework of bones inside of the body, moved by muscles outside, as seen in the codfish and shad. In fact, all animals that belong to the great backbone family have an inside framework. This bony support is called the *skeleton*, meaning a “dried-up body.” It is to the body what the ribs are to a vessel, or what the frame is to a house. Every one is familiar with the picture of the human skeleton. It shows us how the dead bones of the human body look when taken out, cleaned, and held by wires in their proper places. The human skeleton is made up of about two hundred separate bones, of various sizes and shapes. To be more exact, 28 bones are counted in the head, including the three bones in each ear, 54 in the trunk, and 124 in the limbs. This number depends upon the time and how the bones are counted. The 32 teeth are not usually reckoned as bones. Several bones, which in youth are made up of separate pieces, unite in old age, and make one bone. The breast-bone, for instance, in the child, consists of eight pieces; but in adult life it is made up of only three.

The bones of the body thus arranged give firmness, strength, and protection to the soft tissues and vital

organs, and form, as it were, the foundation upon which our bodies are securely built.

How Bone is made up.—Bone is a hard and strong substance, made up of animal matter united with certain mineral earths, as lime and potash. The earthy part of bone makes up about two-thirds of its weight, and the animal portion the other third. Put a slender chicken-bone in a mixture of two ounces of muriatic acid to one pint of water, and let it soak for two or three days, and the earthy part will be dissolved, leaving only the animal matter. The form of the bone is kept; but it can be easily bent, cut, torn, or even tied into a knot. Again, put a soup-bone into a hot fire, and let it burn for two or three hours. Take it out carefully, and, while the shape is still kept, the bone is brittle, and will readily crumble when pinched between the fingers. The animal part has been burned out, and only the white bone-earth is left. The lime gives hardness and firmness to the bones; while the animal substance makes them elastic, tough, and flexible. The proportion varies with age. In childhood the bones have more animal matter than earthy: hence a child's bones do not break easily, and, when broken, soon knit together. In old age, there is more lime in the bones than animal matter: hence they are brittle, and easily broken. They unite slowly, and sometimes not at all.

General Structure of the Bones.—If we take a long bone, like that from a sheep's leg, or even a part of a beef shin-bone, and saw it lengthwise, we see that the ends are soft and spongy, while the shaft is hard and compact. It is hollow, and the central cavity runs almost the whole length of the bone. It is filled, in life, with a soft substance called marrow. If the bones were solid, they would be much too heavy for ordinary use. A bone may be hard as a rock on the outside, on account of its thin, dense layer of compact bony tissue, and yet be light because of its cavity and the trellis-work of loose, spongy texture at the ends.

Bones, as we all know, are of many different shapes according to the uses to which they are put. Some are long, with hollow shafts, as the bones of the arm and leg; others are short, to give strength, as the bones of the fingers and toes; some are flat, for protection, and to cover cavities, like the bones of the skull and shoulder-blades; while others are of various odd shapes, and hence called irregular, as the bones of the backbone and ankle.

Minute Structure of Bones.—When bones are alive or fresh, they have a pinkish-white colour, caused by the blood which is in and flows through them. Take a long, slender bone, like a rib or a sheep's leg, and we find that it is elastic, and will bend. Now, if we scrape down on the bone with a sharp knife, we find that it is wrapped round with a tough but very thin covering, called the *periosteum*, meaning "about a bone." All bones are covered with periosteum except where they go to form a joint. Bones die if this covering is for any cause removed. They have a great number of blood-vessels, which, becoming very small and hair-like, pass through tiny holes, or tubes, in the bones, and bring materials for their nourishment and growth. The tubes through which the blood-vessels of the bones travel are called "Haversian canals," having been discovered by Havers, a learned English doctor, who lived some two hundred years ago. They are shown with a microscope, largely magnified. Round these tubes the bony matter is arranged in layers, and between these layers are small cavities called *lacunae*. These are joined to each other, and to the canal which they surround, by other extremely fine tubes, called *canaliculi*, meaning the finest of fine canals. As seen under the microscope, the appearance is not unlike a small animal with a great many legs. Thus the bones are tunnelled, like honey-comb, with passages through which the blood—"the river of life"—flows in every direction.

THE HEAD.

The Head.—The skeleton, or bony framework of the “house we live in,” consists of the bones of the *head*, the *trunk*, and the *extremities*. The bones of the *head* include those of the *cranium* and those of the *face*. Together they form the strong box of bone commonly called the skull. The general shape of the head is that of an arch. The arch is the strongest shape in which the skull could be made, just as the arched bridge is the strongest-shaped bridge which can be made to bear the heavy loads that have to pass over it.

The Cranium.—The *cranium*, or brain-case, is a kind of oval, bony shell, which holds and protects the brain. It is made up of eight bones closely locked together by seams or sutures, somewhat like the dovetailing used by carpenters. Let us arrange and describe these eight bones thus:—

One Frontal (forehead),	One Occipital (back of head),
Two Parietal (side of head),	One Sphenoid (“wedge-shaped”),
Two Temporal (temples),	One Ethmoid (“sieve-like”).

The *frontal* bone forms the forehead. It is this bone which gives a beauty of form and a dignity of person seen in no other animal in creation. Next are the two bones making the sides, or walls, of the head, hence called the *parietal* bones, from a Latin word meaning a wall. They join the two *temporal* bones, which lie round each ear, and form the “temples.” The *occipital* bone forms the lower and back part of the skull. This broad, flat bone rests on the topmost bone of the backbone, and is pierced by a large hole through which a long cord of whitish marrow, called the spinal cord, passes from the brain-case into the spinal canal, and runs down the whole length of the backbone. The *sphenoid* or wedge bone is wedged in between the bones of the cranium and those of the face, and serves to lock together fourteen of these bones. The *ethmoid* or

sieve-like bone, so called because it is full of holes, like a sieve, lies between the eye-cavities just at the root of the nose. The nerves of smell pass through the holes in this bone into the cavities of the nose.

The Face.—All the bones of the *face*, except the lower jaw-bone, are firmly fixed to each other, and to the bones of the cranium. By their union, these bones form five cavities, namely, the two large cup-like cavities called the orbits, the two nostrils, and the mouth. The orbits are hollow, bony sockets in which the eyes are placed. In the back part of each cavity is a crevice through which the nerve of sight (optic nerve) passes from the brain to the eye.

The face contains fourteen bones, viz. :—

Two Malar (or cheek) bones,	Two Palate bones,
Two Nasal (or nose) bones,	Two Lachrymal bones,
Two Upper Jaw-bones (upper maxillary),	One Vomer (ploughshare) bone,
One Lower Jaw-bone (lower maxillary),	Two Turbinated (spongy) bones.

Under the orbits, and overlapping the jaw-bones, we find the two *malar* or cheek bones, which in some races, as the American Indians, are very prominent. The two bones that form the upper part, or bridge, of the nose, are called *nasal* bones. The lower part of the nose is gristle, and not bone. Next we come to the two *upper jaw-bones*, containing, as we all know, some of our teeth. The rest of the teeth are fixed in the *lower jaw-bone*, which moves by means of a hinge-joint, so as to allow the opening and shutting of the mouth.

The remaining bones of the face are small. Two bones, forming the back part of the roof of the mouth, are called the *palate* bones. Two little bones, partly forming the inside walls of the eye-cavities, are called the *lachrymal* bones, from a Latin word meaning a tear. There is, through

each of them, a canal which carries the tears from the eyes to the nose. The *vomer* or ploughshare bone (so called from its resemblance to the share of the farmer's plough) is situated between the nostrils. Two delicate little bones within the nose-cavity, shaped like a scroll or horn, are called *turbinated* bones, from a Latin word meaning a whirl.

How the Bones of the Head are joined together.—The bones of the head are joined together in a peculiar way. The edges of the bones of the cranium and face are shaped somewhat like the teeth of a saw. In adults, these edges fit into each other, and grow together, resembling the dovetailed joints in a cabinetmaker's work: hence they are called *sutures*, from a Latin word which means a sewing or a seam. In infancy the bones of the skull do not meet, and the throbbing of the brain at the top of the head is easily seen. These openings are called *fontanelles*, "little fountains." The bones of the skull are not wholly welded together till the child reaches adult life. When the bones are knitted together, these sutures add greatly to the strength and resistance of the brain-case.

THE TRUNK.

The Trunk.—The *trunk* is that part of the body which supports the head, and to which the arms and legs are attached. It has two important rooms, or cavities. The upper one, called *thorax*, or chest, consists of a bony framework formed by the breastbone, ribs, and backbone. It contains the *lungs*, with which we breathe; and the *heart*, which pumps the blood through the body. The lower part, or *abdomen*, holds the *stomach*, *liver*, *bowels*, *kidneys*, and other important organs. Between the chest and abdomen is stretched a broad muscle, which moves up and down as we breathe. This is called the "midriff" by the butchers, or *diaphragm*, from a word meaning a fence or a partition.

The principal bones of the trunk consist of those of the *spine*, *ribs*, and the *hips*.

There are fifty-four bones in the *trunk*, and they are thus arranged:—

I. The Spine contains 26 separate bones.	$\left\{ \begin{array}{l} 7 \text{ Cervical (or neck) Vertebræ.} \\ 12 \text{ Dorsal (or back) Vertebræ.} \\ 5 \text{ Lumbar (loins) Vertebræ.} \\ 1 \text{ Sacrum, or sacred-bone.} \\ 1 \text{ Coccyx, or cuckoo-bone.} \end{array} \right.$
II. The Ribs, 24 bones.	
III. 1 Sternum, or breast-bone.	
IV. The 2 Hip-bones.	
V. The Hyoid bone.	

The Spine.—The *spine*, or backbone, serves as a support for the whole body. It is made up of a number of separate bones called *vertebræ*, between which are placed pads, or cushions, of gristle. These cushions are elastic or springy, yet thick and strong. The elasticity of these plates of cartilage is so great, that we are actually about half an inch shorter when we go to bed than we were when we got up in the morning, by reason of their flattening out under the weight of the erect position. They serve to break the force of any shock or injury which the spine may receive, just as the springs of a carriage lessen the jolting which would be felt without them. These soft pads also prevent any grating or friction of one bone on another. They are also yielding; that is, are readily pressed together, else the backbone could not bend. These bones, again, are prevented from yielding too much by strong tough straps, or ligaments, which stretch between them. If the separate bones were allowed too much freedom of movement, the spinal cord inside the canal would be crushed or twisted, and paralysis or death would at once follow.

The spine is really a pile of twenty-four separate bones, resting on and above a strong, three-sided bone, called the

sacrum, or sacred bone, which is wedged in between the hip-bones. The sacrum, although reckoned as one bone, actually consists of five distinct vertebræ, which grow together, however, and form a single bone in adult age. Joined to the lower end of the sacrum is a little, tapering bone, called the *coccyx*, so named from its resemblance to the beak of a cuckoo. The whole spine forms a pillar, or column, of bones, tapering as it goes up. At the top are seven *cervical* or neck vertebræ: below them are the twelve *dorsal* or back vertebræ, from which spring the ribs. The five lowest bones, called the *lumbar* or loin vertebræ, are the thickest and largest. Each vertebræ of the backbone is pierced with a hole through its centre; and the separate bones are so placed one above the other, that these holes form a continuous tube, or canal, down which passes the spinal cord. Imagine a number of spools placed one on another. The central hole through each would be exactly over the other, and there would be one long tube, or channel, through the whole string of spools. This is just like the arrangement of the vertebræ of the backbone.

In this bony canal the spinal marrow lies protected from injury. From each vertebræ stick out spines, or thorns, of bones, to which are fastened muscles, which keep the flexible backbone erect, and lift the head and shoulders. The row of spines along the whole length of the backbone forms a ridge, which we can feel by pressing with the fingers up and down the middle of the back.

The spine is one of the most curious and wonderful things in nature,—so firm, and yet so elastic; so stiff that it will bear a heavy weight, and yet bending like rubber; a tapering pile of odd-shaped bones, so admirably planned, and so wonderfully put together, that the delicate brain resting upon it, and the spinal cord hidden within its bony canal, are not often hurt. The most daring athlete rarely breaks the bones of his spine, or puts them out of place.

How the Skull and Spine are joined together.—The spine and the skull are joined in a peculiar manner. The first, or topmost, of the neck vertebræ is called the *atlas*, so called from the fabled Atlas of the ancients. In olden times, people believed that the earth was supported on the shoulders of a huge gaint called Atlas. As, therefore, the head is supported by this bone, it received the name of atlas, after the fabled giant of old. On the lower part of the skull are two smooth rockers, which fit into two little smooth grooves hollowed out in the atlas. We are thus able to rock the head to and fro. The second vertebra of the neck is called the *axis*, and has a peg, called the odontoid process, or tooth-like peg, which fits into a notch in the atlas. Thus, when we turn the head sideways, the atlas turns around the peg of the axis.

The Ribs.—The *ribs* are the slender, but strong, bony hoops which help to make the framework of the chest. They pass around the chest, and strengthen it, resembling somewhat the hoops of a barrel. There are twenty-four ribs,—twelve on each side. They are joined to the backbone behind, and in front to a flat, narrow bone, shaped somewhat like an ancient sword or dagger, called the *sternum*, or breast-bone. This bone does not go down far enough to allow of all the ribs being joined directly to it. Only the fourteen upper ribs—that is, seven on each side—are thus fastened: they are on this account called the *true* ribs. The next six, three on each side, come partly round from the spine, and then each is joined by gristle to the one above it. They are called the *false* ribs. The remaining four ribs, two on each side, spring from the spine, like their neighbours, but are not fastened to anything in front, and for this reason are called the *floating* ribs. The spaces between the ribs are filled with strong muscles, one set of which raises the ribs, the other lowers them. This barrel-shaped framework of bones that makes the chest, although strong, is not rigid. It can be raised and lowered, owing to the joints at

the back, the cartilages, or gristle, in front, and the muscles between. The space within thus becomes larger, and more room is allowed for the action of the heart and lungs.

The Hips.—The lower part of the trunk is formed by two large, irregular bones, very firm and strong, called the hip or haunch bones. They join the sacrum behind, and each other in front. The two *hip*-bones, with the sacrum and coccyx, form a kind of bony basin called the *pelvis*, in which many important organs are held. Each hip-bone has a deep, cup-shaped cavity, or socket, into which the rounded head of the thigh-bone fits.

NOTE. Under the lower jaw is a little horseshoe-shaped bone called the *hyoid* bone because it is shaped like the Greek letter *v*. The root of the tongue is fastened to its bend, and the larynx is hung from it as from a hook. The hyoid, like the knee-pan, is not connected with any other bone.

THE UPPER LIMBS.

The Upper Limbs.—Man has two upper and two lower limbs. Each upper limb consists of three parts, the *upper arm*, the *fore-arm*, and the *hand*. Each lower limb also consists of three parts,—the thigh, the lower leg, and the foot. In speaking of the bones of the upper extremities, however, it is usual to include the two shoulder-blades and the two collar-bones. Each upper limb, therefore, contains the following bones:—

Upper arm	{	Scapula, or shoulder-blade. Clavicle, or collar-bone. Humerus.
Fore-arm	{	Ulna. Radius.
Hand	{	8 Carpal (wrist) bones. 5 Metacarpal bones. 14 Phalanges, or finger-bones.

Making thirty-two bones altogether.

The Upper Arm.—There are two bones in the shoulder, and they serve to fasten the arm to the trunk.

These are the *scapula*, or shoulder-blade, and the *clavicle*, or collar-bone. The scapula is a large, flat, three-sided bone, which is placed on the upper and back part of the chest, outside of the ribs. On the outer side it has a saucer-like cavity called the glenoid cavity, into which the rounded head of the arm-bone fits. The clavicle, or collar-bone, has a double curve, like the Italic letter *f*. It lies across the shoulder, like a kind of rigid bar, over and above the first rib. It serves, like the keystone of an arch, to keep the shoulders apart, and to hold them firm when the upper limbs are used. Its inner end is tied to the breast-bone, and its outer to the shoulder-blade. The *humerus* is the long, hollow bone of the upper arm. It fits into the socket of the shoulder-blade, and goes to the elbow, where it is joined to the two bones of the fore-arm.

The Fore-arm.—The fore-arm contains two long, hollow bones, the *ulna* and the *radius*. The ulna is the larger of these two bones, and is joined to the humerus by a hinge-joint at the elbow. It is prevented from moving too far back by a process, or projection, which makes the sharp point of the elbow. The radius is the long, slightly curved outer bone of the fore-arm. It is smaller than the ulna. Its upper end is fastened both to the ulna and the humerus. Its lower end is much larger than its upper, and carries the hand. The radius is tied to the ulna in such a manner that it can glide nearly round it. This gives us the power of twisting the fore-arm and hand.

The Hand.—The *hand* consists of three parts, the *wrist*, the *palm*, and the *fingers*, containing in all twenty-seven bones. There are eight *carpal* or wrist bones, all of which are very closely packed in two rows, and bound together with cords. The wrist is thus as strong as if made of a single bone, while at the same time, it is capable of the most delicate movements. The *metacarpal* bones are the five long bones which form the palm of the hand. They are

attached to the carpal bones of the wrist, and to the bones of the fingers. The *phalanges* of the fingers are the fourteen small bones which are tied end to end, to form the fingers. Each finger has three bones, each thumb two. The bones of the fingers are arranged in three rows, as will be seen by closing the hand. The wrist-bones, metacarpal bones, and finger-bones are all held in place by strong but flexible ligaments. By this beautiful contrivance, the greatest strength and elasticity are given to the hand, which is thus fitted for all kinds of work, from grasping heavy hammers to handling the pen, and threading the finest needle.

THE LOWER LIMBS.

The Lower Limbs.—The general structure and number of the bones of the legs bear a striking similarity to those of the arms. Thus the leg, like the arm, consists of three parts, the *thigh*, the *lower leg*, and the *foot*. There is only one bone in the thigh, while there are two in the lower leg. We see that this is similar to the arm. In the foot, the tarsal or ankle bones correspond with the carpal bones of the wrist; while the metatarsal bones and the phalanges of the toes take the place of the metacarpal bones and the phalanges of the fingers.

The bones of the leg are—

Thigh	Femur, or thigh-bone.
Lower leg	{
	Patella, or knee-pan.
	Tibia, or shin-bone.
	Fibula, or splint-bone.
Foot	{
	7 Tarsal, or ankle bones.
	5 Metatarsal, or instep bones.
	14 Phalanges, or toe-bones.

Making thirty bones in all.

The Thigh.—The top bone of the leg is the *femur*, or thigh-bone. It is the largest and strongest bone of the body. It has a rounded head, which fits into the cup-like cavity in the hip-bone: this deep socket is called the

acetabulum, meaning a vinegar-cup. At the knee-joint the thigh-bone meets the bones of the lower leg, to which it is fastened by strong cords.

The Lower Leg.—The lower leg consists, like the fore-arm, of two bones. The larger, a strong, three-sided bone, with a sharp edge in front, is called the *tibia*, and is commonly known as the shin-bone. The smaller bone, bound at both ends to the tibia, is called the *fibula*, meaning a clasp. It is a long, slender bone on the outside of the leg, and its lower end forms the outer ankle. It is often spoken of as the small bone of the leg. Covering in part the knee-joint is a flat, three-sided bone, called the *patella*, or knee-pan, which protects the joint, and gives firmness to the leg.

The Foot.—The *foot*, like the hand, consists of three parts, the bones of which are known as the tarsal bones, the metatarsal, and the phalanges of the toes. The *tarsal* or ankle bones are seven in number, and form the heel, the ankle, and part of the sole of the foot. These seven irregular bones are tied firmly together by straps, or ligaments, and are strong enough to bear the weight of the body. The larger bone, which projects backwards, is the heel-bone; and on the bone over this the shin-bone rests. The heel-bone is connected with the great muscles of the calf of the leg by a very strong cord, or tendon, called the tendon of Achilles. The warlike deeds of this famous Greek hero were sung by Homer. According to the story, Achilles received his death-wound in the heel, no other part of his body being liable to injury.

The *metatarsal* bones, like the palm of the hand, are five in number, and form the instep of the foot. They are the connecting link between the ankle-bones and the phalanges of the toes. The bones of the toes, or *phalanges*, number fourteen in all, three in each toe, with the exception of the great toe, which, like the thumb, has only two bones.

Uses of the Bones.—Bones serve many useful purposes. They keep up the general shape of the body. The skeleton, as we have seen, is its framework. It gives strength and support to the soft and fleshy parts. If there were no bones, and the whole body were a mass of flesh only, the legs would give way, and finally be crushed down, under the great weight of the body. Again, bones protect the soft organs which lie beneath them. The bones of the head protect the soft and delicate brain in a complete box of bone: the ribs protect the heart and lungs in a large cage of bone, and so on. Passage-ways and little cavities are hollowed out of solid bone to lodge and shield important organs. ¶ Grooves and canals are formed in the hard bone to receive and protect tender organs, delicate nerves, and tiny blood-vessels. Finally, the surfaces of the bones are fitted with grooves, knobs, and sharp edges, to which muscles are tied. We are thus enabled to stand erect, and make with ease and quickness the countless movements of the body. The blood filters through bone as freely as it does through any other living tissue. The bone-structure is ever changing. Old material is got rid of, and new matter takes its place.

Repair of the ²Bones.—When a bone is broken, blood trickles out between the injured parts, and afterward gives place to a sticky, watery fluid, which gradually becomes thicker, like ³sirup or jelly. This slowly hardens into a new bone-structure, and forms a kind of cement to hold together the broken ends. Nature does not spare her healing-cement. The excess bulges out around the place of union, over which a bunch is felt, for a lifetime perhaps, under the skin. In young people, a broken bone will knit together in two or three weeks; while in grown-up people six weeks or more will be required. In aged persons, a broken bone may cripple them for life. It is then a tedious matter, and sometimes the bones will not unite at all. After a bone

has been once broken, it is fragile for some time; and great care should be taken lest it be broken a second time before it firmly unites. When a bone is broken, the ends tend "to ride" over each other, because the muscles pull the broken portions apart; hence the need "to set" the bone by drawing the injured bone into place, and keeping it so by splints and bandages, properly applied by a surgeon.

How Bones are joined together.—The place where two bones join together is called a *joint*. Joints vary according to the kind and amount of motion. Get a knuckle of ham, mutton, or a beef-joint at the market. Cut into it, open up the joint, and study its structure. In all joints, the essential parts are the same. The ends of the bones are shaped according to the special needs of each joint. The ends are smooth, moist, and tipped with a thin layer of gristle, or cartilage. This smooth and glistening covering is bathed by a sticky fluid called the synovial fluid, so called because it is like the white of a raw egg. This is the oil often spoken of as "joint-oil," furnished by nature to allow the rubbing-surfaces to move smoothly over one another, and thus prevent too much wear and tear.

There are two principal kinds of joints, the *fixed* and the *movable*. Thus, the bones of the head, as we have seen, are firmly dovetailed into each other by jagged, saw-like edges, which grow into each other from infancy. The bones of the sacrum are also firmly united to each other. These are the "fixed" joints. Movable joints allow the bones to glide on each other with more or less freedom of motion. They differ according to the motion needed. Such a joint as that at the hip is called a "ball-and-socket joint," because the rounded head of the thigh-bone fits into the cup in the hip-bone. The ball-like head of the arm-bone works in the glenoid cavity of the shoulder-blade, and makes another ball-and-socket joint. The bones of the fingers also move on each other in this way. Such joints allow a greater variety of

motion than any other kind. Again, bones are grooved and ridged so that one bone can glide over the other to and fro, like a door on its hinges. This is called a "hinge-joint." Such joints are found at the knee, and between the lower jaw and cranium. Sometimes a kind of peg in one bone fits into a notch in another, and forms a "pivot-joint." The two bones (atlas and axis) at the top of the spine are joined in this way.

How Bones are tied to each other. Ligaments.—The bones are tied together, kept in place, and their movements limited, by tough and strong bands, or straps, called *ligaments*, meaning "to bind." They may be seen in any of the movable joints,—say of the calf, sheep, or chicken,—and have the look of white, silvery cords. Some of the ligaments are as thin as a piece of tape; while others, as at the side of the knee, or at the shoulder, are very thick. Some cross each other, as in the knee-joint; while others go all round the joint, and completely shut it up in a bag. This prevents the bones from being easily dislocated, or slipped out of place. It is a difficult matter to carve a turkey or a fowl, because one has to cut through these ligaments before he can force the limbs apart to serve it out in portions. There is the same difficulty in separating the two bones in a shoulder or leg of mutton, because they are held firmly together by strong ligaments.

Hints about the Health of Bones.—The bones of children are flexible, and capable of being bent by long-continued strain; because there is more animal matter than in later years. Therefore great care must be taken with the positions which children take at home, at school, and elsewhere. Allow a child to walk too early, before the legs are strong enough to bear the weight of the body, and "bow-legs" result. At school, the desks should not be too low, thus causing a forward stoop; or too high, thereby throwing one shoulder up too much, and giving a twist to the spine. If

the seats are too high, the feet have no support, and injury to the thigh may result. If too low, there is undue strain on the shoulder and backbone. Round shoulders and curvature of the spine may result from long-continued positions of this kind. The feet should rest firmly on the floor, and the edge of the desk should be about one inch higher than the level of the elbows. A line dropped from the edge of the desk should strike the edge of the seat. Three sizes of desks should be used in every schoolroom, and more in ungraded schools. Seats should be regulated according to the size of the pupil, and frequent changes of seats should be made. Young people should not get into the habit of taking unlikely positions, such as sliding down into the seat, sitting on the foot, or on the small of the back. Bending over too much while reading, writing, sewing, or otherwise at work, is apt to cause spinal curvature and round shoulders.

The prevailing fashion of using tight and high-heeled boots and shoes cannot be too strongly condemned as both hurtful and ugly. High heels throw the weight of the body forward, and force the foot down on to the toes. This will in time not only crush all shape out of the toes, causing tender feet, corns, bunions, distorted joints, and in-growing nails, but makes the natural gait stiff and ungainly. The bones in early life readily yield to undue pressure. We have all heard of the distorted feet of Chinese women. These people think it is low-bred for women to be useful, and have big feet; so they bind a baby's feet, if it is a girl, with strong bands, to prevent them from growing. When they grow up, these poor women are scarcely able to move about.

REVIEW ANALYSIS: THE SKELETON — (206 bones).

THE HEAD (28 bones).	I. CRANIUM (8 bones) . . .	<ul style="list-style-type: none"> 1 Frontal (forehead), 2 Parietal, () 2 Temporal (temples), 1 Occipital (back of head), 1 Sphenoid (wedge-shaped), 1 Ethmoid (sieve-like).
	II. FACE (14 bones) . . .	<ul style="list-style-type: none"> 2 Malar (check), 2 Nasal (nose), 2 Upper Jaw-bones, 1 Lower Jaw-bone, 2 Palate bones, 2 Lachrymal bones, 1 Vomer(plough-share) bone, 2 Turbinated(spongy) bones.
	III. THE EAR (6 bones) . . .	<ul style="list-style-type: none"> Hammer, Anvil, Stirrup.
THE TRUNK (54 bones).	I. SPINAL COLUMN (26 bones).	<ul style="list-style-type: none"> 7 Cervical (neck) Vertebræ, 12 Dorsal (back) Vertebræ, 5 Lumbar (loins) Vertebræ, Sacrum (sacred bone), Coccyx (cuckoo-bone).
	II. THE RIBS (24 bones) . . .	<ul style="list-style-type: none"> 7 True Ribs, 3 False Ribs, 2 Floating Ribs.
	III. STERNUM (breast-bone).	
	IV. TWO HIP-BONES.	
	V. HYOID BONE.	
UPPER LIMBS (64 bones).	UPPER ARM	<ul style="list-style-type: none"> Scapula, Clavicle, Humerus,
	FORE-ARM	<ul style="list-style-type: none"> Ulna, Radius,
	HAND	<ul style="list-style-type: none"> 8 Carpal (wrist) bones, 5 Metacarpal bones, 14 Phalanges (fingers).
LOWER LIMBS (60 bones).	THIGH	Femur (thigh-bone).
	LOWER LEG	<ul style="list-style-type: none"> Patella (knee-pan), Tibia (shin-bone), Fibula (splint-bone).
	FOOT	<ul style="list-style-type: none"> 7 Tarsal (ankle) bones, 5 Metatarsal (instep) bones, 14 Phalanges (toes).

CHAPTER III.

THE MUSCLES.

The Muscles.—The smallest child or the tiniest insect can move its own limbs when it pleases, but the largest vegetable and the sturdiest tree never move except some cause outside of themselves act upon them. Movement in man is made by *muscles*. The limbs are moved by muscles. Even the motions of the stomach and the action of the heart are controlled by muscles. Muscles move the skin. In many animals this action is well marked, as when the horse shakes his hide to get rid of biting flies. Muscles move the bones, the fingers, and toes, the mouth, and the eyelids. All motion in the body is dependent upon them.

The Structure of Muscle.—Muscle is simply the lean meat, or flesh, of the body. When we eat beefsteak or lean mutton for dinner, we are eating muscle. Muscles are made up of bundles of fleshy strings called fibres, held together by a very thin web of tissue, not unlike the thinnest of tissue paper. Each fibre is made up of a great many smaller fibres, called fibrils, held together in the same way. Each fibril consists of rows of little cells, arranged like a string of beads. This gives the muscles a peculiar striped look under the microscope, which marks the ordinary muscles of the body. When corned beef has been “boiled to rags,” as we say, the web of connecting tissue is partly dissolved by heat, and the fibres are plainly seen.

How Muscles act.—Muscles have a peculiar power of their own. This is the power to *contract* or shorten themselves. In order for a muscle to act, it must be stimulated. This stimulus, or that which gives it power to act, is the

nerve-force flowing through the nerves distributed to the muscles. Contraction is not, however, the natural state of a muscle. After a longer or shorter time, it is tired, and begins to relax. Even the heart, the hardest-working muscle of the body, pumping blood night and day all the days of our life, has a short time to rest between its beats.

Kinds of Muscles.—Muscles are of two kinds, *voluntary* and *involuntary*. Voluntary muscles are those which can be made to act under the influence of the will. Such muscles make up the bulk of the red meat, or fleshy parts, of the body, and form a covering for the bony skeleton. The involuntary muscles are those which carry on their work without the use of the will—indeed, we cannot prevent them acting. Among these muscles may be mentioned those of the stomach, the bowels, the lungs, and the heart. When they contract, they force along the contents of these organs. In this way the blood is forced out of the heart, the food out of the stomach, and so on. If these muscles were not entirely independent of the will, they would cease to act the moment we fell asleep; and death would be the result. As it is, the organs of circulation, respiration, and digestion continue their work at all times; because the will has no power over them.

Arrangement of Muscles.—The muscles are arranged, for the most part, so as to oppose each other in action. Thus, when one set produces motion in one direction, there is, opposite to it, another group of muscles, which draws the part moved back into place again. When a piece of lean meat is brought from the market, it looks like a solid mass of flesh. It really consists of parts of several distinct muscles. Each of these muscles, when separated, will have the following form:—

A middle or thick part, called the belly. Two tapering ends, one attached to a fixed bone, and called the *origin*; the other connected with a movable bone, and called the *insertion*.

of the muscle. These tapering ends are attached, or tied, to the bones by means of sinews, or tendons.

As a muscle acts only by contracting, each movable bone must be supplied with at least two opposing muscles. One of these contracts, and draws up the limb: this is called a *flexor* muscle. The other, on the opposite side, by contracting, stretches out the limb: this is called an *extensor* muscle. Take, for instance, the two main muscles of the arm. When we bend the arm, we notice that the muscle in front of the upper arm swells up, and becomes hard. This is the biceps or two-headed muscle, which has contracted in obedience to the will, and, by its contraction, has drawn up the fore-arm. When we wish to straighten the arm, we do not merely relax this muscle; for, if we did, the arm would simply fall into the straight position. A muscle at the back of the upper arm, called the triceps, the three-headed muscle, now contracts in obedience to the will, and, by its contraction, straightens the muscle.

The Tendons.—If we bend the leg or arm, and grasp the inside bend of the joint with the hand, we feel the motion of cords just beneath the skin. These are the *tendons*, or sinews, forming the tapering ends of muscles, which are fastened to the bone. Tendons are white, glistening cords, like belts or straps, which connect the muscles with the bones. They are exceedingly strong, but flexible. Children often amuse themselves by taking the leg of a fowl, a rabbit, or some other animal, and moving the toes by pulling a white cord in the leg. This cord is a tendon. Tendons are most numerous about the joints, especially the larger ones, like the knee and elbow. They save a great deal of space, and allow great freedom of movement, where muscles large enough to do the work would be exceedingly bulky and clumsy. The longest and strongest tendon in the body is the tendon of Achilles. The tendons of the muscles which bend the knee and are felt in the bend of the joint, are commonly called the “ham-strings.”

The Bony Levers of the Body.—The word lever means simply a rigid bar, or rod, which moves about a certain fixed point, called the fulcrum. We have all seen a man trying to raise a heavy stone with a crowbar. He places one end of the bar under the stone, and presses down the other end. In this case, the bar is the lever, and the ground under the bar the fulcrum. The pressure which the man applies is called the power, and the stone to be lifted is called the weight. We have the same thing in a seesaw, where the plank is the lever, and the block on which it rests, the fulcrum; while the power and weight are first at one end, and then at the other. In a lever, then, we have three things to consider,—the fulcrum, the power, and the weight. Levers are divided into different classes, according to the position of these three things.

(1) *First Class.*—Levers of this class have the fulcrum in the middle.

(2) *Second Class.*—In this class, the fulcrum is at one end, the power at the other, and the weight in the middle.

(3) *Third Class.*—In this class, the fulcrum is at one end, the weight at the other, and the power between them.

In the various movements of the body, we have instances of all three kinds of levers.

The skull, as it nods backwards and forwards upon the atlas, is an instance of the first class of levers. It is like the seesaw we have just spoken of. The skull rests on the spinal column, which is the fulcrum: the muscle at the back of the neck is the power, and the front part of the skull is the weight. We have all seen a woman running a sewing-machine with her feet. In this case, the ankle-joint is the fulcrum; the tendon of Achilles, attached to the heel-bone, is the power; and the weight is at the toes. This is another instance of the first class of levers. When we stand on tiptoe, the power required to raise the body is applied to the heel-bone by its stout tendon. The toes

are the fulcrum, and the bones of the foot support the weight. We have in this case a lever of the second class. The third class of levers is the one which occurs most frequently in the body. Of this we have an example when we bend the fore-arm. The elbow is the fulcrum, the fore-arm and hand are the weight, and the biceps muscle, at its insertion in the radius, is the power which is thus placed between the weight and the fulcrum.

How we walk.—Though we all walk without conscious effort, this is done only after much practice. This is seen in the efforts of the child who is learning to walk. Let us try to understand so common an act of every-day life. Stand erect with the heels together, and take a step, beginning with the left foot. The foot is lifted, and the knee raised: then the foot is thrust forward by the thigh and leg muscles, and allowed to fall on the ground. The trunk is thus moved over a new centre of gravity: the weight will be felt passing from the arch towards the toes as the body is thrown forwards. Meanwhile the muscles at the back of the right leg are felt to contract. The knee is fixed by the thigh-muscles: then the muscles of the calf lift the heel off the ground, and allow the weight of the body to rest on the toes; that is, the centre of gravity is brought forwards. As the right foot reaches the ground, the weight of the body falls on the heel first, and then on the arch of the foot. Thus, by pushing forward first one limb, and then another, and by moving the body to the new centre of gravity, we are able to walk.

A Few Important Muscles.—There are about five hundred muscles in the human body, all necessary for performing the various movements and operations of this complicated machine—our body. There are about fifty in each arm and hand. Six little muscles move each eye-ball. Muscles are of all kinds of shapes—round and flat, long and short, fan-shaped, etc.,—suited to the work they

are to do. Some are large, like the great breast-muscles; while others are very small, like the tiny muscles which move the delicate little bones of the ear. Each muscle has its own name, given to it from its peculiar shape or size, or from the work it has to do. We chew our food by the help of two strong muscles, called the "chewing-muscles," which move the jaws. They are very large and strong in flesh-eating animals, like the lion and tiger. Turn the head suddenly to one side, and the sharp edge of a long muscle is plainly seen and felt on each side of the neck: one end is tied to the skull, the other to the collar-bone. It acts to turn and brace the head. Inside the cheek is a flat muscle, called the trumpeter's muscle. It is largely developed in glass-blowers, and persons who play on wind-instruments. The muscle on each side of the chest is fan-shaped, and powerfully developed in strong men. The large, thick muscle covering the shoulder is thought to resemble the Greek letter Δ (delta). A military officer wears his epaulet over this muscle. The action of the two-headed muscle, which bends the fore-arm, and the three-headed, which straightens it, has been explained. A three-sided muscle covers the shoulder-blade, like a monk's hood, and helps to move the shoulder. A very broad muscle in the back is the "climbing"-muscle of the body, and helps to pull the arm backwards. Three huge muscles make up the greater portion of the fleshy mass in the lower part of the back. They move the thigh backwards, and help to keep the body erect. The longest muscle in the body, called the "tailor's muscle," runs across the thigh in front. It helps us to cross the legs. Two strong muscles form the largest part of the calf of the leg. The first literally means the belly, or calf, of the leg; and the second is named for a sole-fish, because it is broad and flat. The tendons of these two muscles unite to form the tendon of Achilles. These muscles are used in walking,

standing, dancing, and leaping. They are of very great strength; because, in raising the heel, they have to raise the entire weight of the body.

Why we need Exercise.—To be vigorous and healthy, every organ of the body must be used. Every organ and every tissue must act well its part to be of the best service. To keep the body in health, it is absolutely necessary that a certain amount of muscular action or exercise should be taken every day. The reason for this is plain: the body is made up of certain tissues, such as bone, muscles, and nerves. These tissues consist of a countless number of little cells, every one of which is born, lives its brief moment, then dies, and is cast out as waste or dead matter. The ever-changing blood, in its ceaseless current, brings them their nutriment. The tissues take what is specially suited to their wants, and return as waste matter whatever has become used up. Now, in every tissue, especially in the muscular tissue, this process is hastened by action. Exercise causes more frequent changes in the tissue-cells, and hence an increased flow of blood. The greater the amount of judicious exercise, the greater is the working-power of the individual. Muscular activity is, then, the chief agent in bringing about these wholesome tissue-changes. Muscles increase in size and strength according to the use made of them. The blacksmith uses vigorously the muscles of his right arm day after day, hence their size and strength become well developed. Change his business for that of a clerk, and the once brawny arms soon become small and weak. Let a muscle be kept idle for some time, and it loses in bulk and vigour. Some of us have heard of certain people in India, who, as an act of worship, keep one arm raised above the head for many weeks. The muscles shrivel, and the arm becomes dried-up and useless. If a leg is broken, and kept in splints for six weeks or so, the muscles become feeble and wasted. It is only after a great deal of

exercise, that the long idle limb regains its former size and vigour.

Effect of Exercise on Various Organs.—Not only are the muscles themselves benefited by exercise, but, by their action, many other tissues and organs become more vigorous. The heart beats more vigorously in order to carry more blood to the tissues. More oxygen is taken in by the lungs, and more heat is developed. Hence the skin, kidneys, and lungs have to do more work to get rid of the waste products. Breathing is mainly done by muscular action: thus, exercise causes the lungs to draw in an extra amount of fresh air, and to get rid of more impure air. Again, exercise stimulates the muscles which control the organs of digestion, thus giving a good appetite by creating a demand for food. In brief, muscular exercise keeps the whole machinery of the body in good working-order.

Amount of Exercise.—Too much exercise, as well as too little, is a fruitful cause of ill-health. Exercise followed by fatigue, day after day, only does harm; while judicious exercise with suitable rest is of great benefit. Hence the amount necessary to keep the body in the best trim is a most important and practical question. It is laid down as a pretty safe rule, that a person of average height and weight, engaged in study or any other indoor or inactive business, should have an amount of exercise equivalent to a daily walk of five miles along a level road. Growing children, as a rule, take more exercise than this; while most men in the prime of life, working indoor, take nothing like this amount; and women take less. Of course, if one's daily work is active and outdoor, no additional exercise is really necessary. Exercise may be varied in many ways,—the more ways the better. But, for the most part, it should always be taken in the open air.

Time for Exercise.—The best time to take exercise is about two hours after a meal. The body is the weakest before breakfast. It is not best to do hard work, or take

severe exercise, before this meal. Those who go to work or study before breakfast, should first eat half a slice of bread or a cracker, or even drink a glass of milk,—just enough to “stay the stomach,” and save the feeling of faintness, or “sinking” at the stomach. Just after a full meal, the stomach is busily doing its duty. Hence exercise at this time is apt to stop its action, and result sooner or later in dyspepsia. The evening is not the best time for exercise, because the body is tired after the labour of the day. It is useless to fix any exact rule. Ordinary work, or moderate exercise, as walking, is beneficial almost any time, except just after a full meal.

Different Kinds of Exercise.—The kind of exercise it is best to take depends very much upon one’s daily occupation. Persons who sit at desks, stand at counters, or work in close rooms, as clerks, teachers, tailors, printers, etc., are prone to diseases due to lack of bodily exercise, and to foul air. Every person should know, or be taught to know, his own needs, and his own dangers. All sound persons should do some work, or take some exercise, with both body and mind, every day. To get and to keep vigorous health, it is not at all necessary to increase the size of the muscles very much, or do great feats of strength. Walking is the best of all exercises. It takes us into the open air and bright sunlight. It puts new life into many important muscles of the chest, abdomen, and limbs. With a brisk walk every day, taking care to keep warm and dry, no one need suffer from lack of proper exercise. Running, leaping, climbing, and other vigorous sports, are well enough, especially for children, if they are not kept up too long, and cause fatigue. Violent sports, such as base-ball and foot-ball, are severe exercises, and occasionally dangerous. Rowing is admirably suited to most persons of either sex. Horse-back riding, coasting, swimming, and skating are important helps to increase the bodily vigour. Certain sports also tend to beget self-reliance,

coolness in danger, and a certain dignity and grace of person. There is hardly any one kind of exercise, which, taken alone, is able to give even tolerable development of all the muscles. Hence light gymnastic exercises are cheap and convenient means to develop muscles not used in work and games. Growing children should be trained every day at home or in school in the use of light wooden dumb-bells, light clubs or wands. A daily exercise of ten minutes will do much to develop feeble and narrow chests, to check the tendency to curvature of the spine and round shoulders so common with girls, and to give muscular strength and vigour to all parts of the body.

Effect of Alcohol on the Muscles.—We have learned that it is the nerve-force flowing to the muscles which makes them contract or relax. Now, if we drink more or less of alcoholic liquor, the muscles are acted upon in a peculiar way. The nerve-force that controls the muscles is weakened, and they show a lack of control. Every one is familiar with the unsteady and staggering gait of a person who has drunk ardent spirits. Those delicate movements which require the long training of groups of muscles, as in handling fine tools and doing gymnastic feats, cannot be made. A person may know the right way of making each movement, and may succeed, after a fashion, in clumsily doing it; but, when a certain point of intoxication has been reached, this is impossible. Under the influence of alcohol, the trained muscles become feeble and trembling, and are no longer wholly under the control of the will. All muscular control may be lost if alcohol enough is drunk, and deep breathing may be the only sign of life.

This same lack of control is shown in the act of speech. Each and every word we utter, requires special movements of the muscles of the tongue, palate, and throat, all acting in harmony. After drinking alcohol, there is less control of the muscles: the reins are slackened, so to speak, words

may be left out, cut short, or misplaced. According to the stage of intoxication, the words are clipped, stammered, or "mouthed," or "thick," from loss of control of the tongue. The muscles that move the eyes do not act in harmony: hence the drunken man "sees double." The rapidity with which this loss of control is produced varies greatly with the individual, with the kind of drink, the rate at which it is drunk, and many other circumstances.

CHAPTER IV.

FOOD AND DRINK.

Work, Waste, and Repair.—The body is in some ways—as we have learned in the Introduction—very much like a steam-engine. The bones and muscles correspond to the machinery. The motive-power is furnished by the food we eat. Our food is to us what coal and wood are to the engine. Like the locomotive, our bodies move about, and are warm, because a fire is always burning in them. This fire, like that of the engine, needs fresh fuel from time to time. Unlike the engine, our food is not burned in a separate part of the body. The food we eat becomes part and parcel of our body, and it is our *whole* body that is slowly burning. In order to keep up this bodily burning, or to oxidize the food, we must have oxygen. Without fuel and air, the fire in the engine will go out. So it is with the fire in our body. Without food and air, the combustion, or oxidation, of our bodies would soon flag, and we would soon die for want of them. When coal or wood is burned, we get ashes. When food is burned in the body, we get, not exactly ashes, but something like them, which is got rid of as useless substances. Again, the steam-engine wears out, and needs repair from time to time. So it is with our bodies. There is wear and tear constantly in every part. Every beat of the heart, every contraction of a muscle, and even our very thoughts, lead to waste. Every time we think, look, speak, or move, we do so at the expense of some minute portion of the tissues of the body.

Why we need Food.—To make good this waste,

there must be something taken into the body, or it soon suffers. The body is constantly wearing away, and must be constantly built up again. Hence we see the necessity for food. The food, too, must contain the same things that the body has lost. The blood is the stream which carries this material for restoring the waste tissues of the body. Indeed, we may say that the blood is that material itself. It is simply the food we have eaten, in another form. Food must be of such a kind, and in such a quantity, as to supply an amount of nutriment to the tissues equal to the waste which takes place. The following admirable definition of a food has been given by Professor Henry P. Bowditch of Harvard Medical School: "A food is any substance, solid or fluid, which, when taken into the body, repairs the waste, or hinders the loss, of any of its tissues."

During early life, when the body is growing rapidly, more of tissue-food is needed than in adult life, when repair alone is called for. When the body has been wasted by disease, as typhoid fever for instance, much tissue-food is needed to repair the waste, and to restore the muscles to their former size and vigour. If but little or no food be taken, or if it is not of the right sort, the body slowly loses in weight. If we try to do without food, we grow chilly and cold, feeble, faint, and too weak to move. A point will at length be reached, at which death from starvation must take place. The bodily fire has gone out, and nothing but cold ashes is left. The cause of death, then, seems to be the chilling of the body by the loss of fuel. Thus it is that cold acts with starvation to bring about a more speedy end.

Different Classes of Food.—For convenience, let us divide foods, or food-stuffs, into three great classes:—

1. *Nitrogenous Foods*, or *Albumens*, sometimes called flesh-forming foods, contain, as their name implies, all the materials requisite for restoring the tissues. They contain all

four elements,—nitrogen, carbon, oxygen, and hydrogen. They are especially rich, however, in nitrogen, which forms an essential part of the animal tissues. These foods are called albuminoids, because they contain a certain white substance known as albumen, familiar to all as the white of an egg. Lean meat; the cheesy part, or curd, of milk; pease and beans,—are rich in albumen. Wheat, barley, oats, and maize also contain albumen. A well-known group of plants with seeds enclosed in pods, or legumes, hence called “legumens,” is rich in a nitrogenous substance, resembling the albumen of eggs and the gluten of flour. Pease, beans, and other vegetables of this group are nutritious on account of this flesh-forming material.

II. Starches and Sugars contain carbon, hydrogen, and oxygen, but no nitrogen. They are sometimes called the “sugar hydrocarbons.” As their proportions of hydrogen and oxygen are the same as in water, we may consider them as carbon or charcoal dissolved in water. This class of food-stuffs forms a large proportion of all those vegetable substances which are generally used as food. Wheat, barley, oats, rye, rice, maize, tapioca, arrowroot, sago, potatoes, etc., are rich in starch. In fact, starch stands first in importance among the various vegetable foods. Starch in its natural state would be useless as food, because it is insoluble. It is only after it has been acted upon by the digestive fluids, and converted into sugar, that it becomes soluble, and is capable of being taken up by the blood. The sugars themselves come from the fruits and vegetables, honey, and milk. The sugars serve as a kind of fuel, which is burned up by the oxygen in the body. The combustion of these fuel-foods develops and keeps up the necessary heat of the body, and the vital energy or strength which enables us to perform our various duties.

III. Oil and Fats contain carbon, hydrogen, and oxygen. They are sometimes called the “fatty hydrocarbons.”

This class of foods is derived from the fat of meat, eggs, butter, and milk, also from the various oils. Most of the bread-stuffs contain more or less of fat or oil. The oils and fats supply about twice the amount of energy, whether manifested as heat or motor force, as that afforded by the combustion of an equal amount of starch or sugar.

Inorganic Substances, or Mineral Foods.—Organic substances, such as those included in the food-stuffs just described, are derived from living forms, as animals and vegetables. Besides these, the body demands a certain amount of inorganic substances, derived from the mineral kingdom. These are water, salt, iron, lime, magnesia, phosphorus, and potash. Except water and common salt, these substances generally enter the body only in combination with other food-stuffs.

Extra Foods, or Appetizers.—A vigorous appetite requires little else besides salt for an appetizer. Salt has been and is universally used by all animals and peoples. Salt has always been the symbol of life, health, and wisdom. Animals will travel for miles to reach salt-licks, while men have risked their lives to get even a taste of salt. In most countries it is “cheap as dirt;” while in parts of Africa it is worth its weight in gold. In India, a large revenue is raised from the salt-tax, salt being something which even the poorest native will buy. In old times, untold tortures were inflicted upon prisoners in Holland, by feeding them on bread alone, made without salt. Pepper, mustard, ginger, and other heating appetizers, are used to give flavour to tasteless foods, and to stimulate the sense of taste, and to increase the flow of saliva and gastric juice. So long as the “appetite comes with eating,” and ordinary food is enjoyed, the use of these stimulating appetizers is unnecessary, and becomes simply a matter of habit.

Different Articles of Diet.—*Vegetable Food.*—The most important food of this class is bread, “the staff of life.”

There is no single food in the world which meets so many necessary wants of the body. Bread may be made from the flour of many kinds of seeds, such as oats, rye, Indian corn, etc. But, in this country, it is nearly always made from wheat. Wheat-flour gives us starch, sugar, gluten—a form of albuminous food. Hence wheat has nearly everything to support life except fat. When we eat bread and butter, we have nearly a perfect food. Coru-meal is rich in nitrogen, and has a deal of oily matter. It is a highly nutritious and cheap article of food. Oatmeal is richer than flour in nitrogen and fat, and is, therefore, more nutritious. Rice, though rich in carbon, is one of the least nutritious of all the cereals. Pease and beans contain more nitrogen than any of the cereals, and are as rich in carbon as wheat-flour. The common, or Irish, potato is a most important article of diet. Although it is more than two-thirds water, and has little nutriment, yet it is easily cultivated, easily kept, easily cooked, and easily digested,—a cheap and economical article of diet. Ripe fruits, such as apples, pears, peaches, melons, grapes, oranges, etc., though not of much nutritious value, are prized for their agreeable flavour. Sugar and molasses are both extensively used for their flavouring qualities. Their nutritious value is about the same as that of starch.

Animal Food.—The foremost place among these must be given to milk, for it is the food of all others which gives us the necessary elements of nourishment in the simplest and best form. It contains a large quantity of water, casein, together with sugar and fat. Eggs have a large amount of nutriment in a small space. Two-thirds of an egg is water, the rest albumen and fat. Eggs are cooked in many ways, and are generally easily digested. Meats, for the most part, consist of the muscles of the various animals. The most common are beef, mutton, lamb, veal, and pork. Meat is rich in albumen, and has more or less of fat. It is a most common and important article of diet, and, as a whole, is easily di-

gested, except, perhaps, veal and pork. Fish is at once a cheap, abundant, and nourishing food. Poultry must be looked upon, like fish, as a useful, light food, especially for the sick. The flesh is easy to digest, and gives a deal of nourishment.

Mineral Food.—Water is a mineral food, which will be described hereafter. There is about a half a pound of common salt in the body at any one time. But we are continually losing it. Tears, we know, contain salt; and it is also contained in the sweat. Many people think they do not eat any common salt, because they do not take it by itself. But they forget that most of the foods they eat, such as bread and meat, contain a little of this substance. The salts of potash are chiefly found in the vegetables we eat, especially lettuce. These salts help to purify the blood. The salts of lime make the bones hard and strong. Iron is contained in very small quantities in many of the foods we eat. It helps to form good blood. Not many years ago, as the story is told, a certain gentleman desired in his will that his body should be burned instead of being buried. His friend, an eminent French chemist, saw that his wish was duly carried out; and, collecting the ashes of the body, he extracted from them enough of iron to make a mourning-ring.

Artificial Drinks.—Our great natural drink, as we have learned, is pure water. Many savage nations know no drink save water, and require no other. Milk is also a natural drink. Of both milk and water we have already given an account. Now, from the earliest period of history, man has contrived many ways to flavour his drink in some way or other. The greater portion of almost every drink is water; but, in various ways, other substances are mingled with the water, to give it a pleasant taste. Such drinks are artificial, and have ever been highly prized by all nations. Tea, coffee, cocoa, beer, wine, and distilled liquors, are the more common artificial drinks. All such beverages rank as articles of luxury, and not as the real necessities of life.

Tea, Coffee, and Cocoa.—Tea was first brought to England about two hundred and fifty years ago. It was then sold for some £2 a pound, and did not come into general use. Its use has steadily increased, and millions of pounds are now consumed every year in every civilized country. The tea-plant is chiefly cultivated in China. When boiling water is poured on the dried leaves, a substance called *theine* is dissolved, together with other matters. The liquid so obtained is called a “decoction,” and makes the common drink known as tea.

Coffee comes to us mainly from the West Indies, Arabia, South America, and the East Indies. When boiling water is poured on ground coffee, it dissolves a substance called *caffeine*, very much like the theine of tea. Theine and caffeine are said to be the “active principles” of tea and coffee.

Coffee was first used in England about the same time as tea.

The cocoa or chocolate tree is a native of tropical America. It has an active principle which resembles theine and caffeine. Named *theo bromine*, “the food of the gods,” by Linnæus, the great botanist, who was fond of chocolate.

Chocolate is cocoa ground up with sugar and certain spices.

The Effect of drinking Tea and Coffee.—Tea and coffee contain a certain amount of nutritive material. They are useful additions to the diet, especially when used with milk and sugar. Cocoa is a much more nutritious food than either tea or coffee. Tea and coffee, however, are used mainly for their stimulating effects. They gently stimulate the nervous system, producing a slight feeling of excitement and a relief from fatigue. Unlike alcohol, they have no immediate re-action. Coffee is especially useful as a stimulant after severe labour, great exposure, and hard study. Soldiers, sailors, miners, and others exposed to hardships, will thrive

on scanty food if well supplied with coffee. There is rarely any necessity for one to drink tea or coffee. If drank in moderation, they seldom do harm, especially for grown-up people in good health. Some persons, however, cannot drink even a single cup of coffee or tea without feeling the worse for it: headache, indigestion, heartburn, wakefulness at night, and constipation are the most common after-effects. Strong tea in large quantities should never take the place of ordinary food. Hard-working women and others, from choice or necessity, too often make their meals of dry toast and several cups of strong tea. Drank in excess, tea may weaken the action of the heart, and produce the peculiar beating after much exertion, known as "palpitation." Hence we have "the tea-drinker's heart." Coffee and tea are injurious articles of diet for growing children.

Alcohol.—When the juice of apples is first pressed out, it is sweet. If kept warm, or allowed to stand, it soon begins to "work," or ferment. The new cider loses its sweet taste, begins to bubble, and becomes of a very different taste and odour. The sweet cider has become "hard." The sugar has changed into a gas, called carbonic acid, which causes the bubbles, and alcohol, which gives a peculiar flavour. The juices of all kinds of ripe fruit will soon begin to "work," or ferment, in the same way. The starchy grains of corn, rye, barley, and other cereals, if kept warm and moist, are rapidly changed into sugar, and then into *alcohol*. This change is called *fermentation*. Thus, wine is fermented grape-juice, and cider is fermented apple-juice. The carbonic acid partly evaporates, and partly remains to give life to the liquor. The intoxicating principle is the alcohol; which, when it is once taken up by the blood, acts upon the body in a remarkable manner.

Alcohol is a clear, colourless liquid, with a burning taste. It is lighter than water, and mingles freely with it. It

has a penetrating and peculiar odour. It has never been frozen: it burns readily, giving much heat, but little light. In its pure form, it was first obtained by distillation from wine: hence it was called "spirits of wine" by the Arabians, nearly a thousand years ago.

Alcohol is a staple article of commerce, and is used in various trades and professions. It is extensively used by druggists in the preparation of drugs, by chemists as a solvent for many things, by the photographer in his art, and in hundreds of other ways. These important uses of alcohol are of little account compared with its use as a beverage. Almost every drink that intoxicates contains more or less of alcohol. Such beverages may differ a great deal, as much as old cider does from a rare wine, or the costliest brandy from the cheapest rum; and yet the intoxicating power of each one is due solely to the alcohol it contains,—the common ingredient of them all. Enormous quantities of alcoholic beverages are drunk in almost every part of the world. The effect of alcohol upon our bodies is a subject of the most profound importance.

Principal Drinks that contain Alcohol.—Under the name of "beer" may be included lager-beer, ale, and porter. In a hundred pounds of good beer, there are from two to eight pounds of alcohol, about five pounds of a starch-like substance known as dextrine, and about half a pound of albuminoid matter. The remaining eighty or ninety pounds are water. The process of making beer is called brewing. Wine is made from the sweet juices of fruits, which are pressed out, allowed to ferment, and then bottled. Grapes are chiefly used for wine-making. On an average, a hundred pounds of wine contain ten to fifteen pounds of alcohol.

By heating a fermented liquid, the alcohol in it can be readily driven off in the form of vapour: this is condensed in a cool receiver, and the result is a new and stronger liquor. This process is called distillation. The alcohol

of commerce is distilled from whisky. Beverages thus distilled from liquids which contain alcohol are commonly known as "spirits" and "ardent (burning) spirits." Brandy is distilled from wine; whisky from fermented corn and rye; gin from barley and rye, and afterwards flavoured with juniper berries; and rum from fermented molasses. Distilled liquors contain from 40 to 50 per cent. of alcohol; the rest being water, flavoured with various aromatics.

Alcohol as a food.—A certain portion of a small dose of Alcohol is probably utilized in the body as a food, just as tea and coffee are, and serves to hinder the waste of the tissues in a very limited way. Scientifically speaking, then, alcohol may be regarded as a food in the widest sense of the word. Now, because alcohol is a possible food, it by no means follows that it is a safe food. In fact, it is plainly evident to any sensible person, that alcohol is so dangerous an article of diet, that, practically, we do not call it a food, but a poison. Certain powerful drugs, arsenic for example, may hinder the waste of the tissues; but we certainly should not class or use them as food on this account. As a beverage, alcohol in its various forms is the deadly enemy of human life, either from a physical, moral, or intellectual point of view. The position of alcohol as a substitute for, or as an addition to, ordinary food, cannot be correctly assigned without reference to its effects upon the nervous system,—effects so rapid, so far-reaching, so hurtful, and so poisonous, that its influence upon the general nutrition is of little account. The habitual drinker of alcohol seldom has any well-considered grounds of economy or health for his indulgences (though prone to excuse himself in this way), but merely desires the immediate and so-called agreeable effects. The argument in favour of the use of alcoholic liquors, because the taste for some stimulant is so universal, is worth but little. All of us, unfortunately, wish to do many things which we had better not, and without much regard to the

far-reaching results. Sir Henry Thompson, the eminent English surgeon, states his own assured conviction that there is no greater cause of moral and physical evil, than the habitual use of alcoholic beverages, even when restricted to an amount held to be quite within the limits of strict moderation. Sir Henry further adds, that such habitual use injures the body to an extent that few people are aware of, and that it is, in reality, the true cause of a very large proportion of the most dangerous and painful maladies that come under the care of the surgeon.

Dr. Andrew Clark, an eminent physician, recently stated that he had gone through the wards of his hospital, and had come, after careful thought, to the conclusion that seven out of ten owed their ill-health to alcohol.

Alcohol and Work.—Does alcohol enable us to do more work? Many experiments have been made to test this point: and, like all such experiments, they are unsatisfactory. According to the late Dr. Parkes, one of the best authorities on the subject, a small quantity of alcohol does not materially affect bodily labour. But more than two ounces daily really lessens the power of sustained and severe muscular work. We shall learn in a following chapter, that alcohol increases and weakens the beat of the heart, and lowers the bodily temperature. With the pumping-engine of the body working more feebly, faster, and with less heat in the body, because of alcohol, it is not at all strange that the capacity for muscular exertion should be lessened. At first, alcohol may give a slight and short renewal of strength; but it is only for the moment. It is rapidly followed by a diminished ability for work. Hence, men who are in training for boat-racing, base-ball, foot-racing, and other sports where great exertion is called for, are never allowed to use alcoholic liquors. Instinct and experience have taught this to uncivilized people. The Indian porters of South America, when they travel

upon their hard journeys, with heavy loads upon their backs, are careful not to take a drop of alcoholic drink. Experience teaches them that they can do their severe work better without it.

CHAPTER V.

DIGESTION.

General Plan of Digestion.—Food substances cannot serve the needs of the body until they have been converted into blood. In order to become blood, food must first be dissolved. This is done in the *alimentary canal*. This canal is a long tube, which runs through the body from the lips to the lower end of the spine. Beginning at the mouth, this canal, continued as the gullet, passes down through an opening in the diaphragm which forms the partition between the chest and abdomen. Below this it swells out into a large bag, called the stomach. It then narrows again into the small intestine, which lies coiled upon itself in the cavity of the abdomen. It then swells out again into the large intestine, which opens at the bottom of the spine, to discharge the useless parts of the food, together with certain waste products which are got rid of through the same outlet. This long digestive tube is lined throughout by a soft, moist, reddish kind of very thin skin, called mucous membrane. Layers of muscles surround the tube, which strengthen it, and help to push along the food. In and around this tube are hollow organs, called glands. They pour out certain fluids, which alter the food chemically, and so fit it for absorption into the blood. The process by which the food is turned into matter fit to mix with the blood, is called *digestion*.

What takes Place in the Mouth. Chewing of the Food.—The *mouth* is a hollow box, with a movable floor formed by the tongue and lower jaw. At the top is the hard palate; in front, the lips and teeth; and at the sides, the

checks and teeth. The moment food is taken into the mouth, it is rolled over by the tongue, and crushed and ground into very small pieces by the teeth. This process is called chewing, or mastication.

The Teeth.—The *teeth* are small, hard, white, bone-like bodies fixed in the jaws, pressing against each other as the jaws work, so as to cut and grind the food. They are fastened into the jaws by roots, which sink into the bony sockets somewhat in the same way as a nail is held in a piece of wood. Teeth are made of three things,—*dentine*, *cement*, and *enamel*. Dentine, the familiar ivory of commerce, is a bone-like substance, which forms the inside and body of the tooth. Outside of this dentine is a layer of cement; but, when the tooth appears above the jaw, the enamel takes its place. It is a hard, shining kind of polish, looks like ivory, and gives a strong protection for the exposed part of the tooth, called the “crown.” The teeth are hollow: the inside space holds a delicate substance called the pulp, well supplied with nerves and blood-vessels, which enter at the root of the tooth.

A child when born has no teeth: afterwards, however, it has two sets. The first set, or milk-teeth, twenty in number, are shed in childhood. The second set, or permanent teeth, thirty-two in number, gradually take their place. The teeth are arranged in the same way, and number the same, in each jaw, and in each half of each jaw. Thus, beginning at the centre of the jaw, there are eight *incisors*, or cutting-teeth, or two on each side. They have sharp, chisel-like, cutting-edges, which cut up the food. These teeth are largely developed in gnawing-animals, such as rabbits, squirrels, rats, and the beaver. Then come the *canine* or dog-teeth, two in each jaw, so called because they are strongly developed in dogs, cats, tigers, and other flesh-eating animals. Next in order come the two-pointed teeth, called the *bicuspids*, four in each jaw. They are so called because they have two points, or cusps, for grinding the food. After these come the largest and strongest

teeth in the head, which do the hardest work. They are called *molars*, or "grinders." There are six of them in each jaw. They have broad crowns, with four or five cusps or ridges for grinding. The last molars are commonly called the "wisdom-teeth;" because they do not usually appear before the age of twenty, or the "age of wisdom."

Secretion.—It is well to explain at this point the exact meaning of secretion and excretion. The word *secretion* comes from a Latin word which means to "sift or separate;" excretion comes from the Latin, and means "to sift out from." Both words are used to express the sifting of some substance from the blood. A secretion is something taken from the blood to be used again in the body for some special purpose; while an excretion is waste matter, and is thrown out of the body entirely. Thus, the salivary glands secrete the saliva, and the liver secretes the bile. Sweat is an excretion, sifted out of the blood by the sweat-glands. Those parts of the body which are engaged in secretion and excretion are called *glands*. There are a great number of glands in the body, varying in size, from the liver, which weighs about five pounds, to the small glands in the intestines, which are invisible to the naked eye. All glands, from the simplest to the most complex, have the same foundation structure. They are built, so to speak, of identical material. They consist essentially of a fine skin, or membrane, which is covered on one side with a layer of exceedingly minute bags called epithelial cells; while it rests upon capillaries on the other side. These cells have the power of drawing the peculiar secretion of the glands out of the blood that is circulating through the capillaries. The moist, tender skin, or lining, on the inside of our lips, is a familiar example of this secreting-membrane. A gland may be merely a pouch in the basement membrane; or the membrane may be elaborately twisted, branched, made up like bunches of grapes, and so on, into all kinds of complex glands. Why and how the cells in the liver

make bile, and not gastric juice; those in the stomach make gastric juice, and not sweat; those in the skin make sweat, and not saliva; and so on,—we do not know, and we can hardly imagine. Excretion will be described in full in chap. xi.

Mixing the Food with Saliva.—While the food is being chewed, it is moistened by a liquid called the *saliva*, or spittle, which flows into the mouth from six little glands. They are called, as a whole, the salivary glands. There are three of them on each side, in the following positions: The *parotid gland*, below and in front of each ear. This gland, especially in childhood, sometimes becomes inflamed and swollen. This disease is familiarly known as the “mumps.” The *submaxillary*, under the lower jaw; and the *sublingual*, under the tongue, in the floor of the mouth. Each gland opens into the mouth by a little tube. They have a certain resemblance to a bunch of grapes, with a tube for a stalk.

Saliva is rapidly poured into the mouth while the grinding of food is going on. Three or four pints of saliva are secreted daily. Sometimes these glands are busily at work, even before we actually taste food. Touch the tongue with the finger, and the saliva will flow: it also pours into the mouth, even at the sight, smell, or thought of food. This is what is commonly called “making the mouth water.” The saliva not only softens and mixes with the food, and keeps the mouth moist, but it also has the power of acting upon all starchy matters in the food, and changing them into sugar. These starchy matters, as we have seen, before they are mixed with saliva, are insoluble; but, when changed into sugar, they are quickly dissolved in the stomach, and taken up by the blood.

We can easily prove that the saliva changes starch into sugar: hold some boiled starch—or a little arrowroot, which is almost pure starch—in the mouth for a few minutes. We find that it gradually loses its thick, pasty nature, and becomes thin and watery, while at the same time it acquires

a sweet taste. The fact is, the saliva has acted on the starch, and changed it into sugar in order to make it soluble. This shows the necessity of properly chewing our food. If we bolt our food without sufficiently chewing it, the saliva does not act properly upon it, and a great amount of extra work is thrown on the intestines.

How Food is swallowed.—The food is now ready to be swallowed. The soft, moist mass is carried backwards by the tongue and the muscles of the mouth into the funnel-shaped top of the gullet, called the *pharynx*. The soft palate pushes up and backwards, so as to prevent the food from passing into the nose.

During and after a severe attack of diphtheria, scarlet fever, etc., in which diseases the parts of the throat are apt to be partially paralyzed, the soft palate is not able to shut off this passage into the nose: as a result, milk and other food often come up through the nose. Such patients must be fed very slowly and carefully. Smokers often show off their skill in smoking by sending the smoke “through the nose.”

Now, besides the opening from the pharynx into the stomach, there is also one into the windpipe. To prevent the food from getting into this opening, and choking us, the top of the windpipe is protected by a little lid, a kind of trap-door, called the *epiglottis*. When we swallow, the tongue, raised and pushed backwards, shuts this little lid; and thus a bridge is made, over which the food passes downwards into and through the gullet, and hence into the stomach. Sometimes, however, a morsel of food “goes the wrong way,”—that is, is drawn into the opening of the windpipe, or down into the air-tubes,—and then violent coughing follows: by this means it may be brought up again. If the substance is hard and large, like a boot-button, orange-seed, or peanut, a person, especially a child, may be choked to death. The *gullet*, or food-pipe, is a tube about nine inches long, hanging loosely

behind the windpipe. Its thick walls are provided with hoop-like muscles, which contract with a worm-like motion, well seen when a horse is drinking water, and so push the food along towards the stomach. The pellet of food is passed along from above downwards by these muscles in some such way as we would push a ring along inside of a rubber tube.

It is important to remember, that, in swallowing, the food and drink do not simply *fall* down the gullet. Their passage is controlled by the muscles in such a way that they grip successive portions swallowed, and pass them along. Even in swallowing a pill, there is the same process. The smaller the pill, the greater the difficulty in swallowing; because the muscles have more trouble to get the necessary grip on it. Some of us have seen an acrobat or juggler stand on his head, and drink a glass of water, and even eat in this position. We see the same thing every day when we notice a horse or cow drinking from a pail of water on the ground. When the food is pressed backwards by the tongue into the top of the gullet, it is no longer under the control of the will: it is impossible to recall the mass, and it is necessarily carried on into the stomach.

Digestion in the Stomach.—The food, a moistened, partly digested mass, has now reached the stomach.

The *stomach* is a pear-shaped bag, or pouch, capable of holding about two quarts of liquid. When full, it is some twelve inches long, and four inches broad. It is placed across the upper part of the abdomen, directly under the diaphragm, the larger end to the left side. It has two openings. The opening, or ring, through which the food enters, and where the gullet ends, is called the *cardiac* orifice. The other, at the right end, where the intestines begin, and that by which food leaves the stomach, is called the *pylorus*, or gate-keeper.

The walls of the stomach consist of three coats: (1) A

tough, outer coat of fibrous tissue, which protects and strengthens the organ ; (2) a coat of smooth, or involuntary, muscular fibre, which rolls the food about in the process of digestion, with that wave-like motion which we noticed in describing the gullet ; (3) a third or inner coat, in which the blood-vessels and nerves are spread out. This innermost or mucous coat is next to the food, and has its surface honeycombed with millions of little pits. We have all seen this in tripe. In the floor of each of these tiny pits, a number of tubes open. These tubes, during the process of digestion, are constantly pouring into the stomach a peculiar fluid, called the gastric juice.

The *gastric juice* is a clear, almost colourless, fluid, with a sharp, acid taste. It contains a peculiar substance, or ferment, something like yeast, called *pepsin*, and an acid, both of which are necessary to the digestion of food in the stomach. The amount of gastric juice has been variously estimated,—all the way from five to fourteen pounds daily. There is comparatively little in the stomach at any one time. There is no loss, for it is rapidly re-absorbed by the blood.

Now, the moment the food reaches the stomach, the gastric juice begins to flow, the muscles begin to contract, and the whole organ takes on a churning motion. The food is rolled over and over, and thoroughly mixed with the gastric juice. Two rings, one at the entrance and the other at the outlet, keep the food in the stomach while it is being churned about and digested. The gastric juice has scarcely any effect on the starchy matters, but acts on the albumens, such as are contained in meat, cheese, eggs, etc., to make a complete solution.

Some of these dissolved albumens, together with some of the starchy matters dissolved by the saliva, are at once sucked into the blood by the blood-vessels in the walls of the stomach. The remainder of the mass, a thick, pulpy,

soup-like substance, resembling gruel, is called *chyme*, meaning juice, with an acid odor and taste. Chyme contains more or less albuminoid matters, together with the starchy elements which have not been changed into sugar, and all the fat. The fat may be seen floating in large drops on the surface of the chyme. The ring at the outlet, or pylorus, now relaxes; and the partially digested food is forced in little jets into the duodenum, or first part of the small intestines.

Digestion in the Intestines.—The *intestine* is the tubular continuation of the stomach. It is divided into the small intestine, about twenty-five or thirty feet long, and the large intestine, five or six feet in length. To get all this into the small space it has to occupy, it is doubled upon itself many times. The first portion of the small intestine, which is directly continued from the stomach, is called the *duodenum*, because its length is about equal to the breadth of twelve fingers.

The small intestine includes three parts,—*duodenum*, *jejunum*, and *ileum*. The large intestine includes the *colon*, *cæcum*, and *rectum*.

Let us now see what goes on in the duodenum. Two pipes, or ducts, unite, and enter it. One comes from the gall-bladder, and brings the *bile*; the other from the pancreas, and brings the *pancreatic juice*. These two tubes unite, and enter the duodenum at the same place.

The *liver* is the large reddish-brown organ situated just under the diaphragm, and on the right and upper side of the abdomen. It is the largest organ in the body, and weighs about five pounds. The liver secretes from the blood a greenish fluid called the bile. It is stored up in a kind of little pear-shaped bag attached to the liver itself, and called the gall-bladder.

The *bile* is a thin, greenish-yellow, bitter fluid. Sometimes it is olive-brown in colour; but, when acted upon by

the gastric juice, it takes on a distinctly yellow or greenish hue; hence the appearance of vomited bile. The chief use of the bile is to digest the fatty parts of the food, upon which the gastric juice does not act. The bile also aids in separating the nutritious from the useless parts of the food.

Bile is an alkaline fluid; that is, it has the properties of baking-soda. We have tried, perhaps, to clean a bottle which has held oil. We put in some soda and warm water, and then shake the bottle. The soda breaks up the oil into tiny drops, which float round the creamy mixture. This is exactly what the bile does with the fatty parts of the food. In other words, it makes an "emulsion." Cod-liver oil is often mixed with other things, to disguise the fishy taste. This creamy mixture, known as an "emulsion of cod-liver oil," is a familiar sight in the drug-stores.

The *pancreatic juice* is very much like the saliva. It is secreted by a long, narrow, flattened gland called the *pancreas*, or sweet-bread, which lies deep in the cavity of the abdomen, just behind the stomach. It is often said to resemble a dog's tongue in shape. The pancreatic juice finishes the work which the saliva began. It acts chiefly upon the starchy matters of the food which have escaped the saliva, and changes them into sugar. At the same time, however, it follows up the work of the gastric juice, and dissolves any albumens which have not been dissolved in the stomach.

The inner surface of the intestines also pours in a liquid called the *intestinal juice*; which, like the saliva, acts upon the starchy matters. At the same time, however, this juice acts as a solvent on any albuminoid matters or fats still undissolved. In fact, this intestinal juice has the properties of saliva, gastric juice, bile, and pancreatic juice all in one. Like a prudent housekeeper, Nature intends that this last digestive fluid in the digestive tube

shall act upon all matters in the intestines still left undissolved by the other juices, so that no part of the food may be wasted.

The chyme thus acted upon by these different fluids has the appearance of a thick cream, and is called *chyle*. The muscles of the intestines, like those of the stomach, are almost continually at work. The whole intestinal tube is constantly moving in a manner somewhat resembling the motions of a worm; and, all this time, it is squeezing and forcing forward its contents. In this way the whole of the food is acted upon by every part of the intestines in turn.

Absorption. How the Blood feeds on the Food.—

The soup-like mass which left the stomach under the name of chyme, has now been changed into a thick cream called chyle. Squeezed slowly along the intestines by the worm-like twistings of the muscular walls, most of the nutritious parts of this milky fluid is sucked up drop by drop by the lacteals, and poured into the current of the blood. The process by which the digested materials are taken into the blood is called *absorption*. This is done chiefly by two sets of vessels,—first, by the *lacteals*, or *lymphatics*; second, by the *blood-vessels*.

Absorption by the Lacteals and Lymphatics.—The innermost surface of the intestines is not smooth and shiny, like the outside, but shaggy, or, rather, has a velvety appearance. This is because the inner lining is crowded all over with millions of little tags, like very small tongues, hanging down into the inside of the intestines. These hair-like projections are called villi, meaning “tufts of hair.” They are tiny affairs, about one-thirtieth of an inch long; and a five-cent piece would cover five hundred of them. These give the appearance of the pile on velvet. We are, of course, familiar with this appearance in tripe.

In each one of these villi is a network of the finest blood-

vessels, and a tube, or canal, called a *lacteal*, so called from a Latin word meaning "milky," and because it carries a white, milky fluid. Millions of these lacteals dip down into the intestines, like little root-fibres, and suck up from its creamy contents the fatty matters of the chyle. The lacteals, after passing through a number of glands—like way-stations on a railroad—in the abdomen, unite into larger tubes, and finally open into a little sac, or bag, in the loins, called the "receptacle of the chyle." Leading upward from this is a tube called the *thoracic duct*, which carries the fluid upwards, along the backbone, and pours it into a vein in the neck. The thoracic duct is about eighteen inches long, and about as large as a goose-quill. It acts as a kind of feeding-pipe, to empty the nutritive matter absorbed from the food into the blood-current. Absorption has really to do with a work of far wider character than that of merely keeping the lacteals busy. The lacteals are simply those lymphatics which have their roots in the villi of the intestines. In all parts of the body, except the brain, spinal cord, eyeball, and tendons, we find thin-walled vessels busily at work taking up, and making over anew, waste fluids or surplus materials derived from the blood and tissues generally. They seem to start out of the part in which they are found, like the rootlets of a plant in the soil. The tiny roots join together, and make larger roots. They carry a colourless fluid called *lymph*, very much like blood without the red corpuscles. The tubes in which this fluid flows are called *lymphatics*. These tubes have rounded bodies at many points of their course, scattered along like depots along a line of railroad, called *lymphatic glands*. They seem to be factories to make over the lymph in some way, and fit it for renewing the blood. Most of the lymphatics at last unite with the lacteals, and empty their contents into the thoracic duct. Thus, again, Nature, like a careful house-keeper, uses up even the waste matters of our bodies, in providing them with nourishment.

Absorption by the Blood-vessels.—Soluble substances can pass through the delicate walls of the blood-vessels. The inner lining of the digestive canal, especially the small intestine, is rich in blood-vessels. Hence those parts of the food which have been made liquid, and capable of forming a soluble mixture with the blood, are absorbed directly by the small veins and capillaries; although a small part finds its way into the lacteals. The emulsified fats, as we have seen, are mostly taken up by the lacteals. Certain materials, dissolved by the gastric juice and ingested liquids, are taken up directly by the blood-vessels of the stomach. An enormous absorbing surface is provided in the small intestines, by the arrangement of the mucous membrane in folds, and by the countless numbers of villi, which is constantly absorbing nutritive materials through the myriads of its tiny blood-vessels. It is important to remember that all the blood circulating in the digestive organs, and taking up the soluble nutritive matters, must pass through the liver before entering the general circulation; and from it the liver selects and elaborates its secretion.

The *spleen* is a reddish, soft, and pulpy organ. It is about five inches in its longest diameter, and an inch thick, and situated near the left end of the stomach, just under the ninth, tenth, and eleventh ribs. The use of this organ is not known. It has probably something to do with the formation of blood-corpuscles. In certain diseases, like malarial fever, it may reach an enormous size. Two other glands, the *thymus* and *thyroid glands*, known in the markets as the “breast sweet-bread” and “throat sweet-bread,” are situated in the neck. They are regarded as appendages of the lymphatic system. Their use is not known.

The Large Intestine.—The *large intestine* begins at the lower extremity of the small intestines, and consists of three parts, the ascending, the transverse, and the descending *colon*; the last of these being continued into the *rectum*. This tube,

which is about six feet long, first passes up the right side of the abdomen, then across under the liver and the stomach, and, lastly, descends on the left side of the abdomen to the rectum. As the food-mass passes along into the large intestine, almost everything which is fit to be taken up has been absorbed. Some digestion may go on in the large intestine, but it is of little account. It is really a kind of passage-way, or temporary storehouse, for undigested and waste matter, which should be cast out of the body as speedily as possible.

How much to Eat.—The quantity of food needed to keep the body in good health, varies very much according to circumstances. The general principles are these: Action is the law of every living being. Waste attends action: hence, in the main, the supply of food must equal the waste of the body. The greater the amount of exercise, the more food is called for to supply the waste. During the time of growth, a still greater quantity is needed to build up new tissues: hence growing children generally have a good appetite and a vigorous digestion. The same holds good of persons getting well of some long and wasting sickness. The quantity required also depends very much upon one's business. Those who work hard and long, either with the body or mind, as teamsters, blacksmiths, farmers, doctors, and editors, need a goodly amount of nutritious food. Those who work indoors, as clerks, milliners, students, and book-keepers, can get along with a smaller quantity. In cold weather, or in cold climates, a greater quantity of "fuel-food" is necessary than in warm weather or in a tropical climate.

Incredible stories are told of the enormous appetite and craving for fat among the inhabitants of northern and the arctic regions. In the cold, dreary polar regions, the Esquimaux consumes about twenty pounds of blubber-fat daily, besides drinking several quarts of train-oil. This fat is as necessary as the fuel to keep his inward fire going, or he would perish

from the bitter cold. Lamp-oil and candles are eaten by this people with as much zest as our children would relish ice-cream and bananas. The Cossacks, it is said, drank all the oil in the lamps, and left the streets of Paris in darkness, when the Allies entered the capital after the defeat of Napoleon.

An appetite for plain, simple, well-cooked food is a safe guide to follow. Every person in good health and with moderate exercise should eat well: he should have a keen appetite for his food, and enjoy it. Young, growing, and vigorous persons should eat until appetite is fully satisfied, provided they have enough exercise, both mental and bodily. It is easy to know when we are eating too much. An over-worked stomach makes its condition known by a sense of fulness, uneasiness, drowsiness after meals, and sometimes a real distress. If we keep on eating too much and too rich food, the complexion is apt to be muddy, the face more or less covered with blotches and pimples, and breath has an unpleasant odour, and the general look of the face is dull and unwholesome.

What to Eat.—Food should be both nutritious and digestible. It is nutritious in proportion to its capacity to furnish suitable substances to be taken into the blood. Foods are digestible just as they are acted upon by the digestive fluids. Certain foods, as the vegetable albumens, are both nutritious and digestible. A man will grow strong and keep healthy on any of them.

The splendid races of Northern India live on barley, wheat, millet, and rice, as their staple food. In Southern India, millions of people live on pease and rice. There have been many generations of the hardiest men in the world in the north of England and Scotland, who lived on oatmeal and milk. These men would literally live their lifetime without taking any other food except green fruits and vegetables. The Roman gladiator was trained on barley; and the Roman

soldier endured his long marches and severe fighting on corn boiled in water, when meat could not be had.

We can safely eat some animal food every day, yet it is well to remember that the vegetable albumens supply all that is needed for the nourishment of the body. A strong, hearty person may eat half a pound or so of meat daily; yet he should take other foods, such as bread, oatmeal, beans, rice, and milk. These foods are all good, all cheap, all digestible, and all palatable. Vegetable foods are less stimulating than animal. Hence they are more suitable for children. Beef, pork, ham, oysters, and rich pastry should be sparingly given to children. The plainest and simplest diet is the best. It is much better for a child to go to bed on a supper of oatmeal, baked apples, or mush and milk, than hot biscuit, cake, pie, and fried meat. Parents cannot look too sharply after the food they give their children. This is especially important at the present day, when all kinds of strange devices are resorted to, to furnish the public with fanciful and tempting foods. Students must also look sharp to their diet. It is much better for them to begin a day's study with a breakfast of oatmeal, stale bread, a soft-boiled egg, and a glass of milk, than strong coffee, sausage, and hot biscuit.

When to Eat.—Three meals a day, from five to six hours apart, should be eaten. These should be arranged mainly according to one's occupation. The stomach, like other organs, does its work best when its tasks are done at regular periods. Hence, regularity in eating is of the utmost importance. Eating out of meal-times should be strictly avoided, for it robs the stomach of its needed rest. Food, eaten when the body and mind are tired, is not well digested. Rest, even for a few minutes, should be taken before eating a full meal. It is a good plan to lie down, or sit quietly and read, fifteen minutes before eating. Severe exercise and hard study just after a full meal, are very apt to check digestion. The reason is plain: after a full meal, the

vital forces of the body are called upon to help the stomach to digest its food. If they are forced, in addition to this, to help the muscles or brain, digestion will be hindered, and a feeling of dulness and heaviness follows. This, in time, often results in the common form of ill digestion called "dyspepsia."

We should not eat for at least three hours before going to bed. When we are asleep, all the vital forces are at a low ebb, and digestion is difficult, if not impossible.

We should make it a point not to omit a meal unless forced to do so. Children, and even grown-up people, often have the bad habit of going to school or to work in a hurry, without eating any breakfast. There is sure to be an "all-gone" feeling at the stomach before another meal-time.

The state of mind has a great deal to do with digestion. Sudden fear or joy, or unexpected news, may take away the appetite at once. Hence, so far as we can, we should laugh and talk at our meals, and drive away all anxious thoughts, and unpleasant topics of discussion. If hunger is a good sauce, so also is a jolly laugh.

How to Eat.—Eat slowly, and thoroughly chew the food. Do not take too much drink with the food. Our teeth were made to chew our food, and the saliva to moisten it, and help along digestion. If the food is well chewed, the saliva and the gastric juice act more readily. It is not only bad manners to eat rapidly, but it is a violation of the simplest law of digestion. If we take too much drink with our meals, the flow of the saliva is checked, and digestion is thus hindered. Rapid eating, with a great deal of drink to wash down the food, is almost sure to result in dyspepsia. Do not take the food and drink too hot or too cold. Such substances as very hot bread and coffee often injure the enamel of the teeth, and are slowly digested in the stomach. If the food and drink are taken too cold, undue heat is taken from the stomach, and digestion delayed. The natural

temperature is about 100° F. If we drink freely of ice-water or cold well-water, its temperature will fall about 30°; and it will take half-an-hour or more for the stomach to regain its natural heat. Drinking freely of very cold water when the body is heated is a dangerous practice, and, aside from its ill effects on digestion, has occasionally resulted fatally. It is a poor plan to bolster a flagging appetite with highly spiced food and bitter drinks. An undue amount of pepper, mustard, horse-radish, pickles, fancy meat-dressings, and highly seasoned sauces, may stimulate digestion for the time, but, used in excess, they soon weaken it.

Proper Care of the Bowels.—Irregularity in eating, too much finely bolted flour, and not enough fruit and vegetables, rich pastry, negligence or carelessness in attending to a regular daily evacuation of the bowels, lead to the very common and distressing trouble known as *constipation*, or costiveness. As we grow older, this trouble generally grows worse. Many persons resort to all kinds of quack pills and medicines, which for the most part act only for the time, and do not remove the cause of the ailment. Such remedies do a deal of harm after a time, and are almost sure to leave the bowels in a worse condition. We must pay strict attention to the proper action of the bowels. The formation of a regular habit is of the utmost importance. The bowels can be trained to act at a certain time every day. Take great pains to eat coarse food, such as oatmeal, corn-bread, vegetables, stewed prunes, dates, figs, etc. Drink a glass of water just after getting out of bed in the morning. Rochelle or Seidlitz powders may be needed at times: they are safe, and will do no harm. Vigorous muscular exercise, especially kneading the muscles of the abdomen, is a valuable help. If these things do no good, consult a physician before purgative medicines are used in a hap-hazard sort of way, simply because some friend urges their use.

Cooking Food.—The question of cooking food is of the utmost practical importance. The best food may be spoiled by poor cooking. The great object in cooking is to make food tender and palatable, and hence easier to digest. It is not to change food,—for a potato is almost precisely the same after as before boiling,—but to make it more tender, so that it may be easily broken up by the teeth, and to improve its flavour. The whole matter of cooking is so intimately concerned with the health and welfare of the household, that it is very properly considered to-day too important a subject to be discussed except in special books, and taught by special instruction.

Care of the Teeth.—The care of the teeth is an important matter. It is our duty to take the very best care of them, and to keep them as long as possible. Teeth are prone to decay. We may inherit poor and soft teeth: our ways of living may make bad teeth worse. If an ounce of prevention is ever worth a pound of cure, it is in keeping the teeth in good order. They should be thoroughly cleansed night and morning with a soft brush and warm water. Castile soap, and some simple tooth-powder with no grit in it, may be occasionally used. Dentists say that we should always cleanse the teeth before going to bed. The brush should be used on the inner or back side of the teeth, as well as on the front side.

The enamel once broken or destroyed is never renewed. The tooth is left to decay, slowly but surely: hence we must be on our guard against certain things which may injure the enamel. Picking the teeth with pins and needles is hurtful. We should never crack nuts, crush hard candy, or bite off stout thread, with the teeth. Metallic tooth-brushes, gritty and cheap tooth-powders, and hot food and drink, often injure the enamel. We should never use any of the tooth-powders and washes, especially advertised, and secret preparations, “warranted to harden the gums,

and whiten the teeth." Dirty and decayed teeth are a frequent cause of an offensive breath and a foul stomach. We should exercise the greatest care in saving the teeth. The last resort of all is to lose a tooth by having it extracted. The skilled dentist will save almost any thing in the shape of a tooth.

Indigestion due to Alcohol.—A common and annoying result of drinking alcoholic liquors, especially in the morning on an empty stomach, is the injury to the process of digestion, often called "alcoholic dyspepsia." "Many cases of dyspepsia are due to alcohol, solely and wholly," says J. Milner Fothergill, M.D. "Nothing with such certainty impairs the appetite and the digestive power as the continued use of strong alcoholic liquids," says Pavy on "*Food*." A person begins with a slight loss of appetite for breakfast, "spits cotton-wool," has a dull headache, feels a little sick at the stomach, and may vomit. He feels languid, is peevish and irritable, and is not comfortable until he has a drink of his customary liquor. After "bracing up his stomach," as he calls it, he feels more like eating. Hence arises the call for "morning bitters," cordials, wormwood, and other things, to spur on the flagging stomach to digest the breakfast. After eating, the food does not digest well. There is a dull, heavy feeling of discomfort, and a belching up of much wind from the stomach. With the old drinker of ardent spirits, there is in the morning a dry throat, trembling of the tongue, and an intense thirst which amounts to real suffering.

Effect of Alcohol on the Stomach-Digestion.—Alcoholic liquors act as a mild or strong irritant of the stomach, just as they are taken raw or diluted. Their habitual use leads to most distressing forms of stomach disease. If we could look into the stomach, as Dr. Beaumont looked into the stomach of Alexis St. Martin, just after taking a drink of raw spirit, we should find that the inner surface would

be bright red when the alcohol touched it, and far more so than after taking ordinary food. The process of gastric digestion was studied many years ago by Dr. Beaumont and others, in the remarkable case of Alexis St. Martin, a French-Canadian, who met with a gun-shot wound which left a permanent opening into his stomach, guarded by a little valve of mucous membrane. Through this opening the lining of the stomach could be seen, the temperature ascertained, and numerous experiments made as to the digestibility of various kinds of food. Alcohol irritates the lining of the stomach, and dilates the tiny blood-vessels, just as brandy dropped into the eye would make it look red and watery. Dr. Beaumont made a study of the stomach of St. Martin after alcoholic excess. He tells us that the lining was overcharged with blood, at times drops of blood oozing from it, and that the juice of the stomach became thick, unnatural, and slightly tinged with blood.

Alcohol, like any other irritant, also stimulates the gastric juice to flow, and greedily takes up all the water it can get from this all-important digestive fluid. Large doses of alcohol also act directly on the gastric juice by precipitating its pepsin held in solution, thus checking the activity of this ferment. The injury to the liver from alcoholic excess also adds to the disturbance in the stomach.

Now, when this alcoholic irritant is poured into the stomach for days, weeks, and even for years, it is no wonder that it is altered in its structure. The structural alterations induced by the habitual use of alcohol, and the action of this agent on the pepsin, seriously impair the digestive power. Hence it is that those who are habitual consumers of alcoholic fluids suffer from disorders of digestion. Heartburn, water-brash, acid stomach, and a peculiar retching in the morning, are produced. Alcohol in any appreciable quantity diminishes the solvent power of the gastric fluid so as to interfere with the process of digestion instead of aiding it. There is a chronic

inflammation of the inner coats: the walls of the stomach become thicker and harder, and traces of ulcerations are often found. Because the stomach is unable to digest food properly, many other organs of the body suffer as a result.

Effect of Alcohol on the Liver.—The liver is peculiarly liable to diseases due to alcoholic liquors. When alcohol is taken up by the blood-vessels of the stomach, it is carried directly to the liver, and filtered through this great organ before it reaches the heart. This, as we have been told, is a part of the portal circulation. Hence the poisonous effects of alcohol are strongly marked in the liver, especially among hard drinkers and in hot climates. The blood-vessels of the liver are overworked, and the capillaries engorged with blood. This causes first an enlargement of the liver, and then a shrivelling of the substance of the organ, together with a rough and “bunchy” surface. This, in medical language, is called *cirrhosis*, meaning tawny, or orange-coloured, but in common phrase gets the name of the “hob-nail” or “gin-drinker’s” liver, from its appearance. Cirrhosis of the liver is notoriously frequent among drunkards, and is, in fact, almost, though not absolutely, confined to them. Alcohol acts on the liver by producing enlargement of that organ, and a fatty deposit, or the “hob-nailed” liver mentioned by the English writers. Again, fatty decay (called fatty degeneration), due to alcohol, may take place in the liver; this makes the organ of great size, sometimes weighting from fifteen to twenty pounds: and one case is related of a drunkard’s liver that weighted fifty pounds.

CHAPTER VI.

THE BLOOD AND ITS CIRCULATION.

Uses of the Blood.—Every child knows, that if he cuts or scratches his finger, or even pricks it with a pin or needle, blood flows. What is true of the finger, is also true of every other part of the body, except the hair and nails. The tiny blood-vessels go everywhere, through the muscles and nerves, over and within the brain, through every particle of every bone,—the blood flows everywhere. Every little bit of bodily tissue is bathed with the blood. The blood makes everything common as it flies from spot to spot. Wherever it goes, it has something to bring, and something to carry away. The blood lives on the food we eat, and the tissues live on the nutritive material from the blood. The blood, in its ceaseless round, not only brings new material for repair, but it is also a kind of sewer-stream that drains off waste matters, and carries them to organs whose duty it is to cast them out of the body.

How Blood is made up.—Blood, as it is drawn from the body, is a red, somewhat sticky, fluid, thicker than water, and apparently all of one substance. It is not so simple a fluid as it looks. If we let fall a small drop of freshly drawn blood upon a piece of glass, and examine it under a microscope, we shall see that this fluid is not all of one substance. It consists of an almost colourless fluid called the *plasma*, and an enormous multitude of little bodies called *corpuscles*, floating in the liquid. These corpuscles are two kinds, *red* and *white*. The total quantity of blood in the body is about one-thirteenth of the weight of the body. Hence a man of average size has from ten to twelve pounds of blood. Of this

amount, water makes up nearly four-fifths: only about one-fifth consists of dry solids. The solids consist mainly of the corpuscles, the albumen of the serum, and fibrine. The blood also contains a small quantity of minerals and salts. The most important are iron, potash, soda, phosphorus, and sulphur. These are all essential to healthy blood.

Blood Corpuscles.—The liquid blood, which looks to the naked eye as if it were perfectly red, is, in reality, not red at all, being nearly as white as water. The red colour is due to millions of little *red corpuscles*, which float about in the blood. They are so closely packed, that the blood, as a whole, looks uniformly red. In the same way, a clear white glass bottle, filled with red beads and water, would look uniformly red at a short distance. Imagine a small brook all alive with little red fishes, and it would give some idea how the red corpuscles make the blood appear red. The red corpuscles are by far the more numerous, there being about four hundred to one of the white corpuscles. In shape the red corpuscles are flattened circular disks, resembling somewhat pieces of coin. They have something of the shape of an India-rubber air-cushion when blown up with air. They are not hard and solid, but resemble tiny pieces of red jelly rather than anything else.

In size they are so very small, that, if we had fingers delicate enough to handle them, we could pack away some fifty thousand of them on the head of a pin. It is said that some five million of them will float round in a single drop of blood. Under the microscope, the flat sides of these disks stick to one another in rolls, piled together like so many gold dollars.

The red corpuscles absorb oxygen in the lungs, and carry it for distribution to the various tissues of the body. Night or day, whether we are asleep or awake, millions of these tiny oxygen-carriers are busy as bees. The blood has been beautifully called "the river of life." So dependent is all life on

this fluid, that should the blood fail, for an instant, to reach the brain, all consciousness would at once cease; and if for a few seconds, life itself would cease. This is especially true of the red corpuscles. They may well be compared to a countless fleet of little boats which are constantly floating along "the river of life" in our bodies.

The *white corpuscles* are slightly larger than the red, and are not flattened. As we watch them by means of the microscope, rolling and tumbling about, we see that at one time they are round like a base-ball, and of such a size that about twenty-five hundred of them would just reach one inch. Shortly afterwards, however, they change this form, and become pear-shaped, three-sided, and so on, in endless variety. The function of the white corpuscles is not certainly known.

Coagulation, or Clotting.—If a basin of fresh blood is allowed to stand for a short time, it will separate into two parts: one, a sticky, jelly-like mass, called the *clot*, settles to the bottom; the other, a straw-coloured, watery fluid, called the *serum*, at the top. This change of the blood, after it is drawn from the body, into a jelly-like, semi-solid mass, is called clotting, or *coagulation*, of the blood. The watery part, or serum, as it is called, is blood out of which the corpuscles have been strained by the process of clotting. It is largely made up of water with albumen dissolved in it. If we try to boil serum, we find we cannot do it. Before it boils, it "sets" into a stiff, solid mass, just like the white of a hard-boiled egg.

The clot consists mainly of two substances,—the corpuscles, and a network of white, tough, fibrous threads, called *fibrine*. It is owing to the presence of fibrine that the blood clots. The corpuscles get snarled into the meshes of the fibrine, and thus the clot is formed. Fibrine may be seen by whipping fresh blood with twigs, to which it will stick in fine threads. The same thing can be done by beating up a bowl of fresh blood with an egg-beater, just as eggs are beaten for cake.

The power of coagulation is of the most vital importance. When a person receives a severe wound, he would bleed to death unless clotting set in. Nature in this way plugs up the wound with clots of blood, and prevents excessive bleeding.

General Plan of Circulation.—If all the tissues and organs of the body stand in such constant need of blood, there must needs be some special machinery to furnish them with this vital fluid. We shall find this to be the fact. Let us begin to study this apparatus. In the first place, there is in the chest a powerful forcing-pump, called the *heart*, from which pipes are distributed to all parts of the body. One set of pipes, called *arteries*, carries the blood from the heart. Another set of pipes, called *veins*, brings it back to the heart.

The manner in which blood is made to flow through vessels of the body may be compared to the way in which water is supplied to a city. The heart is the pumping-engine which forces the blood into the main pipes for the supply of the several districts.

And as through the city the great water-mains branch and subdivide into smaller pipes for the supply of districts, streets, houses, and rooms, so in the body the blood-vessels divide over and over again, to furnish a supply of blood to the smallest organs and the most minute parts of our bodily frame. The parallel ends here. The water supplied to the city does not return to the pumping-station, whereas the blood returns to the heart. When the blood has been pumped through every part of the body, and has given to it its nutritive supply, it receives from the tissues certain waste matters, the result of wear and tear. Hence the blood is no longer fit for nourishment. It is now more like a kind of sewer-stream laden with waste matters. These, in due time, are brought to certain organs, as the lungs, the skin, and the kidneys, and cast out of the body.

The Heart.—The *heart* is a hollow, muscular organ,

something like a pear in shape. It is hung almost in the centre of the chest, above the diaphragm, partly overlapped by the lungs, and opposite the breast-bone. It is about the size of one's closed fist, and is composed of involuntary muscular fibre. The heart is of a rounded, conical shape (some compare it to the shape of a cocoa-nut), and placed with the broad part uppermost, and the point slanting downwards and to the left, where it may be felt beating, between the fifth and sixth ribs. The heart is a double organ, with a partition-wall running down the centre from top to bottom, which separates the right side from the left. Each of these sides has two hollow chambers, or cavities—an upper one called an auricle, from its fancied resemblance to an ear; the other and lower one called a ventricle, or belly. Hence there are two upper chambers called *auricles*, and two lower chambers called *ventricles*. The heart is a muscle: hence it can contract. When each of its chambers contracts, blood is forced to flow into the next chamber or a blood-vessel, as the case may be. The walls of the ventricles are stouter and stronger than those of the auricles, and those of the left ventricle are much stouter than those of the right ventricle. The right auricle opens into the right ventricle, and the left auricle into the left ventricle; but there is no connection between one side of the heart and the other.

Work done by the Heart.—The heart is a wonderfully busy machine, pumping away without getting tired, night and day for eighty years or more perhaps, at the rate of seventy-two strokes every minute, over forty-three hundred times every hour, and nearly thirty-eight million beats every year. At each stroke, each ventricle pumps about six ounces, or nearly fifty teaspoonfuls of blood. About eighteen pounds of blood are moved every minute, or twelve tons every day. Hence it is calculated that the total amount of daily work done by the heart in a full-sized man is equivalent to the lifting of a ton weight to the height of two hundred feet.

This is estimated to be about one-fifth of the whole amount of energy which a man puts forth in the form of heat and motion. While the cavities are filling with blood, and its muscles are relaxed, the heart has a brief rest: otherwise, it could not keep up its patient and tireless pumping of over four thousand tons of blood every year, from birth to death.

Valves of the Heart.—The passages between the auricles and ventricles are provided with little swing-doors, called *valves*, which have the power of effectually closing the opening. These valves may be roughly compared to folding-doors or gates, which, by opening only one way, allow the blood to flow in that direction, and prevent its flowing in any other. They are made of thin, three-sided flaps of tough membrane, which hang down from the edges of the passages into the ventricles. The valve on the right side of the heart consists of three such flaps, and is called the three-pointed or *tricuspid* valve. That on the left consists of two flaps, and is said to look like a bishop's mitre; hence it is called the *mitral* valve. The flaps fall back to let the blood flow from the auricles into the ventricles, but float up with the blood so as to prevent the return of the blood into the auricles. The valves are prevented from floating over into the auricles by delicate cords, which tie their flaps to the ventricles.

Blood-vessels connected with the Heart.—The *aorta*, which is the largest artery in the body, springs from the left ventricle. It carries the bright, pure blood out from the heart. Four *pulmonary veins* open into the left auricle. Two of these veins come from the right lung, and two from the left lung. They all bring back to the heart the blood which has been purified in the lungs. Two of the largest veins in the body, called the superior and inferior vena cava, open into the right auricle. Both of these great veins pour into the right auricle the dark, impure blood which has been collected in various parts of the body by the smaller veins. The *pulmonary artery* springs from the right ventricle. Soon

after leaving the heart, it splits into two pipes: one goes to the right lung, the other to the left lung. This artery carries from the heart to the lungs the dark, impure blood which has been brought to it by the great veins. Its entrance is guarded by valves, called the semilunar valves. These valves are three little pockets placed in a circle, with their openings turned towards the blood-vessels, shaped somewhat like a half-moon (hence their name).

The Arteries.—The *arteries* are the pipes which carry blood from the heart to various parts of the body. The word artery means “air-container.” The ancients, when they examined them after death, found them empty: hence they supposed that they contained nothing but air. The arteries may be regarded as branches of the aorta, or main artery, which starts from the left ventricle of the heart. After leaving the heart, the aorta rises towards the neck, but soon turns downwards, forming a curve, called the “arch of the aorta.” This great pipe then follows down the spine, and divides into two main branches, which go to the legs. The large artery on the inside of each thigh is called the *femoral*. Two large arteries, called the *carotids*, spring from the arch of the aorta, and run up on each side of the neck to the head. Again, there are two large arteries, called the *subclavian*, meaning “under the clavicle,” which branch off from the aorta, pass beneath the collar-bone, and supply branches to the arms. The largest branch, on the inside of the arm, is called the *brachial*. While the aorta is passing down the spine, it gives off branches to the important organs of the abdomen.

The Veins.—The *veins* are the return-pipes that bring the blood back to the heart. Unlike the arteries, which gradually grow smaller and smaller, the veins, starting from the capillaries, grow continually larger and larger. The veins of the legs travel upwards, becoming gradually larger by the addition of other branches in the abdomen, until at last all

the united branches are joined in one great vein, the inferior vena cava, which empties into the right auricle of the heart. The venous blood from the head and arms flows back, and empties into the right auricle by another large vein, the superior vena cava.

Veins generally lie near the surface of the body, just beneath the skin. We may see them in almost any part of the body.

The veins are abundantly supplied with little, pouch-like folds, or pockets, which act as valves, and allow the blood to flow only towards the heart. If we press the fingers along one of the veins in the arm, towards the hand, we shall see a number of little knots, or swellings, here and there along the vein. The blood thus forced back fills the little pockets in the vein. Take away the finger, and the knots will at once disappear; because the blood is left free to flow towards the heart.

The Veins compared to a Sewer System.—As we compared the arteries to the water-supply pipes of a great city, we may now compare the veins to another underground network of pipes, commonly called the “sewer system.” The pure, wholesome water is brought by the aqueduct-pipes to each house. It is used, becomes filthy with dirt, waste, and all kinds of impurities: then the drains from each house carry it off before it can do any harm. The sewer-pipes from the houses unite with those of the streets: those of the streets unite at last into one great main sewer, which carries away this unwholesome river of impurities. The veins of the body resemble this sewer system. The pure, wholesome blood is brought by the arteries, is used by the tissues, and becomes foul with impurities. The veins are the drain-pipes of the body, to carry away this impure blood from the tissues, and spread out their contents into Nature’s great purifying reservoir—the lungs.

The Capillaries.—Between the end of the smallest

arteries and the beginning of the tiniest veins, is a very close network, like the finest lace, with the minutest little tubes for threads. These little tubes are the *capillaries*, or hair-like vessels. In reality, they are as much smaller than hairs as hairs are smaller than eables. So close-set are these tiny vessels, that we cannot prick any part of the skin, even with the smallest needle, without wounding one or more of them, and drawing blood. Some of them are so small that three thousand of them placed side by side would not, in their united width, measure more than one inch. The blood-dises can only pass through them in single file. The nutriment brought by the red corpuscles soaks through the delicate, thin walls of the capillaries, and the tissues are bathed with the life-giving fluid of the blood. It is in this way that the tissues of the body are nourished, strengthened, and renewed. At the same time, the worn-out tissues are seized and burned up by the oxygen brought to them by the blood in the capillaries. The products of this burning are then caught up by the blood, and sent along to the veins, and so on to the heart. By the aid of the microscope, the circulation of the blood through the capillaries can be readily seen. This is studied in the transparent parts of animals, such, for example, as the web of a frog's foot, the tail of a tadpole, or the wing of a bat.

Circulation of the Blood.—Let us begin at the right auricle. We find two large veins busily filling the auricle with dark, impure blood, collected from all parts of the body. As soon as the auricle is full, it begins to contract. The blood cannot get back into the great veins because it is urged forward by the great volume of blood behind it. The door opening into the right ventricle lies open, through which the blood flows until it is full. It now begins to contract: the tricuspid valve at once closes, and blocks up the way back to the right auricle. The blood rushes up the pulmonary artery through the semilunar valve, which stands open. This artery

now carries the blood along to the lungs. The dark, impure blood is urged along narrower and narrower vessels until it reaches the capillaries of the lungs. Here it is, as it were, spread out to be purified. Exposed to the oxygen of the air, the blood gives up its impurities and its purple look. It takes up a great deal of the oxygen of the air in exchange; and in a purified state, and of a bright scarlet colour, it comes back to the heart by the pulmonary veins, which pour it into the left auricle. From the left auricle the blood is forced through the mitral valve into the left ventricle. As soon as the left ventricle is full, it begins to contract. The mitral valve at once closes, and blocks up the passage into the left auricle; and the blood has no other way open but through the semi-lunar valve in the aorta. The entrance to the aorta is guarded by a semilunar valve similar to that at the entrance of the pulmonary artery.

The aorta and its branches, as we already know, distribute the blood through every tissue of the body. From the tissues it is again returned by the veins to the right auricle of the heart, and thus the round of circulation is continually kept up. A drop of blood goes the grand round of the body in about twenty-two seconds; that is, while we are counting twenty-two, the blood flows through the right side of the heart, passes out into the smallest capillaries of the lungs, is purified, absorbs oxygen, is picked up again by the veins, and returned to the left side of the heart, to be driven out through the arteries into the capillaries, picked up again by the veins, and returned to the right side of the heart,—thus making the grand round. The entire blood in the body makes this complete circuit in about two minutes.

Sounds of the Heart.—As the heart is doing its work, it gives out certain sounds. If we put our ear against the chest of another person, over the heart region, we can easily hear two “pit-pat” sounds, one longer than the other. The longer is called the first sound of the heart, and is often

compared vocally to the word "lubb;" that is, a prolonged sound. The second, which is sharper and more rapid, has been likened to the sound in the word "dup." These two sounds are followed by a pause. These sounds are often masked in diseases of the heart. After rheumatism, for instance, the valves may be hardened, or thickened, and thus give rise to other and new sounds. The first sound takes place when the walls of the heart contract, and force out the blood. The sharp, second sound is heard when the doors, or semilunar valves, shut.

When the ventricles contract, the end, or apex, of the heart is tilted forwards and upwards, so that it strikes against the wall of the chest, on the left side, between the fifth and sixth ribs. This is known as the "beating" of the heart, which makes itself felt when unusually strong, as after severe exercise, as running and jumping. Sudden joy or fear will also make the heart beat quickly. Thus, while we cannot make the heart go slower or faster by any effort of the will, it is greatly influenced by the feelings. It is quickened by mental excitement; while a sudden shock to the mind may cause such a failure of the heart's action as to cause fainting, and, in very rare cases, death itself.

People who work hard and are poorly fed often suffer from an irregular beating of the heart after some exertion, as walking up a steep hill, or going up-stairs, or sweeping. The feeling is as if the heart were going to "jump out," and is commonly known as "palpitation." It is purely a disturbance of the functions of the heart, and has in no wise to do with heart-disease, from which people die so suddenly. Palpitation of the heart is occasionally caused by long-continued drinking of strong tea and coffee. Tobacco will often bring on the same trouble. Thus we have the "tea-drinker's heart" and the "tobacco heart."

The Pulse, and what it may tell us.—If the finger be put over an artery which lies near the surface of the body,

like the radial artery for instance, near the wrist, or the temporal artery, just over the temples, a regular throbbing, called the *pulse*, will be felt. This is the reason for it: when the left ventricle contracts, the blood is forced into the arteries, already full of blood, faster than it can pass through them. The elastic arteries are stretched by the extra blood; and their rhythmical throbbing, keeping time with the heart-beat, is felt by the finger. In a healthy grown person, the pulse beats about seventy-two times a minute. In children the pulse is quicker than in adults, and slower in old age than in middle life. As the pulse varies very much in its rate and character in disease, it is to the trained touch of the physician a good index of the physical condition of his patient.

Effect of Alcohol on the Circulation.—The flushed face of the drunkard, or even the moderate drinker, is an every-day sight. It may seem to him and to others a sign of health, but it is really one of the many symptoms of alcoholic poisoning. The alcohol has weakened the nerves which regulate the flow of blood in the vessels, thus allowing more blood to flow through them. The arteries are relaxed, the capillaries are engorged with blood, and the undue amount of blood stains through the skin. This action,—medical men call it “congestion,”—we must remember, is not confined to the vessels near the surface of the body, but really extends to every organ and every tissue.

How Alcohol gets into the Blood.—Alcohol passes into the blood by two distinct routes. When we take alcoholic liquor into the stomach, some of it at once soaks through the coats of the tiny blood-vessels with which the lining of the stomach is covered, and is carried into the blood-current by the portal circulation. Alcohol is also taken up by the lacteals, and is emptied into the blood through the thoracic duct. Now, although alcohol goes to the heart, to be sent to every part of the body in a

roundabout way through the liver, it takes only a moment or two for it to get into the main blood-stream. A glass of strong drink soon "goes to the head," as many people know; showing that its effects are rapidly produced in the remotest tissues of the brain. The rapidity of this absorption depends upon the kind of liquor and the condition of the stomach. Alcohol thus taken into the blood is flushed everywhere,—into each fibre, membrane, and tissue. It fills and saturates each vital organ,—flesh, brain, heart, liver, lung, kidney, skin, and secreting-apparatus. Wherever there is blood naturally, there is now blood mingled with alcohol.

Effect of Alcohol upon the Heart.—The nerves have now lost their grip on the blood-vessels, and hence the heart has less resistance to meet. Consequently, it is forced to beat faster, and work harder, to fill the dilated vessels with blood. This increased frequency of the heart's stroke entails increased labour, more wear and tear, and less rest for this vital organ. The late Dr. Parkes, an eminent English authority on matters of health, calculated that this extra work of the heart, when alcoholic liquors were consumed, amounted to the lifting of twenty-four tons of extra blood one foot high each day,—about twenty per cent. of additional work. With this increased action, there is, to be sure, a flushing of the face, a feeling of warmth, and other marks of increased activity; but it is not lasting. This effect of alcohol is often called its stimulant action. It is not so much a real stimulant as merely a whip to spur the heart for the time to beat faster. It is more exact to call it the beginning of the intoxicant or poisonous power of alcohol.

CHAPTER VII.

BREATHING.

Why we Breathe.—Night and day, without one moment's rest, from the first to the last instant of our lives, we are breathing. About eighteen times every minute, more than twenty-four thousand times every day, and many millions of times in a lifetime of seventy years, we draw in, and send out again, our breath. Most of the time we do not think anything about it. We eat, talk, work, and sleep; and all this time our breathing goes quietly on. Breathing is the plainest sign by which we judge a person to be alive who lies otherwise motionless and insensible. Though we can hold our breath for a short time, yet, after a few seconds, we begin to feel uncomfortable.

In speaking of food and the blood, we have learned, that, without food and fresh air, the burning, or oxidation, which is slowly going on in our bodies all the time, would soon flag, and we should, after a while, die for want of them. Hence we must have oxygen to keep up the burning. We get the oxygen from the air we breathe. Again: we have learned that the dark, impure, and venous blood was sent to the lungs from the right ventricle, and was returned to the left auricle as pure arterial blood of a bright red colour. The blood has got rid of its waste matters, and become pure. In brief, the blood has been oxidized in the act of breathing. Hence in breathing we have two objects in view,—first, to bring a fresh supply of oxygen to the blood, by means of the lungs; and, second, to get rid of carbonic acid and waste matters, taken up from the tissues, and brought to the lungs by the blood.

The Air-passages.—The air is drawn into the lungs through the mouth, nostrils, and windpipe. The *nostrils* are really the passage-ways for the air, and warm the air somewhat before it goes into the lungs. The air passes from the nostrils into the windpipe, or trachea. The *windpipe* is a hollow tube about four inches long, and is protected on the front and sides by stout rings of gristle. But for them the windpipe would close with the slightest pressure, and cut off the breath. The top of the windpipe is protected by a trap-door known as the *epiglottis*. When food is swallowed, this little door shuts tight, and keeps it out of the air-passages: otherwise the food would go the wrong way, and cut short our breath. When we breathe, the lid lifts up. The upper part of the windpipe is a kind of box called the *larynx*, or organ of voice. In this box—which in some persons is very prominent, and the front of which is commonly called “Adam’s apple”—are the vocal cords. These cords are not strings, but rather elastic strips, with free edges which can be made tight or slack. As the air goes to and fro from the lungs, through the narrow slit between them, called the *glottis*, it sets the cords vibrating, and thus makes the sound of the voice. Sec chap. xii.

The windpipe, after entering the chest, divides into two branches called *bronchi*, or windpipe tubes, sending one to each lung. These, again, divide into smaller tubes called *bronchial tubes*. Each bronchial tube divides again into smaller branches, these again into smaller, and so on to the tiniest twigs, as fine as the hairs of our head. If we only remember that all these tubes, great and small, are hollow, we may compare the whole system to a short bush or tree growing upside down in the chest, of which the windpipe is the trunk, and the bronchial tubes the branches of various sizes.

The inside walls of the windpipe and air-tubes are lined with a mucous membrane, which gives out a thick, slimy

substance called mucus, to keep the passages moist. This membrane is covered with thread-like processes called cilia. They are not unlike fine hairs, and resemble somewhat the pile on velvet. They wave to and fro, like a field of grain in a breeze. The motion is always upwards and outwards towards the mouth. They make one continuous brush, which is ever busy sweeping out the air-tubes. They sweep up the particles of dust and mucus from the tubes, and brush them out of the pipes with a sudden blast of air which we call coughing. These tiny cilia are simply the dusters which Nature uses to keep the air-passages neat and clean.

The Lungs.—The *lungs* are two large, pinkish, spongy organs, which surround the heart, and fill up all the rest of the chest-cavity. The right lung is the larger of the two, and has three parts, or *lobes*. The left lung has only two lobes. The inside structure of the lungs is really a mass of air-passages, arteries, veins, and capillaries. Imagine a thick, short tree crowned with leaves: imagine the trunk and branches, small and great, down to the smallest twigs, are hollow. Suppose the leaves themselves were tiny bladders, blown up, and stuck on to the smallest hollow twigs, and made up of some delicate, but very elastic, substance. Around such a framework of hollow branches, called bronchial tubes, and hollow, elastic bladders, called air-cells, is wrapped a finely woven net-work of arteries, veins, and capillaries. Imagine a child's ball covered with a fine net-work of red and blue yarn. We can form some idea of the number of the air-cells when we remember that the end of the smallest bronchial tube, often called a lung-sac, is said to hold about seventeen hundred air-cells. The lungs, then, consist of millions of these tiny air-cells, packed closely together, each air-cell communicating with the windpipe, and so with the atmosphere in which we breathe. Each lung-sac bears some resemblance to a bunch of grapes, and is so small that forty of them would barely reach an inch. Just as the bunch of

grapes, however, contains a large number of single grapes, so every lung-sac consists of a large number of separate air-cells.

The chest is lined, and the lungs covered, with a smooth, delicate lining, called the *pleura*. These two surfaces rub against each other when we breathe. This lining secretes a fluid which keeps the parts always moist, and prevents their chafing one on another. When the *pleura* becomes inflamed, it gives rise to the disease commonly known as "pleurisy."

How we breathe.—If we put both hands on the two sides of our own chest, and breathe in deeply, we feel that the act has carried the hands farther apart. Again, if we put one hand across the middle of our own chest, we feel that it is carried forward every time we breathe in, and is returned to its place as we breathe out. Further, if we pass a tape-measure round the chest, and draw it tight when we breathe out, we find that the tape must be let out two or three inches when we begin to breathe in. If we breathe in and out with a great deal of force, the changes are more marked. Hence there are two movements in breathing,—one in which the cavity of the chest is made larger in all its dimensions: this is when we breathe in air, and is called *inspiration*. The other movement is one in which the chest-cavity is made smaller in like manner: this is when we breath out air, and is called *expiration*. The means by which the air is breathed in and out of the lungs makes up the mechanism of breathing. Let us try to understand the process.

The cavity of the chest is a closed air-tight chamber, whose only opening is the windpipe. The pressure of the air in the air-passages keeps the lungs stretched out so as to fill this cavity. Imagine now such a chamber as this to have a kind of false floor, capable of sliding up and down. When the floor was pulled down, the cavity would be enlarged: and the pressure of the air would cause the elastic lungs to expand to a greater extent to fill up the extra space.

When the floor was raised again, the cavity would be

diminished; and the stretched lungs, being diminished also, would give up the extra quantity of air which they took in.

Suppose these two movements were performed at regular intervals. Then, every time the floor was pulled down, there would be a rush of air down the air-passages to the lungs; and, every time it was raised, that same quantity of air would be driven out of the lungs again.

This is exactly what happens during the process of breathing. The bottom, or floor, of the chest, is formed, as we know, by a large, flat muscle called the diaphragm.

When this muscle contracts, it is pulled down, and the cavity of the chest is enlarged. When it relaxes, and consequently rises again, this chamber is diminished. These two up-and-down movements of the diaphragm are the chief movements in ordinary, quiet breathing.

The cavity of the chest, however, is enlarged in another way. The walls of the chest are formed by the ribs, which encircle it so as to join the breast-bone in front. The spaces between the ribs are occupied by a set of strong muscles called the intercostal muscles.

One set of these intercostal muscles contracts, and pulls up the ribs, which are fastened to the backbone behind by a joint. When the ribs are raised, they push out the breast-bone in front; and thus the cavity of the chest is enlarged all round. This enlargement, by means of the side walls, takes place at the same time as the diaphragm descends, so that the chest is enlarged on all sides. An extra quantity of air then rushes into the lungs, and we get an *inspiration*.

Immediately following the inspiration, the diaphragm relaxes, and, of course, rises; and, at the same time, another set of intercostal muscles begins to pull the ribs and breast-bone down. These combined movements diminish the cavity of the chest, and consequently the same quantity of air is driven out. This makes an *expiration*.

Changes in the Air from breathing.—The *air*, or atmosphere, covers the earth on which we live to a height of some fifty miles. It is a mixture of two gases,—*oxygen* and *nitrogen*,—in the proportion of one part of the former to four of the latter. Oxygen is the active gas, the feeding and warming gas, the life-giving principle of nature. Nitrogen is mixed with it, lest the oxygen be too strong for us, and burn us away too fast. In short, Nature dilutes the air for us with nitrogen. If we examine the air just as it enters the lungs, and again after it has passed through them, we shall find, that, while the bulk is almost exactly the same, the quality has been changed. It has left behind about one-twentieth of its oxygen, and taken in exchange for it nearly the same quantity of carbonic acid. About twenty cubic inches of air pass in and out of the lungs with every breath, and about three hundred cubic feet every twenty-four hours; amounting to the contents of sixty barrels. Let us now see how this exchange takes place. The air and blood are not in contact. The coats of the air-cells separate the oxygen and carbonic acid. Now, experiments carried on outside of the body proves that gases can pass through delicate membranes. If a bladder is filled with oxygen, and then hung up in a bottle filled with carbonic acid, the two gases will mix with each other. The oxygen will pass out through the walls of the bladder and the carbonic acid will pass in. This is called the diffusion of gases, and is said to occur according to a law of nature. This is practically what happens in our lungs every moment of our lives. Thus, there is an exchange, but no robbery. The red corpuscles of the blood exchange a noxious gas for one which gives them new life and energy. The blood, thus renewed, travels to the left side of the heart, is pumped out through the aorta, and distributed to every tissue and organ of the body. We may, in brief, look upon the lungs as a kind of market-place or exchange, where two merchants—the blood and the air—meet to exchange their

wares. The air, as it leaves the lungs, is saturated with watery vapour. This is seen when we breathe on the bright steel blade of a pocket-knife, a mirror, or any cold, polished surface. As we all know, the surface becomes covered with a thin film, or minute drops of water. In cold weather this moisture becomes visible with each expiration. Air, as it leaves the lungs, is much hotter than the surrounding air. It is generally about 98° F. For this reason, on a cold day we blow our fingers to warm them. The air also contains a small amount of decaying animal matter. Every one knows the unpleasant odour of the air in rooms in which many persons have been closely shut up.

Carbonic Acid and its Poisonous Effects.—Carbonic acid, in its pure state, acts as a deadly poison. An excess of it in the air produces poisonous effects. The air we breathe out contains four parts in a hundred of this gas. Increase this to ten parts, and it will prove a deadly poison to warm-blooded animals. In smaller quantities, this gas produces laboured breathing, dizziness, headache, and a general stagnation of the life-processes.

This same deadly gas sometimes flows naturally from the earth. Some of us have heard of the "Valley of Poison" in the island of Java, of which fabulous stories are told by travellers. This gas is very abundant in this valley, and from its weight sinks to the ground, where may be seen, it is said, the skeletons of birds and animals, which have been suffocated in their attempt to cross this death-trap. There is a lake in Italy called Avernus, meaning "without birds," formerly surrounded by thick woods. As the story runs, birds, in flying over the lake, were poisoned by the carbonic acid, and fell dead into the water.

In the mines, this gas becomes the dreaded "choke-damp." It is dangerous oftentimes to cross over a vat in which beer is actively fermenting; for the air over the vat, loaded with carbonic acid, is utterly unfit to breathe. Persons bent on

suicide inhale the carbonic acid from a little charcoal burning in a closed room.

In the open air we rarely suffer any ill-effects from carbonic acid, for the simple reason that Nature is always mingling the gas with the oxygen by means of the winds and the rains. A fresh supply of pure, life-giving air is thus furnished in the greatest abundance.

Like a prudent manager, Nature utilizes the carbonic acid as the life-food of the vegetable creation. The trees, the plants, and the grasses make, as it were, oxygen out of the carbonic acid; while we make carbonic acid out of the oxygen taken into the lungs.

Impurities in the Air.—While carbonic acid and the waste animal matter given off with it from the lungs, are the most common impurities, there are many other things which make the air unwholesome. The poisoned air due to cess-pools, drains, and sewers, is often a frequent source of disease. Sewer-gas is a fruitful source of certain diseases, as typhoid-fever and diphtheria. The foul air from chemical works, bone and soap factories, and many other manufacturing places, is more or less hurtful to health. Even the dust in our rooms may carry, it is thought, the germs of disease.

Certain occupations shorten life by exposure to air loaded with impurities. Thus, there is the “miner’s consumption,” or “black lung,” due to the dust breathed into the lungs, acting like so many little splinters in the delicate air-cells. Those who work on steel, emery, pottery, etc., also suffer from the irritating dust floating in the air. Other impurities are highly injurious to the lungs, as the dust in match-factories, white-lead works, copper and brass foundries, and arsenic in wall-papers. Unwholesome as the air may be in the work-rooms of many trades, the real danger, after all, and that which should be of more concern to the public generally, arises from the slow and unsuspected effects of breathing air which has already been breathed. The peril is in our own

living-rooms, our bed-rooms, our schoolrooms, halls, vestries, theatres, and ehurehes.

How to Ventilate.—The best way to rid the air of its impurities is by some suitable system of *ventilation*. To ventilate a place is to cause pure air to flow through it. In other words, it is some practieal plan to keep the air pure and wholesome. Do our best, and we eannot keep the air of any inhabited room as pure as the atmosphere outside.

The object aimed at in ventilation, is to give an outlet to impure air, and an inlet to that which is pure, fresh, and moist. Remember that it is not at all necessary that air should be eold to be pure. The required amount of fresh air should be moved evenly through the room or building with a gentle current, and without a draught. An open fireplace is a healthy, safe, but not economieal, way to heat and ventilate a room. Stoves in a room soon dry the air, unless fresh quantities from outside are eonstantly supplied. When rooms are warmed by heated air from furnaces, the warm air should enter through registers in or near the floor, on one side of the room; and impure air should escape through outlets in or near the ceiling, on the other side.

Children should be trained from infancy to sleep with the windows partly open for the greater part of the year. Adult people in vigorous health should gradually learn to do the same. Even in the coldest weather, some simple apparatus to let in fresh air is as good as any. Raise the window a few inches, and put in a piece of board under the lower sash. Pure air will enter where the two sashes overlap. A eommon window-screen, cut to the proper size, and eovered with flannel instead of wire, will let in plenty of air without draught, and is suitable for eold weather. Again, fit an elbow of eommon stove-pipe into a board of the right size, and put it under the raised sash, with a damper to regulate the current of air. These and other eontrivances are easy to

make, and cost but little. They answer the purpose even better than those that are more costly and complicated.

The temperature in our living-rooms for this climate should be kept at about 68° to 70° F. Most of our rooms are apt to be overheated, or unequally heated, especially during cold weather. Any person, child or adult, may become tender and delicate in a short time by getting used to overheated rooms. The temperature of the sick-room depends somewhat upon the age of the sick person, and his disease. A temperature of 40° F. to 50° may be suitable in typhoid-fever, while 80° may be necessary for an aged person suffering from rheumatism. The greatest care in keeping any sick-room supplied with pure, fresh air, and at the proper temperature, is necessary. Old people generally need a higher temperature than the young and vigorous. The warm air in our living-rooms, to be healthful, should be kept moist. A shallow pan of water put on the stove, or near a register, answers every purpose.

Ventilation of Schoolrooms.—Special pains must be taken to ventilate schoolrooms. Pupils are sure to be listless, uneasy, dull, and sleepy when the air is not wholesome. Children may be comfortable in a well-aired room at 66° F., but it is very easy to let the temperature run up to 85° before it is noticed. Whatever the apparatus for ventilation may be, the doors and windows should be opened before and after each session, at recess, and during gymnastic exercises. Weakly children, those liable to croup, those easy to catch cold, and other ailments, must be carefully looked after in the meantime. Never allow draughts of cold air to fall directly on the heads of children. Guard the air of the schoolroom from the foul air arising from closets, outbuildings, sinks, cesspools, and all other possible sources of ill-health.

Why the Body is Warm.—Every one knows that the surface of the body feels warm. Hold the fingers in the mouth, and we find it warm. Put a thermometer, made for

the purpose, in the armpit, or in the mouth, for five minutes, and it will register about 98° F., even in the coldest day of mid-winter. This is the natural heat of a healthy person; and it rarely varies more than a degree or two, except in disease. The rate of combustion may be much increased or lessened in various diseases. In pneumonia, typhoid fever, and blood-poisoning, the physician may note a temperature of 105° F., or even more: hence the fever patient says repeatedly that he is "burning up" with fever, and eagerly drinks all the cold water which is given him, and calls for more in a few minutes. In other diseases, such as cholera, there is a notable fall in the natural temperature. This heat is produced in just as simple a manner as that which results from a common fire or a lighted candle: it is the natural result of the process of combustion. We are warm ourselves, because we are burning away bit by bit, just as a candle does; that is to say, by the union of carbon, or charcoal, with oxygen. There is only this difference: we burn wet materials (the moist tissues), and do not make a flame, or give a light. We take our coal or tallow in the shape of starch, sugar, and fat, and get the oxygen from the air we breathe. A steam-engine at work is warm, because all the energy set free from the fuel burned is not turned into mechanical work, but some of it appears as heat: so it is in our bodies. Our muscles, our organs, in fact, every tiny cell, are busy at work; and their substance is slowly burned at a low temperature. Every time we move, feel, think, or exercise any function, this oxidation, or burning, is going on. Some of the energy thus set free by this slow combustion shows itself as heat, which helps to keep the body warm, and at its natural temperature. Thus, animal heat is produced, and life maintained. Our bodies are working at a temperature higher than the surrounding air, except in the hottest weather: hence there must be a loss of heat nearly all the time. Therefore we must keep making heat all the time, to

make up for the continual loss. Besides this loss by radiation, as it is called, considerable moisture is got rid of by the skin in the form of vapour or sweat. The evaporation of this moisture from the skin acts as a kind of regulator to keep down the excess of heat.

Effect of Alcohol upon the Lungs.—Alcohol in excess tends to bring on inflammation of the lung tissues, and hence lessen the breathing capacity. The apparatus called the “spirometer,” used by life insurance companies to test the breathing capacity of lungs, often detects the dram-drinker by his failure to reach the natural breathing capacity. The wheezy, broken speech of the drunkard is partly due to this condensation of the lung tissue. Again, the repeated dilatation of the lung capillaries tends to make the habitual user of alcohol more liable to attacks of severe cold, pleurisy, and pneumonia, after making due allowance for the exposure to cold and wet, so common with the intemperate. According to some good medical authorities, the excessive use of alcohol works such a change in the lung tissues as not unfrequently to lead to a form of consumption called “alcoholic phthisis.”

Alcohol and the Bodily Heat.—Soon after taking even a small quantity of alcohol, there is a general feeling of warmth over the surface of the body. The body is not really warmer, but the skin feels warmer. On the contrary, we are really colder; because heat is more rapidly lost by radiation and evaporation from the surface. The skin is warmer after taking alcoholic liquor: because the nerves that regulate the hair-like blood-vessels on the surface, being weakened, lose their grip; hence more blood is sent from the central parts of the body to the surface. There is no real increase of heat; the surface is warmed for a time at the expense of the inner and deeper portions of the body. This surface warmth is now rapidly lost by radiation, and the general heat of the body is lowered below its natural temperature. The bodily temperature is regulated by the

surface circulation ; and when this control is lost, as it is by alcohol, the body is cooled by the undue amount of blood carried to the surface.

Experience has proved, time and time again, that alcohol lessens our power to endure extremes of heat and cold for any great length of time. Arctic explorers strictly forbid the use of alcoholic liquor among their men. It has been proved that the exposure to severe cold can be endured far better without alcohol. So well is this bad effect of alcohol known by the people of the coldest regions of Canada, that they will seldom take even a single glass of spirits when exposed to severe cold.

Army life is perhaps the best possible test. It is the almost universal experience of British army officers who have led their men through the recent campaigns in the hottest parts of the Soudan, and who have given special study to the question, that alcohol, so far from being an aid to endure severe exertion, and to resist great extremes of heat, acts as a positive injury.

CHAPTER VIII.

THE SKIN.

The Skin.—The skin is the outside covering of the body. The parts underneath are very tender and sensitive. We all know how painful and tender is any part of the body when the skin has been torn, cut, blistered, burned, or otherwise hurt by accident. Kind nature has given us a strong, elastic, and tight-fitting outside garment. It is easily kept clean, and never wears out. It is soft and thin, yet strong enough to enable us to come in contact with objects without pain or inconvenience. The skin is richly supplied with nerves and blood-vessels, so closely netted together that it is next to impossible to prick the skin anywhere with the point of a needle without drawing blood, and feeling pain.

The Scarf-skin.—The skin is made up of two layers. The outer one has neither blood-vessels nor nerves, and is called the *scarf-skin*, *cuticle*, or *epidermis*. The lower layer is called the *true skin*, or *cutis*. This is richly supplied with nerves and blood-vessels, and is so highly sensitive, that, were it not for the scarf-skin, we could not endure life. Most of us are familiar with the delicate pink skin, very sensitive and very painful, which is exposed when the lowest layer of the outer skin is removed by a blister, or rubbed off by some slight accident. The surface feels raw, and oozes a little clear fluid, or, perhaps, a little blood. This is the deeper portion of the scarf-skin, which is constantly growing, and developing millions of little round cells to take the place of the flat, horny, and lifeless scales of the outer portion, which are continually dropping off, or being removed by friction.

When these flattened scales are pressed together, they become flatter and flatter; and thus the hard, horny skin is made, which is seen on the hands of those who use them in hard manual work. The "callus" in the hands of a blacksmith, carpenter, or washerwoman, is a familiar sight. Undue pressure or friction from poorly-fitting or tight-fitting boots and shoes causes the hard bunches on and between the toes, which are commonly known as corns. The deeper part of the scarf-skin is called the *rete mucosum*, meaning a "mucous network." In it are tiny specks of colouring-matter, hid in little cells. It is this part of the skin that gives it its colour, commonly called the complexion. In the fairer races, these specks are of a pinkish colour: in the dark races, the pigment-cells are brown, or nearly black, and more closely crowded together. The heat of the sun acts to darken these colour-specks, as is seen in the parts of the body exposed to direct sunlight. We see every day the sharp line drawn between parts of the arm or neck exposed to the sun's rays and other parts generally covered with clothing. Some, however, tan much more readily than others. When the pigment matter changes in spots, we call them freckles. There may be other defects, such as liver-spots, moth-spots, and other blemishes so often found on the skin. In slight burns, bruises, cuts, blisters, cold-sores, and many eruptions on the skin, the epidermis only is affected. Such injuries and diseases, therefore, heal without a scar.

The epidermis prevents the skin from absorbing any poisons. Lead, mercury, and other injurious substances, will not enter the blood, and affect the bodily health, unless they are actually rubbed through the scarf-skin; but if there is a scratch or sore, so that the true skin is exposed, the poisons will be drawn into the blood with great rapidity. Workers in lead, looking-glass silverers, and phosphorus-match makers ought, therefore, to take great care to cover the smallest scratch upon their hands.

The True Skin.—The *true skin*, or *cutis*, is a firm, elastic tissue, resting on meshes of texture something like damp, raw cotton, which loosely fasten the skin to the parts beneath. It is the true skin which becomes filled with water in dropsy, and which is made into leather by the process of tanning. In this layer, also, are the sweat and oil-glands, the hairs, nerves, blood-vessels, and absorbents of the skin. The outer surface of the true skin rises into little ridges called “papillæ,” into which the capillaries and nerves are distributed. These papillæ are very numerous everywhere, but are the thickest where the sense of touch is most acute, as on the tip of the fingers and nose. They are arranged in rows, like hills of corn, and are plainly seen with a magnifying-glass on the palms of the hands. When the true skin is destroyed, a scar results. White scars, especially on the hands, due to deep cuts, are common enough. Scars from small-pox, deep burns, and other injuries to the true skin, are seen every day. The skin is rich in its blood-supply. The nerves are also very abundant. The prick of a pin, or the sting of the smallest insect, causes pain.

The Hair.—The *hair* and *nails* are simply portions of the outer layer of the skin altered in shape and structure. Hair is a slender thread of scarf-skin, which grows from little sacs in the true skin called “hair-follicles.” Every hair has two parts, the root and the free end. The root is somewhat pear-shaped, and is sunk in its sac, or follicle, like a post into the ground. In the bottom of this sac is a little hair-papilla (quite distinct from the papillæ of the skin), from which material for the life of the hair comes. As long as this papilla is not destroyed, the hair will grow. Pull out the hair “from the roots,” and it will grow again. Destroy this papilla, and the hair never grows again. Hence it is useless, or worse than useless, to try to rid one’s self of unsightly hairs or hair-moles on the face. Pull them out with tweezers, cut or shave them off, and they are sure to

grow again, coarser and more unsightly than before. All remedies advertised to remove superfluous hairs are worthless or dangerous. The hair-papillæ must be destroyed to stop the growth of hair, and this is no simple matter.

One or more little glands open into each hair-sac, and pour out an oily matter for its nourishment. The outside of the hair is quite firm: the inside is softer, and carries the nourishing fluids. Hairs grow from cells pressed together lengthwise, so as to be drawn out into fibres, instead of being flattened into scales. Hence they grow only in length. On the outer surface the cells form a sort of bark, overlapping each other something like the shingles on a roof. The colouring-matter is contained in these cells. When it fails, the hair turns gray or white. The hair-follicle is well furnished with nerves, hence it hurts to have the hair pulled. The hairs, or rather the skin close to them, are provided with the tiniest muscles. They run from the bottom of each hair-follicle in a slanting direction, and end in the outer part of the true skin. When they contract, they cause the hair to stand more or less erect, and the skin to "bunch up" a little. Thus, at the sight of a dog, the hairs on a cat's back become erect and bristling. Any one who has been frightened suddenly, or has taken a chilly bath, knows what it is to have "goose-flesh."

This idea of having one's hair "stand on end" passed long ago into common speech and classic literature. Compare Job iv., 15.

These muscles of the skin also act to squeeze oil out of the oil-glands. Hairs of some sort are found all over the surface of the body, except the palms of the hands and the soles of the feet. The total number of hairs on an average head is estimated at about 120,000. The common diameter of an average hair is about $\frac{1}{450}$ of an inch. The strength of the hair is much greater than one would suppose. A single hair has held a weight of nearly $2\frac{1}{2}$ ounces without

breaking. They serve to protect the parts they cover from heat and cold. On the head, the hair helps to protect the skull from injuries, and the brain from extremes of heat and cold. On the body, they also help to drain off the sweat.

The Nails.—The *nails* are only portions of the scarf-skin in a hardened form. They grow from roots which are lodged in a groove of the skin, something as a watch-crystal is fitted into its case. The part which is beneath the skin towards the hand is called the root, and the rest the body. The nail rests upon a bed, called the matrix, to which it is firmly fastened. Nails grow from the root; and, as long as this is not injured, they are not lost or disfigured by slivers, sores, blows, and bruises. Disease or injury of the root generally results in a badly-shaped nail. The nails serve by their horny texture to protect the outer portions of the ends of the fingers and toes from injury, and to give a support for the fleshy ends.

Our finger-nails grow out about three times a year. They should be trimmed with the scissors once a week, leaving them long enough to protect the ends of the fingers. Nails should never be trimmed to the quick. They should not be cleaned with anything harder than a brush, or bit of soft wood. They should not be scraped with a penknife, or anything metallic; as it destroys the delicacy of their structure, and will give them an unnatural thickness. "Hang-nails" are caused by the skin sticking to the nail, which, growing outward, drags the skin along with it, stretching it until one end gives way. To prevent this, the skin should be loosened from the nail once a week, not with a knife or scissors, but with something blunt, such as the small end of a tooth-brush, or an ivory paper-cutter.

The Oil-glands.—The *oil-glands* are little round sacs, clustered together like a bunch of grapes, with a tube which opens into the hair-follicles. Generally there are

two to each hair; but, in some places, there are as many as four to eight around a hair, making a kind of collar about it. These glands furnish a natural dressing for the hair, and keep it moist and glossy. They also keep the surface of the skin soft and flexible, and prevent it from becoming dry and hard. In some places, these glands, as upon the nose, chin, and forehead, are large, and the hairs very small: hence it often occurs that they open directly upon the skin. In these the oil is likely to collect, and get hard. Bits of dust get into these glands, acting like plugs, and show themselves as small black specks, incorrectly called "flesh-worms," because of the resemblance which these little masses have to a worm. This oily secretion, which might well be called nature's hair-oil, is perfectly fluid in a healthy skin, and at the temperature of the body.

The Sweat-glands.—The *sweat-glands* consist of very fine tubes, about one-tenth of an inch long, coiled up into knots, from each of which a canal, called a sweat-duct, opens on the surface of the skin. The openings of these sweat-glands are arranged somewhat regularly, as may be seen by a common magnifying-glass, especially on the palms of the hands, between the ridges of the skin. On the sole of the foot and the palm of the hand they are very numerous, there being some three thousand of them to the square inch; while, on the cheeks, there are only five hundred and fifty in the same space, and twelve hundred to the square inch on the forehead. There are about three millions of them, it is said, in the whole body; and, if they were laid end to end, they would stretch to a distance of three to four miles. These glands secrete the sweat, which is a colourless fluid, with a peculiar odour. It is a part of the waste matter of the tissues, which has been filtered from the blood, and is got rid of through these busy little glands in the skin. They are always at work pouring out sweat, though it may not be evident to the eye or touch. In hot weather, or after violent exercise,

it is much increased, and collects in big drops, which run away in streams. The average daily quantity of sweat is not far from two pints. It varies very much according to what we are doing, the condition of health, how we are clothed, and the temperature of the surrounding atmosphere. The object of this sweating through the skin is to regulate the temperature of the body by evaporation from the surface. We fan ourselves on a hot day to hasten this evaporation of the moisture on the skin. In hot weather, after taking hot drink, or a hot-air bath, the skin does its best to reduce the temperature, and thus works all the harder in pouring out the sweat more profusely. When one is sweaty, it is highly imprudent to sit in a cool draught; for this evaporation may be suddenly checked, and we are apt to take cold. It is now easy to see, that if this vast secreting-surface is hindered in its action by chilling it in a draught, by being too thinly clad, or by sudden changes in the weather, we may readily "catch cold," and cause a "congestion," as it is called, of certain internal organs, like the lungs, kidneys, or intestines.

If a rabbit be varnished all over, so that the action of its skin is completely stopped, it will die within two hours, with every symptom of being poisoned. A similar experiment was once accidentally made upon a human being. When Pope Leo the Tenth ascended the papal throne, a child was prepared to represent in his procession the Golden Age, which was supposed to be dawning, by being varnished all over, and covered with gold-leaf; and the poor child died in six hours.

Why we should take Care of the Skin.—There are nearly three millions of sweat-glands in the skin, acting like drainage-tubes, nearly three miles long, together with the oil-glands, pouring out two pounds daily of sweat, oil, and other used-up matters, through the hard-worked skin. The sweat evaporates, and leaves the solid and oily matters to plug the mouths of these sewer-pipes. The dead scales of the sear-skin are continually dropping off. They become sticky with

the oil, and, getting entangled in the meshes of the clothing, become glued in a kind of thin crust to the surface of the body. This, if not regularly washed off, attracts the floating dirt and dust. Thus, the glands of the skin get choked up, and are not able to do their work properly. Other organs, such as the lungs and kidneys, have to do their own work, and that of the skin besides. The balance of health is disturbed, because the blood is not properly purified; and disorders, especially of the skin, are almost sure to result. Hence we see both the importance and the real need of keeping our bodies clean and neat. The fireman is ever busy rubbing and polishing his engine, to rid it of the dust, oil, and dirt, and to make it bright, clean, and neat. He is thus able to have all the parts of the machinery running smoothly, and without friction. Surely we should take as good care of our person, especially of its surface, which is always sifting out impurities, and getting clogged with dust and dirt. Finally, a filthy skin often becomes a breeding-place for the spread of those diseases and ailments which are "catching," such as scarlet-fever and measles, to say nothing of certain contagious disorders of the skin, by no means dangerous, but decidedly unpleasant.

Baths, how and when to take them.—The first object in using soap and water on the skin is to keep it clean; the second, to give vigour and strength to the whole body. It takes very little time, expense, or bother to take a daily bath of some sort. A hand-basin, a sponge, a strip of cotton-flannel, a piece of castile soap, a gallon of water, and a towel, are all that are required. Even rubbing the body every day, first with a damp towel, and afterwards very briskly with a dry one, will, in most cases, keep the skin clean enough during the week, and give a healthy re-action, provided a bath with warm water and soap is taken at the end of the week. Whether the daily bath should be taken in warm or cold water depends upon circumstances. Most persons,

especially the young and vigorous, soon get used to cool, and even cold, water baths. The point is, to get a brisk and rapid re-action before the "shivers" come on. If we shiver after a bath, instead of getting a warm, comfortable glow, warmer water should be used. The first effect of any cold bath is to shrivel up all the vessels of the skin, and make the surface pallid. Brisk rubbing should soon bring on a re-action, as it is called, in which the skin becomes red, and full of blood. A feeling of genial warmth is felt all over the person. Always stop bathing if the shivering comes on, and use the towel vigorously until re-action sets in. Young children and old people, unless strong, vigorous, and well used to it, cannot take a cold bath without some risk. Like all other things, it may be weakening to carry bathing to excess. Very much depends upon one's occupation and the condition of the skin. In some work, the grime, dust, and sweat must be washed off at least once a day, to feel at all comfortable, to say nothing of the health. Coarse and rough towels should always be used if the skin will bear it. Some skins are very active common sewers, which are ever sending out a large amount of waste matters. In such cases, a daily bath, especially in hot weather, is almost a necessity. Hot baths, with hot drinks, causing free sweating, helped on by wrapping the person snug in bed, with a jug of hot water or a hot flat-iron at the side or feet, will often save children and others from illness, if promptly and vigorously done after exposure to cold or wet. Swimming in running fresh water or in the sea has a wholesome effect on the skin, and is one of the healthiest of all exercises. Young people of both sexes should be taught to practise it whenever it is convenient. Never go in swimming when the body is over-heated or very tired. Better sit down quietly, and cool off for half an hour. Many are drowned every year from ignorance or carelessness in this one matter alone. The risk, of course, is from sudden cramps and colicky pains, which cause even a strong swimmer

to sink like a lump of lead. For the same reason, it is not safe to take a swim just after a full meal.

It is a good time for vigorous persons to take a cold bath just after getting out of bed in the morning. A bath at bedtime is refreshing, and favours sound sleep. There is little risk of taking cold if we go to bed at once. Young and feeble children should bathe two or three hours after breakfast.

It adds to our health and comfort to keep the hair clean. The oil-glands get clogged; and dust and dirt rapidly make a coating on the scalp, and get entangled in the hair. Hence the head should be washed, combed, and brushed, often and well. An occasional shampoo at home, with a wash made of the white of an egg and soapsuds, is healthful. Even a little borax dissolved in plain water, with vigorous rubbing, will do much to keep the scalp neat and clean.

Why we need Clothing.—Clothes serve to keep up an even temperature about the surface of the body. In winter, they keep in the bodily heat, and protect us from cold. In summer, they shield us from the direct rays of the sun, and from excessive heat. The temperature of our bodies varies only a few degrees at the most from $98\frac{1}{2}^{\circ}$ F. In our climate, the outside air has a yearly range from 100° or more in mid-summer to 20° or more below zero in winter. We may even have a daily change of 20° to 40° F. Our bodies is clearly much warmer than the surrounding atmosphere, and so it is continually parting with heat to the air.

These frequent changes are a severe tax to the body. Without the protection of clothing, we could not endure the strain on the system. In short, clothing is our chief weapon of defence against the frequent changes of weather in our fitful climate. We often fail to recognize the danger of exposure to cold. One week's continuous cold in London, it is said, adds over two thousand deaths to the usual average; and they mostly occur among the poor, under-fed, and badly clothed class of the population.

Hints on the Use of Clothing.—Clothes should be changed according to the climate, or time of year. It is not prudent to leave off winter clothing too early in the spring, for our seasons are most uncertain. Woollen should be worn next to the skin, whether in summer or winter. A most imprudent but common error of our daily living is to take off our winter flannels some day in early summer because it happens to be warm. With our sudden changes of temperature, a person may run great risk of taking severe colds, pneumonia, and even “quick consumption.” Boerhaave says, “we should put off our winter clothing on a midsummer’s day, and put it on again the day after. Only fools and beggars suffer from the cold; the latter not being able to get sufficient clothes, the others not having the sense to wear them.”

To keep our persons neat and clean, we must change our clothes often. This not only applies to garments used for daily wear, but to bed-clothes and night-clothes. No one should sleep in the clothes he wears during the day. Undergarments should be frequently and regularly changed. All bed-clothes should be exposed freely to the light and air. Young children are less able to resist cold and sudden changes than grown-up people, hence great care must be taken in their clothing. The celebrated surgeon, John Hunter, gave three simple rules for the rearing of children; and they are just as applicable to adults. They are, “plenty of sleep,” “plenty of milk,” and “plenty of flannel.”

The legs and chests of children should not be unduly exposed to the bitter blasts of winter, nor the cold east winds of spring. Hundreds of children die every year from lung-diseases, due to ignorance or neglect in this matter. Never wear wet or damp clothes one moment longer than possible. If you have on wet clothes, take the shortest way home, rub down thoroughly, and put on at once dry, warm clothes. Do not let your damp skirts, wet stockings or shoes, dry on you,

but always change them at once if possible. Neglect of this precaution is a fruitful cause of rheumatism and chest-ailments, especially among delicate people and young women. Do not wear the clothing too tight, and thus allow it to interfere with free movements and easy and graceful carriage, to say nothing of health. Garters and elastics worn below the knee are apt to hinder the circulation, and cause cold feet, and sometimes enlarged veins. Dresses and skirts should never drag their full weight from the hips, but should be supported from the shoulders. Health and comfort should not be sacrificed by any strange devices to dress the person in a slavish submission to any fashion. Teachers and parents should take the utmost care in the matter of children's clothing. See to it that they have on the proper outside garments on-going out, and that they are taken off on coming indoors. Children, and older people too, should never run outdoors without proper covering for the head. Never allow pupils to sit in the schoolroom with outside garments on, such as waterproofs, gossamers, cloaks, rubbers, rubber boots, and leggings.

Practical Points.—Those who value their health, and beauty of complexion, should let all “perfectly harmless” cosmetics and toilet-powders severely alone. Pure rice-powder, bought from some trustworthy druggist, is good enough to remove the greasy feeling from the skin, if anything must be used.

Some people are troubled with profuse sweating, which is quite offensive, especially under the arms, or on the feet. Bathe the parts, and change the clothing often, using occasionally a weak carbolic wash. A tea of white-oak bark, applied freely, is a simple remedy.

Ale, beer, wine, and cider are very frequent causes of skin-diseases. They must never be used by one who expects to get well from any such ailments.

The skin may absorb certain poisons very readily. Lead is

often thus absorbed, causing in time "lead-colic" and the "wrist-drop." Cheap clothing, as coloured stockings, are often dyed with preparations of lead. Such articles should be thoroughly washed before they are worn. Many hair-dyes contain lead, and often cause symptoms of lead-poisoning.

CHAPTER IX.

THE NERVOUS SYSTEM.

How All Parts of the Body work together in Harmony.—We have studied the human body as a kind of living machine. We have examined its various parts, and found them adapted to some special work essential to the well-being of the whole. Each organ not only looks after itself, but it is ever ready to come to the help of other parts of the body. Everywhere we find organs working together for each other's good. Strike suddenly at the eye, and the lids fall to protect it. Tickle the foot, and the muscles of the thigh and leg contract, and pull it away. When the skin is inactive, the kidneys come to its help. Fifty skilled mechanics might do their best at building a vessel or a house; but if each man worked as he pleased, and took no heed of the rest, the result of their work would be of little account. The master-builder must be at his post, skilful to direct, and quick to act. So it is with our bodies. The wonderful agency which directs and governs every organ of the body is the nervous system.

The Nervous System.—The *nervous system* is to the organs of the body what steam is to the engine. Shut off the steam, and rods, wheels, and bands, which a moment before were whirling round, at once become still and useless. So with the body: any injury to the nervous system may paralyze some or all of the various organs, and at last produce death.

The nervous system may be compared to nothing so aptly as to a complete telegraphic system. The brain itself is the main office; and the thousands of nerve-fibres, branching off to all parts of the body, are the telegraph wires. Telegraphic

despatches are constantly being sent to the brain, to inform it of what is going on in various parts of the body. The brain, on receiving the news, at once sends back its commands as to what must be done in each case.

Thus, if we accidentally pick up a hot coal, we drop it instantly. A message is sent from the nerves of touch in the fingers to the brain; and, when the brain learns that the fingers are being burned, it hurries off its orders to the muscles of the fingers to drop the burning coal. We might multiply these examples to almost any extent. Every act of the will we make is carried out under the direction of the nervous system, and by the same process.

The nervous system consists of two distinct parts:—

1. The *brain, spinal cord, and cerebro-spinal nerves*, forming an unbroken connection between the brain and all parts of the body.

2. The *sympathetic system*, which is connected mainly with the organs of digestion, circulation, and respiration.

Nerve-tissue.—Nerve-tissue is the soft, marrow-like substance which forms the principal bulk of the brain, the spinal cord, and the nerves. In the brain the inner part is white, and the outer layer is a gray or grayish-pink substance. In the spinal cord the inner part is gray, and the outer, white. The gray is richer in blood-vessels than the white.

All muscular action, we have learned, results in the oxidation or burning of the muscles themselves. In the same way the work of the brain causes the oxidation, or burning up, of its nerve-tissue; so that every thought, every sensation, every effort of the will which goes from the brain, destroys a part of its substance.

The *nerves* are really so many portions of the brain and spinal cord, extending into every minute part of the body. A nerve is a slender silvery-white cord when seen by the naked eye. Under the microscope, this white part is seen to consist of bundles of delicate little fibres.

The Brain.—The *brain* is the organ of the mind. In other words, it is the seat of the consciousness, the intellect, the memory, the will, the affections, and the emotions. This important organ fills the entire cavity of the skull, and consists of a number of separate masses of nerve-matter abundantly supplied with blood-vessels. Each separate mass is the main workshop for some special department of the work of the nervous system, and has little or no connection with the other parts. The average weight of the brain is about fifty ounces, or about three pounds. Daniel Webster's brain weighed fifty-three and a half ounces, and Ruloff's—a notorious murderer, but in some respects a very learned man—fifty-nine ounces. The brain of Cuvier, the celebrated naturalist, weighed sixty-four and a third ounces; and that of Dupuytren, a famous French surgeon, sixty-two and a half ounces. The hats of ten gentlemen were tried upon the skull of Robert Burns, and the only one of the ten that could cover it was the hat of Thomas Carlyle. An idiot's brain rarely exceeds thirty ounces. A few cases have been noted in men of great mental capacity, in which the brain weighed sixty-four ounces. Such instances are, however, far from common. As a rule, a large brain is the sign of a vigorous mind and superior faculties; and a healthy brain, of a sound, healthy mind.

The three principal masses which compose the brain are, (1) *the cerebrum, or brain proper*; (2) *the cerebellum, or lesser brain*; (3) *the medulla oblongata*.

The Cerebrum, or Brain Proper.—The *cerebrum* fills the whole of the upper part of the skull, and is nearly seven-eighths of the entire mass. It consists of two parts, or halves, almost entirely separated from each other by a deep cleft, or fissure, from front to back. Each of these halves, or hemispheres as they are called, consists of three portions or lobes, so that the cerebrum is made up of six distinct parts. The cerebrum has a peculiar folded-up

appearance; its various folds, or convolutions as they are called, being separated by deep clefts, sometimes nearly an inch deep. In this simple way, the surface of the brain is increased manifold. The interior part of the brain is made up of the white nerve-substance just spoken of. The gray matter is the outer layer, about one-eighth of an inch in thickness, and is spread over the white substance like a handkerchief crumpled up. The brain is enclosed within three distinct layers, called its membranes,—the *dura mater* (“hard mother”), the *arachnoid* (like a spider’s web), and the *pia mater* (“delicate mother”). The *dura mater* is the tough membrane which lines the inner surface of the skull, and forms a loose outer covering for the brain. The middle layer, called the *arachnoid*, secretes a fluid which keeps the inner surface moist. The *pia mater* is a very delicate membrane which dips down between and lines the folds of the cerebrum. The active powers of the brain are supposed to reside in this outer layer; and these powers are great or small, according to the number and the extent of the folds, or convolutions. In the lower animals, the brain has no folds; but, as we pass to animals of a higher grade, the folds begin to appear.

The Cerebellum, or Lesser Brain.—The *cerebellum*, or little brain, lies beneath the back part of the brain proper, from which it is separated by a fold of the *dura mater*. It is made up of two halves, each formed of a number of layers of gray and white nerve-matter, curiously arranged, resembling somewhat the branches of a tiny tree. The functions of the *cerebellum* are not yet certainly known. It is supposed to exercise an influence over the muscles of the body, in regulating their movements.

The Medulla Oblongata.—The *medulla oblongata* is the thick upper part of the spinal cord which is held within the cavity of the skull. It is just under the little brain, and makes the connecting link between the brain and the spinal

cord. It is a small affair, only an inch and a half long; but it is a highly important part of the brain, since from it arise the nerves which regulate breathing, swallowing, the heart's action, and so on.

The seat of sensation is believed to be lodged in the upper part of the medulla oblongata. It has also control over the action of the lungs and the heart. If this part of the brain be broken or cut, respiration and circulation will at once cease, causing instant death.

Cattle are killed in great slaughtering establishments by workmen skilled in striking the animals in the back of the neck, and piercing the medulla with a sharp instrument made for the purpose. Spanish criminals are executed by the "garotte," which is an iron collar, put round the neck, with a sharp-pointed pin, made to pierce the medulla with a quick turn of the lever, thus causing instant death. The Spanish bull-fighter seeks to kill his enemy by pricking the "vital knot" with his sharp sword.

The Cranial Nerves.—From the brain proceed twelve pairs of nerves, called *cranial nerves*. These nerves pass out of the skull through little holes in its base, and supply the face, certain internal organs, and the organs of taste, smell, hearing, and sight. These cranial nerves are of three kinds, sensory, motor, and mixed: i.e., combining both. The tenth pair is called the *pneumogastric vagus*, meaning the "wandering nerve." This is perhaps the most important nerve in the body. It supplies the larynx, the lungs, the heart, the stomach, and the liver. It is partly motor and partly sensory.

The Spinal Cord.—The *spinal cord*, or marrow, is a cylinder of soft nerve-tissue, extending from the base of the skull to the region of the loins, where it tapers off into little threads. It is a continuation of the medulla oblongata, and its average length is about eighteen inches. Like the brain, the spinal cord consists of the two kinds of nerve-matter,—

white and gray: but their position is reversed; the gray being in the inside, and the white outside.

The spinal cord receives impressions from various parts of the body by means of its sensory nerves, and carries them to the brain, where they excite sensation, or consciousness.

Again, it sends out, by means of its motor nerves, the commands of the brain to the voluntary muscles.

Reflex Action of the Cord and Brain.—The spinal cord is not merely a bundle of nerve-fibres for carrying messages to and from the brain. It has a certain power of its own. It acts as a kind of independent centre, receiving messages, or sensations, from certain parts of the body by means of its sensory nerves, and on its own authority sending back orders to the muscles by its motor nerves, without waiting to consult the brain. This is what is known as *reflex action*.

If one is asleep, and the feet are gently tickled, the legs will be moved out of the way without the sleeper necessarily being awakened. When the spine is broken by an injury, causing pressure upon the cord, then all sensation and motion are lost in the paralyzed limbs. But if these paralyzed limbs are irritated, as by pricking the soles of the feet, then the legs kick out vigorously. The injured person does not feel the pricking, and can exercise no control over the kicking legs. There is here no conscious action whatever. This unconscious action is the result of reflex action of the spinal cord. It is called reflex because the impression does not go to the brain, but is “reflected,” meaning “to turn back again,” to the seat of injury, from the sensory nerves through the motor nerves.

Importance of Reflex Action.—We rarely stop to think how important reflex action is to our health, comfort, and safety. Because we are able to do hundreds of things every day without any effort of the will, we are apt to forget its importance. In fact, the greater part of nerve-power

expended in the body goes to produce these numberless reflex actions. We are not so independent as one would at first think. Ten thousand acts take place, which tend to govern and preserve our health. We have as little control over them as we have over the stars above us. We have already been told of a few reflex acts. Let us call to mind a few more familiar illustrations. If our feet slip on the ice, the body tends to recover itself without the effort of the will. The mind does not act, at least in the ordinary way, to pull the fingers away when they touch a hot stove. We try to brush the flies away when we are asleep. By an effort of the will, we can stop our breath for a moment or two: but soon the call for air is imperative; and the order must be obeyed, whether we will or no. The great work of digestion is going on day after day, and we have not the least command over its complicated movements.

By this wonderful provision of Nature, the thinking-centres are relieved of a vast amount of work. If we were forced to use our will-power at every step in the process of digestion, the brain would be put to a severe strain. We could not eat, and then quietly go about our business. If we had to plan and will every heart-beat, we should soon be ready to give up the struggle for life. If we had to exert our will every time we breathed in or out, we would soon get tired of it, and long to die. We could never sleep; for the brain would have to be on the alert to decide if it were time for the next heart-beat, the next inspiration, and the proper time for each digestive fluid to flow.

The Spinal Nerves.—From the spinal cord proceeds thirty-one pairs of *spinal nerves* to the trunk and limbs. They pass out on each side of the spinal canal through small holes in the sides of the backbone. Each of these spinal nerves has two roots,—one going from the front portion of the cord, and the other from the hinder portion. These two roots unite, and run side by side, forming one

silvery thread as they pass out from the backbone. The root which goes from the front, or anterior, part of the spinal cord, is the *motor* nerve, and controls the motions of the muscles of the body. That which comes from the back, or posterior, part of the cord, is the *sensory* nerve, and carries sensations from the various parts of the body to the spinal cord. As each nerve-trunk leaves the backbone, it subdivides, and sends off branches into all parts of the body. If any one of these nerves is cut or injured as it leaves the backbone, the power of feeling and movement ceases in all those parts to which it is distributed; that is, those parts of the body are paralyzed. A very important and interesting point to notice, is that, as the motor nerve-fibres leave the brain, they cross over from one side of the spinal cord to the other. The sensory nerve-fibres cross in the same way soon after entering it. Thus, the right half of the brain governs the left half of the body, and the left half of the brain controls the right side of the body. A blow on either side of the brain may therefore produce paralysis of the opposite side of the body. Thus, if we see a person with left side paralyzed, we know that the seat of injury is on the right side of the brain. The case is practically the same as cutting a telegraph-wire, and thus stopping the passage of the electric current. To a certain extent this is the case when our leg or arm "goes to sleep." The fact is, some of the nerves have been pressed upon, and their action is stopped for the time being. Remove the pressure, and the nerves regain their power. Imagine a telegraph-cable of delicate India-rubber tubes filled with mercury: a squeeze would interrupt the continuity of the cable without destroying its physical continuity. Remove the pressure, and the current would pass along the cable as usual.

The Sympathetic System of Nerves.—Besides the system of nerves just described, there is another set of nerves in the body, known as the *sympathetic nervous system*.

The name "sympathetic" is given to this part of the nervous system, because it is believed, that, through its agency, distant organs have sympathy with one another's afflictions. Thus, for example, severe pain in any part of the body will cause some sensitive persons to be sick at the stomach. It consists of a double chain of nerve-knots, or ganglia, connected by nervous cords running down in front and on each side of the backbone. This chain of nerves is not shut up within the bony tube formed by the skull and spine. The knots of nerves are connected with each other, and with the sensory roots of the spinal nerves, by a network of gray nerve-tissue. From these knots, nerves go to all the internal viscera, forming a complete system by themselves, and acting almost independently of the cerebro-spinal system. A close network of the sympathetic nerves is spread round the muscles of the heart, the lungs, the stomach, and the intestines, as well as round the walls of the minute arteries and capillaries.

Compared with the cerebro-spinal set of nerves, the sympathetic nerves are very slow to act. A blush steals slowly up to the roots of the hair. If we go from the dark into a strong light, we are blinded; the pupil is too large to endure it. An impression is made on the sympathetic nerves, which cause the pupil to contract slowly while we are shading our eyes.

Sleep.—Sleep is necessary to life and health. In our waking-hours, rest is obtained only at short intervals. The muscles and nerves, the brain in particular, are in full activity when we are awake. Repair goes on every moment, whether we are awake or asleep; but during the waking-hours the waste of the tissues is far ahead of the repair, while during sleep the repair vastly exceeds the waste. Hence the good mother Nature, at regular intervals, causes all parts of the bodily machinery to be run at their lowest point. In other words, we are put to sleep. The great

classic writers of all time have symbolized sleep under all kinds of fanciful expressions. Shakspeare alludes to sleep as "the golden dew," "our foster-nurse of nature," "nature's soft nurse," "death's counterfeit," "the death of each day's life," "great nature's second course," "chief nourisher in life's feast."

To be sure, the heart beats, the lungs take in air, and the stomach digests its food; but these great organic processes are carried on at their lowest point. The vital organs rest because they are worked at the lowest rate that will keep us alive. The eye, the ear, the brain, and the nerves, are at rest by darkness, silence, and unconsciousness. The tired muscle regains its vigour, and the exhausted brain is refreshed. Sleep is more or less sound according to circumstances. Fatigue, if not too great, aids it; while idleness lessens it. Some kinds of food, as tea and coffee, may prevent it. Anxious thought and pain, and even anticipated pleasure, may prevent it. Just as sleep is sound, the body and mind are refreshed. The best time for sleep is at night. The soundest and best sleep is obtained during its silence and darkness. People who are forced to work at night, and to sleep during the day, have a strained and wearied look, which is easily recognized by the trained eye.

The amount of sleep depends upon the occupation and temperament of each individual. Some require little sleep, while others need a great deal. Eight hours of sound sleep for a grown man or woman, and more for children and old people, is about the average amount required. Children naturally need more sleep, because their bodies need more rest during the period of growth. Hence the infant sleeps most of the time, if well and properly cared for. Children should always be put to bed early, and allowed to sleep in the morning until they awake of themselves. During hot weather, the active

child should be undressed, bathed, and put to bed in the middle of the day for a good nap. We should not eat just before going to bed. There should be an interval of three hours between supper and sleep. Do not go to bed with the brain excited or too active. Read some pleasant book, laugh, talk, sing, take a brisk walk, or otherwise take a little recreation, for half-an-hour or so before going to bed.

The Health of the Nervous System.—It is scarcely necessary to discuss in detail the hygiene of the nervous system, as we have done with other parts of the body. In fact, the health of every tissue and every organ is so dependent upon, and so woven into, the welfare of the nervous system, that it is impossible to separate them. A blow on the head often causes vomiting. If a tiny blood-vessel in the brain is broken, and forms a little clot as large as a pea: by its pressure on the delicate brain-tissue, a paralysis of one side may be produced. An overloaded stomach may make the brain dull and stupid for some time. Ill-digestion may change the disposition, and make one cross, morose, and ill-natured. The loss of sleep may cause exquisite suffering. In early English history, people who were condemned to death by being prevented from sleeping, always died raving maniacs.

Depriving a criminal of sleep is a frequent mode of execution in China: it is fearfully painful, and death occurs in eighteen to twenty days.

After eight days, the sufferings of a criminal subjected to this process become so intense that he begs to be burned, strangled, shot, or put to death in any way that the humanity or ferocity of his jailers may suggest.

Those who are starved to death become insane. The brain is not nourished, and they cannot sleep. A blow on the head, and certain diseases, may produce a profound and mysterious effect upon the nervous system.

On the other hand, severe accidents to the brain may not produce serious results.

A well-known case in point is of a man who had an iron drill, over three feet long, and more than an inch in diameter, blown entirely through his head while blasting rocks. The man lived many years afterwards, and his skull and the iron bar may be seen in the museum of the Harvard Medical College.

Like any other organ, the brain may be strengthened and increased in its power by use and education. Impressions made upon the mind in early life are both more readily received and more completely retained than those which are made when the growth of the brain is far advanced. For this reason, education should be begun early in life. It is an object for which most parents are willing to work hard, and exercise much self-denial, to accomplish.

Abuse of the Nervous System.—Just as the stomach may be overworked, and fail after a time to digest food properly; and as muscles may be exhausted by over-exertion,—so may the nervous system, especially the brain, be overtaxed. Mental work is rarely hurtful to a healthy person who takes good care of himself. It is not so much the severe mental toil, as it is the worry, that makes the mental wreck. It is not study, but fretting, that causes the student to break down in his studies. It is the fearful wear and tear of the nervous system in the fierce struggle for wealth and position, that makes an old man out of a young one before he is forty. Let a child have plenty of nutritious food properly given, plenty of sound sleep, enough of suitable clothing, and a calm and wise oversight at home, and he will rarely be injured by too much study. It is fretting about passing examinations, worrying about promotions, and other baneful influences which have become attached to our educational system like barnacles to a stately ship, that make the delicate, sensitive child cross, peevish, and sickly, and lay the foundation for years of ill-health.

Every part of the nervous system is busily at work doing its allotted duty. The vast sympathetic system, which lies at the very foundation of our nutrition, is severely taxed to do its work properly. Now, let a person fret and worry day after day over real or fancied troubles, abuse his digestive organs by too much or too little food, go without proper sleep, turn night into day, try to prop up his flagging energies with more or less of alcoholic liquors, and the strain on the nervous system will make a physical and mental wreck. Like a spendthrift, who lavishly spends his principal, and persists in calling it his income; so is a man, who is indulging in all these forms of dissipation, really exhausting a limited amount of nervous force with frightful rapidity. Curses, like chickens, as the adage says, come home to roost. Rest assured, that unhealthy and evil habits are drafts drawn on the future, which must be met at no distant day. Depend upon it, that all forms of sensual gratification that excite pleasure, only to be followed by depression, cause a great waste of nervous tissue, and may in time sap the very foundation of health and happiness. It may well be called "dissipation," which dissipates or scatters a man's nervous vitality, and leaves him at last a wreck of his former self.

Stimulants and Narcotics.—There are certain substances used as drugs and beverages through the force of a depraved habit, and commonly known as "stimulants and narcotics." Thus alcohol is said to be both a stimulant and a narcotic. Just where its stimulant action ends, and its narcotic action begins, is not evident. To this same class belong opium, tobacco, chloroform, ether, chloral, Indian hemp, etc., which are taken to a greater or less extent for their stimulating and narcotic effects. A person who has taken them once, has a strong inclination to try them again. Yielding once, they beget an itching desire to repeat the action. This unhealthy crav-

ing may pass away, but oftener grows fierce by what it feeds on. A man is no longer master of himself, but is the victim of a relentless craving for what may sooner or later destroy him. It is almost impossible for him to free himself from the invisible chains of his baneful habit.

General Effect of Alcohol upon the Nervous System.

—The real substance of the nerves, the great nerve-centres, and the brain, is made up of nerve-pulp, the softest and most delicate matter in the body. A rude touch will crush and destroy it. It is very rich in blood-vessels, which bring blood to renew and nourish it, and also to carry away the waste. This ceaseless interchange between the blood and the nerve-pulp maintains the vital action and power of the nervous system. No other part of the living body is so sensitive to the presence of alcohol as this delicate nerve-pulp. It has much water in it, to keep it in a moist and workable condition. Alcohol satisfies its thirst by rapidly taking to itself the water of the nerve-pulp. Again, when alcohol is once taken up by the nerve-tissue, it does not easily escape. In other words, this unnatural agent is shut up and imprisoned in the nerve-structure, and is only got rid of by a gradual and slow process. For these two reasons, therefore, the nerve-tissue is peculiarly subject to the injurious effect of alcoholic liquors.

Alcoholic Excess and the Nervous System.—The first symptom which deserves notice is the quickened action of the heart, and with it the dilatation of blood-vessels. The face is flushed, and there is a warm glow all over the body. The tiny vessels of the brain are over-charged, the brain becomes more active, thoughts flow more rapidly, and the speech becomes more fluent.

If still more alcohol is taken, those actions of life which are under the direct control of the spinal cord become disturbed. The power over some of the muscles is lost,

and the energy of the whole muscular system is lessened. The muscles of the lower lip and the legs are the first to feel this unnatural torpor. The speech is thick, and the gait uncertain. Trembling, faintness, and vomiting are more or less frequent.

The nerve-pulp of the higher, or controlling, part of the brain is next brought within the grasp of this deadly alcoholic influence, and the faculties of the mind are more or less impaired. Reason is off duty; and the lower, or animal, impulses begin to manifest themselves. First the control of judgment and the will disappears; and the emotional, the impulsive, and the purely instinctive part of our nature is laid bare. In the last stage of all, the paralysis of the nerve-centres and of the brain is carried to its full extent. All the inlets of the senses are closed, all consciousness and sensation are lost, and all power over the voluntary movements is gone. The heart still beats, and the blood circulates, and the breathing still goes on; but these are the sole remnants of vitality, the slender threads by which a hold is retained upon life.

“Under the influence of alcohol, the weakening of the will becomes excessive. The extravagances, violences, and crimes committed in this state are innumerable,” says Dr. J. Ribot.

The Final Result of Alcoholic Excess.—After a time, over-indulgence in alcohol steadily weakens the self-control of its hapless victim, and at last makes him an utter slave to his lower and animal nature. “O, that men should put an enemy in their mouths, to steal away their brains! that we should, with joy, revel, pleasure, and applause, transform ourselves into beasts.” The craving for ardent spirits becomes well-nigh irresistible. Self-respect, honour, conscience, everything, is sacrificed to get fresh fuel for the alcoholic fire which is burning up its victim. The road is now straight which leads to some private “retreat,” or even the insane-asylum.

The disease known as *delirium tremens*, meaning a trembling madness, is a terrible instance of the effect which alcoholic excess may exercise over the nerve-centres. It is marked by muscular tremors, a low temperature, cold and clammy skin, persistent wakefulness, muttering talk, then the wildest delirium, with all the horrors of hideous delusions which imagination can possibly conceive.

W. B. Carpenter, M.D., says: "The victim almost always apprehends some direful calamity; he imagines his bed to be covered with loathsome reptiles; he sees the walls of his apartment crowded with foul spectres; and he imagines his friends and attendants to be fiends, come to drag him down to a fiery abyss beneath."

The extreme instances of the breaking-up of the nervous system are found in our insane-asylums,—men and women who have lost every attribute of humanity except the name; hopeless, helpless, doomed to a living death until they cease to be.

The Inherited Craving for Alcohol.—The craving for alcohol may be inherited by its victim's innocent children. Just as we may inherit from our parents mental and physical vigour or weakness, our features, and even moral traits, so it is possible to inherit a thirst for strong drink. The inherited curse of strong drink has caused many a good family to "run out," and leave the children and grandchildren pitiable wrecks of humanity. Again, the children of parents whose brains are injured by alcohol, are more prone than others to mental disease, and to those widely varied diseases, which, for lack of a better name, we vaguely call "nervous."

This point has been very tersely put by a sagacious physician, the late Dr. Willard Parker of New York. He says, "There is a marked tendency in nature to transmit all diseased conditions. Thus, the children of consumptive parents are apt to be consumptives. But, of all agents, alcohol is the most potent in establishing a heredity that

exhibits itself in the destruction of mind and body. There is not only a propensity transmitted, but an actual disease of the nervous system."

Tobacco and its Moderate Use.—The enormous consumption of tobacco is a matter of the commonest observation and experience. Tobacco, as we know, is smoked, chewed, or used as snuff. In whatever way it is used, tobacco is a narcotic and a poison. Its injurious effects are due to its active principle called *nicotine*, which is of itself a narcotic poison. The extent to which the body may be injured by tobacco, depends upon its moderate or excessive use. Even in moderate use, it is hurtful to young persons, and by no means free from harm to adults. In mild narcotic doses, tobacco has a soothing effect upon the nervous system, especially of brain-workers. It produces an artificial exhaustion, as it were, of the nerve-centres. Used in moderation, and at proper times, tobacco does not produce any real hurtful physiological effect upon a healthy adult, except so far as very small doses of any narcotic may do harm. It certainly does no good; and the tobacco habit, once acquired, generally leads to its excessive use. Those who have not learned to smoke do not miss it. The fact that the habit is foolish, costly, and ill-becoming, needs no physiological proof.

The Excessive Use of Tobacco.—The excessive use of tobacco is quite another matter. When carried to excess, tobacco produces functional derangement of the nervous system, palpitation of the heart, certain forms of dyspepsia, and more or less irritation of the throat and lungs. Sometimes, after long smoking, a sudden sensation of dizziness, with a momentary loss of consciousness, is experienced. At other times, if walking, there is a sudden sensation of falling forward, or as if the feet were touching cotton-wool. While the stomach is empty, protracted smoking will often produce a feeling of nausea, accompanied with a headache. The external application of tobacco to chafed surfaces, and even

to the healthy skin, will occasion severe, and sometimes fatal, results. A tea made of tobacco, and applied to the skin, has caused death in three hours. A tobacco enema has resulted fatally within a few minutes. The excessive smoking of tobacco at one time has been known to produce violent, and even fatal, effects. Nicotine is one of the most rapidly fatal poisons known. It rivals prussic acid in this respect. It takes about one minute for a single drop of nicotine to kill a full-grown cat. A single drop has killed a rabbit in three minutes. The excessive use of tobacco may affect the brain. The ideas lack clearness of outline. The will-power may be weakened, and it may be an effort to do the routine duties of every-day life. The old tobacco-user is often cross, irritable, and liable to outbursts of passion. The memory is also quite often impaired for the same reason. The narcotic principle, the deadly nicotine, has become soaked into the delicate nerve-pulp retarding its nutrition. The nerve-centres are no longer able to hoard up their usual amount of vital energy. Hence arise the many and various nervous symptoms due to the abuse of tobacco.

Effect of Tobacco upon Young People.—Tobacco, in any form, has a peculiarly injurious effect upon young and growing persons. It not only stunts their growth, but produces a weakened state of the system, which tends greatly to impair muscular and mental activity. The profound effect that tobacco has upon the nervous system, after the first trial of smoking or chewing, is matter of familiar experience. Even after the system gets used to the narcotic, young people continue to suffer oftentimes from nausea, dizziness, headache, muscular trembling, loss of appetite, and general weakness. The use of cigarettes by young persons cannot be too severely condemned. They are made of the worst materials, and often “doctored” with refuse substances, and even forms of opium, in order to give some bulk and “tone” to the originally cheap and filthy material. Cigarettes are so

common and so cheap, that their use to an injurious extent by thousands of young people is really a matter of great practical importance at the present day. No young person should learn to smoke, especially if he wishes to keep strong and vigorous, is ambitious, and eager to succeed in life.

The evils of tobacco are intensified a hundred-fold upon the young. Here it is unqualifiedly and uniformly injurious. It stunts the growth, poisons the heart, impairs the mental powers, and cripples the individual in every way. Not that it does all this to every youth, but it may be safely asserted that no boy of twelve or fourteen can begin the practice of smoking without becoming physically or mentally injured by the time he is twenty-one.

Sewer-gas is bad enough, but a boy had better learn his Latin over a man-trap than get the habit of smoking cigarettes.

Opium.—Opium, the most valuable of all medicines, is the dried juice of the white poppy. It has the wonderful power of relieving pain, and producing a kind of sleep. For this purpose it is indispensable to the physician. Morphine is a white powder made from opium. When opium is soaked in alcohol, it is called laudanum. Paregoric is a weak form of opium combined with other things. Dover's powder is made of opium and ipecac. The various forms of opium are very generally used in patent medicines. They form the "soothing" basis of liniments, "cough-killers," "soothing-sirups," stomach-bitters, cholera-mixtures, and countless other preparations, which people are eager to buy, hoping to get relief from some real or fancied disease.

Thousands of tons of opium are smoked and chewed, like tobacco, in distant parts of the world, especially in China. This habitual use of opium is, however, a common vice everywhere. Over half a million pounds were imported into this country in 1883, and a large proportion of this enormous quantity was consumed by "opium-eaters." When used by

physicians to relieve pain, opium leaves its after-effects in dryness of the mouth, thirst, nausea, constipation, and a dull headache. In large or poisonous doses, there are giddiness and stupor. A person becomes motionless and insensible to outward impressions; he lies quite still, with the eyes shut, and the pupils contracted; and the whole expression of the countenance is that of deep and perfect repose. As the poisoning advances, the features become ghastly, the pulse feeble, and the muscles greatly relaxed; and, unless help is procured, death speedily ensues. If the person recovers, the insensibility is succeeded by sleep for one or two days, followed by nausea, vomiting, and loathing of food. Opium may be at once a blessing or a curse to mankind. Used with skill by a good physician, it performs wonders in relieving pain. Eaten or smoked habitually to satisfy a craving for it, opium makes a living death for its victim. A person may begin in the most innocent way to use a little opium to relieve pain: little by little, the meshes of this fascinating narcotic are woven about him. The opium relieves the suffering, and gives a soothing stupor, and even pleasant dreams and visions. The worst of it is, a person cannot leave off its use without the greatest effort. A craving is created which no one can realize unless he has once been within the fascinating toils of this wonderful drug. It is untold misery to quit it, and sure death to keep on using it. It completely changes its victim. A man, once upright and honest, will lie, cheat, defraud, or even murder, to get a dose of the fatal drug. Promises and resolutions to stop its use may be honestly made, but are no more binding than ropes of sand. The deepest melancholy settles on the opium-eater; and life, once full of joy and happiness, is indeed a heavy burden. He would gladly commit suicide, but his very habit unfits him to summon the will-power to do the deed. Meanwhile all the vital organs are slowly and surely losing the power to do their work. The fat

disappears; the muscles grow weaker; the stomach and bowels fail to act; the skin becomes dry, yellow, and shrivelled, like yellow-leather parchment; and death at last puts an end to his misery.

Practical Points about Opium.—The utmost care should be taken in giving infants and children any of the so-called soothing-sirups, cough and cholera mixtures. There is almost sure to be more or less of some form of opium in them. It is very certain that many infants annually perish from this single cause. The child is simply drugged, and not cured, however “soothing” the effect may be. The only safe rule is, never to put opium on the list of home-remedies. A good physician often hesitates to use this drug with children, for he knows how dangerous and uncertain the effect may be. The practice of rubbing the gums of teething-children with paregoric, putting laudanum into a child’s aching tooth or ear, giving either preparation for “summer complaints,” and other household ways of using opium, should be very sparingly and very cautiously resorted to. Nine times out of ten, some simple and safe remedy will answer every purpose. Never rub any form of opium powder upon any abraded surface to relieve pain. It is rapidly taken up by the blood. “Dover’s powder” is not a home-remedy: a single grain has killed an infant. Remember that laudanum that has been kept in the cupboard for a long time may become stronger, on account of the evaporation of the alcohol. Remember that children as a rule, and many grown-up people too, are very susceptible to the action of opium. It is well known that a child may be drugged by the milk of a nurse who has taken opium. Young boys have been made stupid, getting even the “pin-hole pupil,” by smoking cigarettes in excess that have been doctored with opium. Poultices saturated with laudanum are by no means safe. They are especially dangerous in the case of infants.

The only safe rule, therefore, is to let every thing that has opium in it severely alone, unless it is ordered by the trusted family physician. Above all things, do not "pass round" to others, especially children, any opium-mixture that has been prescribed or used by some one else. It is better to endure pain.

The system learns to tolerate opium after a time. Opium-eaters get used to taking enormous quantities. De Quincey, the famous author and opium-eater, used to drink more than half a pint of laudanum a day. About fifteen drops is the ordinary dose. The student should read parts of his weird book, called the *Confessions of an Opium-Eater*.

Chloral.—Chloral is a powerful drug, capable, in small doses, of producing quiet sleep. This action is probably due to its direct action upon the brain. In full doses it acts to depress the action of the nerve-centres of the brain and spinal cord. In large doses, there is paralysis of the nerve-centres, causing death. Because chloral is known to induce sleep, especially in those who suffer from excessive mental strain, or from anxiety, or other like cause, it has come, of late years, to be often used without a physician's advice. Like all narcotics, the dose must be steadily increased to get the required effect. The "chloral habit" is soon formed, and the person becomes a slave to a dangerous drug. Without it, the chloral-eater cannot sleep: with it, his digestion is sadly out of order. He suffers from dyspepsia, shortness of breath, and palpitation of the heart. This habit begets carelessness in its use; and the fatal dose is so uncertain, that chloral-eaters often die from an overdose. The only safe rule is, never to touch so powerful, uncertain, and dangerous a drug unless prescribed by a skilled physician.

Other Narcotics.—Regarding chloroform, ether, hasheesh, or Indian hemp, and other narcotics, it may be said, once and for all, that they should never be used repeatedly

or continuously, even in the smallest doses, unless under medical advice. They are valuable remedies in the treatment of disease, but dangerous agents at all times. They are used with great caution, even by physicians. Persons who get into the habit of tampering with such powerful drugs run the ever-present risk of killing themselves by an overdose. Inhaling ether or sniffing chloroform on a handkerchief, as a household remedy, to relieve spasms of pain, should be always severely condemned. Familiarity with these and all other powerful drugs and narcotics is sure to beget carelessness on the part of those who use them on themselves. Even physicians, used to handling opium and other poisons in their practice, have died from an overdose of morphine, chloral, etc., after they became victims to the use of these narcotics.

CHAPTER X.

THE SPECIAL SENSES.

Sensation.—In the preceding chapter, we have seen that all nerves belong to two classes—*motor nerves*, which control the action of the muscles of the body; *sensory nerves*, which carry a variety of impressions from all parts of the body to the brain. When the brain receives a certain impression by means of some sensory nerve, we become conscious of a feeling, or *sensation*. Exactly how we become conscious of the thousand and one sensations felt by all, is one of the many mysteries connected with the human body. Some sensations, such as those of faintness or fatigue, spring up within us in some mysterious way, without any apparent cause. Most sensations, however, are produced by some stimulus, or outward agency. Thus, if we hear a child cry, or a bird sing, we have a sensation of sound. If we are pinched, tickled, or struck, we have a sensation corresponding to these acts. If we put a piece of sugar on the tongue, hold a rose at the nose, or prick the skin with a pin, certain sense-organs receive the impressions, and the sensory nerves carry them to the brain, where we become conscious of a sensation. Sensations may be those of pleasure or pain. Indeed, the same agent may be either pleasant or painful, according to its degree of intensity. It is pleasant to hold out the hands before a glowing fire after a cold ride. Hold the hands too closely, and the sensation of pleasure is changed in a moment to one of pain.

All sensations are produced by three distinct organisms:—

1. An organ specially adapted to receive the stimulus from the outer physical agent.

2. An incoming, or sensory, nerve to carry the impression from the sense-organ to the brain.

3. The brain itself, some part of which converts the impression into an actual sensation to the mind.

Take, for instance, the sense of hearing. The waves of sound pass through the air from the outer physical agent. The ear is the organ specially adapted to receive impressions from it. The nerve of hearing, or auditory nerve, forms the connection between this organ and the brain, where the consciousness of sensation actually takes place.

The Five Special Senses.—There are five ways in which the brain becomes acquainted with what takes place in the outer world. In other words, there are certain sets of nerves which carry special sensations to the brain. We are said to have five special senses, or “gateways of knowledge,”—*touch, taste, smell, hearing, and sight.*

There is another sense, commonly called the *muscular sense*, which enables us to judge the weight of different bodies, according to the muscular effort required to lift or hold them. This sense becomes so highly developed with use, that shopkeepers and others who sell various articles by weight, will often tell you the weight of a body by simply balancing it in their hands.

Touch, or Feeling.—The sense of touch is the most widely extended of all the senses, and perhaps the simplest. It has its seat in the skin all over the body, and in the walls of the mouth and nasal passages. By this sense of touch, we tell whether a body is hard or soft, hot or cold, rough or smooth. We have been told in another chapter of the thousands of tiny hillocks called *papillæ*, and forming rows of ridges very thick on the tips of the fingers. Now, besides a tiny artery and vein, finer than the finest hair, there is in

each papilla the end of a sensory nerve. Where the sense of touch is most delicate, the papilla is found to contain a little oval bulk called the touch-corpuscle. All parts of the body do not have this sense of touch in an equal degree. It is most delicate in the tip of the tongue, the tip of the fingers, and the edge of the lips; and least delicate in the middle of the back.

There is no sense so capable of improvement as that of touch. The female silk-weavers of Bengal are said to be able to distinguish, by the touch alone, twenty different degrees of fineness in the unwound cocoons, which are sorted accordingly.

The sense of touch may be said to belong to every animated being, and is one great characteristic of animal life. In many animals the tongue is the instrument of touch as well as of taste. Certain animals, in addition to the tongue, have special organs of touch, as the whiskers of the cat and rabbit.

Taste.—The tongue is the principal organ of taste. The tongue has two coverings,—a deep, sensitive layer, and an outer layer. When the stomach is out of order, and in certain diseases, this outer layer becomes coated with a whitish or yellowish matter. We generally speak of the tongue at such a time as being furred. The deep layer is raised up, like the true skin, into tiny hillocks, or papillæ, which are abundantly supplied with delicate nerve-fibres from two great nerve-branches leading from the brain. These are the nerves of taste. The tip and back of the tongue are supplied with different nerves. The papillæ are small, and pointed on the tip, and arranged in the form of a letter V, with the point towards the back. Hence it makes a difference in the taste, whether we put a substance to be tasted on the tip or back of the tongue. Thus, alum tastes acid on the tip, and has a sweetish taste on the back part, of the tongue. In certain animals, these last mentioned papillæ are largely developed,

and give a roughness to the tongue. We have all, no doubt, noticed how rough a dog's tongue is. It is this which enables the dog to strip off the flesh from a bone by simply licking it; while the lion by the same means strips the skin from any part of the human body with one stroke of his tongue.

In this sense, as in the other senses, the nerves receive the impression, and carry it to the brain, where it is perceived, and gives rise to the sensation of taste.

Smell.—The seat of the sense of smell resides in the cavities of the nose, into which the nostrils open, and which open behind into the pharynx, or the back part of the mouth. The walls of the nasal cavities are lined with a thick, velvety membrane, over which the nerves of smell are distributed. This membrane is kept continually moist by a fluid which it secretes. At the beginning of a cold in the head, this membrane becomes dry and swollen, and the sense of smell is greatly lessened. It is in the roof of the nasal cavities that the sense of smell is most acute. The sense of smell varies very much in different individuals. Among civilized people, it is rather defective; while, in savage races, it is most acute. We are told that the South-American Indians can detect the approach of a stranger, even in a dark night, by their sense of smell, and can also tell whether he is white or black. Many animals are more highly endowed with this sense than man. Thus, a dog will smell the footsteps of his master amid those of a hundred other people, and can trace him for miles, although he has been for hours out of sight. Pointers also scent game at a great distance. Hence, when we wish to detect a faint odour, we sniff up the air sharply. By doing so, we cause a rush of air into the higher parts of the cavities, where some of the floating particles come into contact with the nerves of smell.

The sense of smell is Nature's sentinel to guard us against taking improper food into our stomach, and impure air into our lungs. By this same sense, we are able to detect delicate

and fragrant odours, which adds much to the comfort of our daily living.

The Sense of Hearing.—We come now to a special sense, which does not tell us what is going on in the outer world by actual contact, as in touch or taste, nor by particles of matter falling upon the end of nerves, as in the sense of smell. In this sense, impressions are produced upon nerves by wave-like vibrations in the surrounding air. This is the sense of hearing, only second in importance to the sense of sight. All sounds are produced by the vibration of some body in the atmosphere. The body sends out these vibrations to the surrounding air, which carries forward a series of waves in all directions. We shall understand these air-waves better if we throw a stone into a pool of water, and watch the result. We see a series of tiny, circular ripples gradually spread themselves over the surface of the water from the spot where the stone fell. This exactly represents the waves of sound caused by the vibration of bodies in the air. These air-waves travel with wonderful rapidity. The usual velocity of sound is about eleven hundred feet a second.

These air-waves are received, and the impression made by them is sent to the brain, by a special apparatus, called the organ of hearing.

The organ of hearing is lodged in the thick, inner bones forming the base of the skull. The ear, the organ of hearing, is far more complicated than any of the organs of sense yet described. It is divided into three parts,—the *outer*, the *middle*, and the *inner* ear.

The Outer Ear.—The *outer ear* consists of a broad plate of gristle, shaped somewhat like a shell, commonly called “the ear;” and of a tube about an inch long, called the *auditory canal*. This canal is hewn out of the solid portion of the temporal bone. It is protected by fine hairs, and by a set of glands which secrete ear-wax, a bitter substance, which serves to moisten the parts, catch particles of dust, and keep

away small insects. The inner end of this canal is closed by a membrane stretched tightly across it. It resembles the parchment stretched across the end of a drum, and is known as the membrane of the drum of the ear. It is thin and elastic, but may be easily broken by a blow, or by pushing anything into the ear. If once broken, this delicate membrane cannot be repaired, and deafness results.

The Middle Ear.—The *middle ear* is a small cavity hollowed out in the temporal bone, between the membrane of the drum and the inner ear. This cavity is the “drum” of the ear. The most curious feature of the drum is a string of three of the tiniest bones, which stretch across it. They are called *malleus*, or the hammer, *incus*, or the anvil, and *stapes*, or the stirrup, from some fancied resemblance to these articles. The “stirrup” is the smallest bone in the human body, its entire length being one-eighth of an inch. The hammer-bone is fastened by its long handle to the membrane of the drum. The round head of the hammer fits into the anvil-bone. Next to the anvil is the stirrup-bone, which fits into a little oval window in the opposite wall of the chamber, or drum. In the floor of this chamber is the opening of a passage called the *eustachian tube*, named after Eustachi, a famous Italian anatomist, who died more than three hundred years ago, and who first described it.

This tube is about an inch and a half long, and leads into the throat. It allows air from the throat to enter the drum, and serves to keep the air on both sides of it at a constant and even pressure. This passage is ordinarily closed; but when the orifice in the throat is opened, as in the act of gaping or swallowing, the air rushes into the cavity of the tympanum. Close the mouth, and pinch the nose, and then try to force air through the latter. Air is thus forced through the eustachian tube. A distinct crackle or clicking sound is noticed, due to the vibration of the membranes, and the movements of the little bones of the ear. To hear

perfectly well, this passage must be kept open for the air to pass in and out. During a severe cold in the head, or a sore throat, the lining of the tube may be inflamed and swollen. This gives the stuffed feeling and alteration of sounds in the ears. This stuffed feeling should not be neglected if it does not pass off in a few days. Should it continue, it will show that more than ordinary swelling has occurred in the tube; and it will be found that the hearing is slightly impaired.

Usually, as the cold passes off, this peculiar feeling in the ears passes away.

The Inner Ear.—The *inner ear* is one of the most delicate and complex pieces of mechanism in the whole body. It is that part of the organ of hearing which perceives the impression of sound, and carries that impression directly to the brain, where it gives rise to the sensation of hearing. It is really a bony case filled with water, in which float the delicate parts of the inner ear. The inner ear consists of three distinct portions,—the *vestibule*, or hall-way, the *semicircular canals*, and the *cochlea*, or snail's shell. It is enough to say, that these are winding channels and spiral tubes hollowed out in the solid bone. The whole system of passages is known as the "labyrinth." It is important to remember, that there is a continuous connection between all the passages of the inner ear, and that all the winding tubes and chambers enclose and protect a delicate bag of membrane of exactly the same shape as themselves. The *auditory nerve*, or nerve of hearing, passes from the brain, through a little hole in the solid bone of the skull, to the inner ear, and is spread out on the membranous lining.

How we hear.—Let us try and understand a few of the simplest principles of this wonderful mechanism of the ear. A bell is rung, or a gun fired. The vibration is communicated to the atmosphere around it, and passes away in air-waves from the sounding body, as the waves ripple the surface of a pond after a stone has been thrown in. The air-waves go

into the outer ear, and strike upon the stretched membrane of the drum, and cause it to vibrate. At every vibration of the membrane, the head of the hammer-bone strikes upon the anvil-bone, drives it forward, and pushes the foot-plate of the stirrup-bone in and out of the oval window on the inner wall of the chamber. The watery fluid in the inner ear washes tiny grains of sand against the membranous bag, and so strikes the ends of the auditory nerves. These nerves flash the impression they have received to the brain. It is in the brain itself that the sensation of hearing takes place.

Care of the Ear.—The ear is a very delicate organ. It is often carelessly and ignorantly tampered with, when it should be let alone. It is often neglected when skilled treatment is urgently needed. The ear-canal should never be rudely or hastily washed out, either with a syringe or a wash-rag. The utmost gentleness in washing out the ear is all that is necessary for cleanliness. Children's ears should never be pulled or boxed. Even a slight blow has resulted in serious trouble.

Thus, a "box on the ear," a blow on the ear or head of any kind, or a fall, may be the direct cause of permanent deafness. Sometimes the deafness is total as well as sudden.

Deafness from concussion, as a tumble down-stairs in childhood, or from a severe blow of any kind on the head, may be the foundation of deaf-dumbness, if the injury occurs before the child has learned to talk.

Never use ear-picks, ear-spoons, the end of pencils or pen-holders, pins, hair-pins, tooth-picks, towel-corners, etc., to pick, scratch, or swab out the ear-canal. It is a foolish, needless, and dangerous practice. There is always risk that the eardrum may be jogged in many ways, and the pointed instrument pushed through the drum-head. Let the ear-wax take care of itself. The skin of the ear grows outward, and the extra wax and dust will be naturally carried out if let alone. Never drop sweet-oil, glycerine, and other

fluids into the ear, with the idea that the ear is cleaner for them. They do no good, and often irritate the ear. Never advise or allow any of the many nonsensical things so commonly used to be put into the ears to cure deafness. Cotton wads may be gently put into the ears to shield them from the cold, or may be worn in swimming or diving, to keep the water out. Diving into deep water, or bathing in the breakers, often injures the ears. Alcohol used in excess often injures the ears by inflaming the throat, and thence the eustachian tube and middle ear. Tobacco in all its forms is apt to produce catarrh of the throat and nose, and hence ear-disease. One should never shout suddenly in a person's ear. The ear is not prepared for the shock, and deafness has occasionally resulted. If the eustachian tube is closed for the time, a sudden explosion, noise of a gun or cannon, may burst the drum-head. Soldiers during heavy cannonading open the mouth to allow of an equal tension of air. Flies, bugs, ants, and the like, often crawl into the ear. This may cause some pain and fright, and perhaps lead to vomiting, and even convulsions with children. A lighted lamp put at the entrance of the ear will often coax insects to crawl out towards the light. The ear may be syringed out with a little warm water. Drop in a few drops of molasses or warm sweet-oil. When the ears run for any cause, it is not best to plug them with cotton wads. It only keeps in what should come out. Cold water should never enter the ears or nostrils if it can be helped. Use only tepid water. Do not go to sleep with the head on the window-sill, or in any position that may expose the ears to a draught of cold or damp air.

The Sense of Sight.—Sight, or vision, is a wonderful thing when we come to think about it. That we have a means by which we can tell what is going on in the outside world, miles away from us, is a precious gift. We watch a huge balloon from the time it leaves the ground till it is a

mere black speck in the atmosphere above us. We follow the vessel sailing along on the dim horizon, and the next instant we are reading the fine print of a newspaper. We recognize the form, size, colour, and distance of thousands of different objects in nature every day of our lives. This sense is so woven into the countless acts of our every-day affairs, that we scarcely appreciate this marvellous gift, so essential, not only to the simplest matters of comfort, but also of prime importance in the culture of the mind and the higher forms of pleasure. Sight is well held to be the highest and most perfect of all the senses.

The Eye.—The eye is the outer instrument of sight, and is a most beautiful and ingeniously built object. This little organ, only about an inch in diameter, easily balanced on the forefinger, is in reality one of the greatest wonders in nature. The eyeball is lodged in a hollow cone made up of seven little bones, with the base pointing outwards and forwards. This eye-socket, or orbit, is well protected on its edges by the dense and strong bones of the head. The eyeball rests in a soft and elastic bed of fat, which supports and protects it, and, at the same time, allows it to move in all directions as freely as if it floated in water.

The Coats of the Eye.—The walls of this hollow eyeball are made up of three distinct coats, or coverings—the *sclerotic*, the *choroid*, and the *retina*. The outer covering is the sclerotic, or hard coat. It is generally spoken of as the “white of the eye.” It is one of the toughest and strongest membranes in the body, and is intended to protect the delicate structures within. It is so strong, that a sheep’s eyeball may be trodden on with all the weight of the body, without being made to burst by the pressure. The sclerotic gives place in the front of the eye to a transparent circular plate, just as in a watch the gold or silver case gives place to a glass crystal over the face. This transparent plate is the cornea, meaning “a horn.” It forms a kind of rounded

window for the eye. The polish and transparency of the cornea are kept up by frequent, unconscious winking, which keeps it moist, and free from dust.

The cornea can be best seen by looking at it from the side, or by seeing the reflection of a window-sash upon its surface. We usually look directly through it, and see only the coloured iris behind.

The second coat, the choroid, meaning "under the skin," is just under the sclerotic. It is much more delicate in structure, and is rich in blood-vessels and nerves. It is lined with a thick black coating, designed to absorb the surplus rays of light, which would otherwise cause a blurred or confused vision.

The retina, meaning "a net," the innermost coat of the eyeball, is an extremely delicate film, which covers the inner surface of the choroid. It is a sensitive network, made up of fibres proceeding from the optic nerve, spread out over the inner surface of the eye. It is the retina that makes the eye sensible to light, so that we may well call it the actual or essential organ of sight.

The retina is a film only $\frac{1}{120}$ of an inch thick, yet ten distinct layers have been described.

The Inside of the Eye.—To get a clear idea of the inside parts of the eye, let us imagine an eyeball cut through the middle from above downwards. Let us now start in front, and go backwards. We shall first see the cornea, which has just been described. We now reach a space called the front chamber of the eye. In this chamber, and behind the cornea, hangs down a curtain, the *iris*, meaning "rainbow." It has a hole through its centre called the *pupil*, poetically called "the apple of the eye." It is this curtain which gives the colour to the eye. The iris has muscular fibres, which expand and contract, and thus make the pupil larger or smaller, according as the light is bright or dull. When the light is very strong and

brilliant, the iris spreads its curtain farther over the pupil in order to shut out some of the rays. When the light is faint, the curtain is drawn back from the pupil in order to admit as many rays of light as possible. The black appearance of the pupil is due to the thick black coating which lines the inside of the choroid. It is like looking through a small window into a room in which the walls are hung with black paper.

Just behind the iris is a clear, transparent, jelly-like body, called the *crystalline lens*. It is convex, or rounded, both back and front, and is about one-third of an inch in diameter. It is shut up in a kind of transparent bag, and is held in its place by a number of little bands. The crystalline lens separates the front chamber of the eye from the back chamber. The front chamber is filled with a clear, watery fluid called the *aqueous*, or watery, humour. The back chamber also contains a jelly-like fluid called the *vitreous*, or glassy, humour. This glassy humour, even in healthy eyes, contains little bodies called "flitting flies," which sometimes frighten people who notice them, greatly magnified, moving up and down like strings of tiny bright beads. They are more plainly seen when looking at the bright sky or a white ceiling. They are in every eye, and can do no harm. This fluid keeps the cornea uniformly convex, and allows the curtain with a hole in it—the iris—to float and move at freedom.

Mechanism of Vision.—Let us now trace the course of the rays of light going from any luminous body—a lighted candle, for example—through the different parts of the eye. Imagine the candle to be placed at about the ordinary distance of distinct vision (about ten inches) in the front of the eye. Some of the rays fall on the outer coat, or the "white of the eye," and, being reflected, take no part in vision. The more central rays fall upon the cornea. Some of these are reflected, giving to the surface of the eye its

beautiful, glistening appearance. Other rays pass through it, are brought nearer by refraction, and enter the aqueous humour, which also slightly bends them. Those which fall on, and pass through, the outer part of the cornea, are stopped by the iris, and are either reflected or absorbed by it. Those which fall upon its more central part pass through the pupil.

Now, if the rays of light passed directly to the retina, they would pass in parallel lines, and produce the impression of light, but everything would be dim and confused. Therefore it is necessary that the rays coming from any object should be brought together (converged) by being bent (refracted). That is, they must be refracted, and brought to a focus. This is done to a certain extent by the cornea and the fluids, or "humours," of the eye, but mainly by the crystalline lens. This is a familiar fact in the use of any optical instrument. The boy changes the focus of his spy-glass by pulling its tubes in or out. When the lady looks from a distant to a near object with her opera-glass, she changes the focus by turning the adjusting screw.

Now, it is the duty of the crystalline lens to bring the rays of light together as they pass through it, and to bring them to a focus on the retina. A tiny muscle, called the ciliary, or hair-like, muscle, does for the eye what the adjusting-screw does for the opera-glass. As it contracts and relaxes, the elastic lens, held in its place by delicate cords, becomes more rounded or flatter, just as we may wish to look at distant or near objects. Suppose we wish to look at an object close at hand. The little muscle contracts; and the layers of membranes, between which the lens lies, are the least bit relaxed; and, because it is elastic, the lens becomes more rounded, or convex, thus bringing the rays of light to a proper focus. If we wish to look at any object a long distance off, the membranes are drawn tight by the

muscle to which they are tied, and the lens is flattened. In other words, our eyes adjust, or *accommodate*, themselves to the varying distances of objects; just as the photographer pushes in or out the lens of his camera with his hand, so as to bring it farther or nearer from the surface which receives the image.

The rays of light are now ready to be brought to a focus on the sensitive retina. The iris has regulated with wonderful skill the proper amount of light; and the lens, with the greatest exactness, has focussed the rays on the retina. The dark surface of the choroid coat acts to absorb the excess of light, and thus prevent the reflection which would disturb accurate vision. As a result, an exact but inverted image is formed on the retina. The impression is carried to the brain by the fibres of the optic nerve, which are spread out on this wonderfully sensitive membrane.

The Muscles of the Eye.—The eyeball is rolled and moved about by six muscles. They spring from the back part of the bony orbits, and are fastened to the front part of the eyeball by means of cords. Four of these muscles—the recti or straight muscles—move the eye up or down, and to the right or left. The other two, the oblique, are so fastened that they turn the eyeball in one direction or another. Sometimes one or more of these muscles pull unequally, and a “squint” or “cross-eye” is produced.

The Eyelids and Eyebrows.—The eye, delicate organ that it is, is protected and kept clean by its *eyelids*, *eyelashes*, and *eyebrows*. The eyelids are thin, flexible covers, or shutters, which protect the front of the eyeballs. They are thin plates of gristle covered with skin. They are lined on the inner side with a very delicate membrane called the *conjunctiva*, because it is also joined to the eyeball by a fold. This membrane covers the front part of the sclerotic, the whole of the visible portion, and, lining the

walls of the tear-duct, becomes continuous with the mucous membrane of the nose and throat, and, therefore, usually takes a part in a "cold in the head." It is ordinarily nearly white, with perhaps a few of the larger blood-vessels seen winding through it, but is very easily congested by local injury, or inflammation, particularly of the head, as in the case of the "blood-shot" eye. The characteristic yellow tinge of the eye in jaundice is due to the colouring-matter of bile deposited in the conjunctiva. It pours out an oily fluid to prevent friction between the surfaces. This fluid, together with a constant flow of tears, keeps the cornea moist, and free from dust. The edges of the eyelids are provided with a fringe of fine hairs, the eyelashes, which help to shade the eye, and shield it from dust.

The eyebrows form a protecting and shading ridge over the eyes; while the thick fringe of hairs, arranged somewhat like the straw on a thatched roof, prevents the sweat from rolling into the eyes as it trickles down the forehead.

The Tears.—Nature provides a special fluid to protect the eye. This fluid is called the *tears*. The tear-apparatus consists of the gland for secreting tears, and the passages for draining them off. This gland pours out the tears over the surface of the eye, moistening it by the winking of the lids, and making its movements easy. The tears are now taken up and carried off by two fine tubes, one in the upper and one in the lower lid, which unite and form the *tear-duct*, which leads into the nose. The ordinary flow of tears is thus drained off. Local irritation or mental emotion may excite an excessive flow, which the canals cannot carry off. The tears then overflow, and run down the cheeks. This is called crying, or weeping. Nature kindly greases the edges of the eyelids, to prevent, to a certain extent, the overflow of tears.

Colour-blindness.—Colour-blindness is the inability to tell certain colours. It is sometimes produced by sickness;

but generally it exists at birth, and is often hereditary. Some years ago a physician gave a history of colour-blindness which had existed in five generations of his own family. This defect of sight is quite common. Out of the many thousands that have been examined, it is found that four or five per cent are colour-blind. A person may be colour-blind, and not know it until the defect is accidentally revealed. It is a matter of the utmost practical importance to those employed on railroads, vessels, and other places where coloured signals are used. Some are only partially colour-blind, while others are wholly so. The most common form of colour-blindness is that in which one fails to distinguish red. Women are rarely colour-blind.

Near-sight and Far-sight.—All eyes are not perfect. *Near-sight* is a common defect in vision. In the healthy eye, the rays of light are brought to a focus on the retina. But in some eyes the image is blurred; the outer coat, bulging backward, making the eyeball a little too long, thus bringing the rays of light to a focus before they reach the retina. A person with such an eye is said to be “near-sighted.” It may exist at birth, and is very often hereditary. It is acquired by overstraining the eyes, in reading too fine print, by reading by a dim or imperfect light, and in many other ways. This defect is common with those who use their eyes much in reading, writing, and study. Sailors, farmers, and others who work outdoors, are rarely near-sighted. There has been found to be a steady increase of near-sightedness during the period of childhood and youth, especially among school-children. The statistics are so startling, that the subject is really one for the most serious consideration. Near-sightedness, in many cases, is a serious disease, which demands the most careful and skilful treatment by some good oculist. Teachers can do much to check the ill effects of this disease among their pupils. In *far-sight* the eyeball is too short, or the lens may be too flat.

The rays of light are not brought to a focus. As a result, the image is blurred. The oculist can easily advise the proper kind of glasses to correct both of these defects of vision.

Care of the Eyes.—The eye is an exceedingly delicate and sensitive little organ. It is an easy matter to get it out of order, and very tedious to restore it to health again. The eyes are often weak after certain sicknesses. The utmost care must be taken of them during and after an attack of measles and scarlet fever. Reading poor and small print is a severe strain on the eyes. The habit of reading the daily papers, with their blurred and indistinct type, in a car or carriage, is a severe strain on the eyes. We have to change the focus to suit the variation in the distance between the eyes and the print caused by the constant jarring. It is a dangerous practice to read in bed at night, or while lying on a sofa or lounge in a darkened room. The outer muscles of the eyeball are put to a severe strain. The small type, poor paper and presswork of the many cheap reprints of foreign literature, now so popular in this country, are very frequent causes of weak and diseased eyes.

The direction in which the light comes is an important matter. The worst direction of all is that from in front. The direct light should fall upon the print from above, and from the left side. The nearer an artificial light can come to a mellow daylight, the better. The light from a "German student-lamp" is, perhaps, as safe and grateful as any. The flickering light from the ordinary "fish-tail" gas-burner is always bad. Its light should be regulated by shades and globes. The Argand burner, with its chimney and shade, gives an excellent but somewhat costly light. After reading steadily for some time, we should rest the eyes by looking at some distant object, even if only for a minute. A person should never read, write, sew, stitch, or otherwise use the eyes, when they tingle or smart, or the sight is dim

or blurred. The eyes are weary, and need a rest. Using the eyes at dusk, or by artificial light in the early morning, is apt to lead to serious disorders of vision. The eyes should never be rubbed, or the fingers roughly poked into them at any time, and much less when they are irritated by getting some foreign substance into them. The sooner it is removed the better. Rubbing the eye, or pulling the eyelids, only makes a bad matter worse. When the eyes smart after going to bed, or tingle, and are "bloodshot" on getting up the next morning, it is safe to conclude that they have been overtasked, and need rest. It is not a wise economy to tamper with one's eyes when they are ailing. Better to do nothing than do the wrong thing. If a few days of rest do not give any relief, a good oculist should at once be consulted.

CHAPTER XI.

EXCRETION.

Getting rid of Waste Matters.—Our bodies are never the same for a single moment. With every breath, and with every beat of the heart, they are ever changing. Wear and waste vie with growth and repair. We eat food to supply the bodily engine with fuel, and breathe in oxygen to feed the furnace-fire. With a steady burning, but without light, the engine produces not only motion and heat, but uses a part of its own energy to make its own repairs. Not this alone, but it even gets rid of its own soot, clinkers, and ashes, which would otherwise clog the machinery, and finally stop it. We have already learned that it is the ceaseless blood-current which carries fresh fuel, in the shape of the nutrient part of food, to the tissues; and is a kind of a sewer-stream, that rids them of waste matters. The blood is ever being made rich by some things, and is ever getting rid of other things. The blood carries fuel to the tissues of the body. A slow burning takes place: the waste or ashes must be got rid of.

Principal Waste Matters of the Body.—What are these waste matters? If we take a piece of beef, dry it, and burn it, we shall find that it is changed into four things,—water, carbonic acid, ammonia, and ashes. Now, this slow burning of the tissues is really the same thing. Hence, in whatever way the body is burned, or oxidized, whether in a furnace, or while it is living, the end is always the same,—*water, carbonic acid*, a kind of ammonia called *urea*, and a small quantity of *salts*, or ashes. The body is made up of nitrogen, carbon, hydrogen, and oxygen, with sulphur,

phosphorus, and some other elements. The nitrogen and hydrogen go to form ammonia; the hydrogen, with the oxygen of combustion, forms water; the carbon, carbonic acid; the phosphorus, sulphur, and other elements, go to form the various salts of the body.

Besides the *water* which comes from the burning of the hydrogen of our food, we are drinking a great deal. We need to keep the tissues continually moist, to help to dissolve the food, and also to wash the body inside, and cleanse it of its useless matters and impurities. As we wash the surface of the body to keep it clean, so Nature is ever giving our tissues a bath, to wash away their impurities. The red blood-disks, as we know, are the tiny boats which carry the oxygen breathed in by the lungs along the blood-stream to every tissue. The tissues contain carbon; and, in some mysterious way, the oxygen unites with the carbon, and *carbonic acid* is formed. The tissues, like the muscles and nerves, yield nitrogen. A partial decomposition takes place; and the nitrogen is filtered out of the body, through the kidneys, in the form of *urea*. It is a peculiar substance, something like ammonia, only more complex. Neither carbonic acid nor urea is fit to build tissue, or set free energy.

The Organs of Excretion.—The process by which the body gets rid of its waste material is called *excretion*, meaning to separate from, or to sift out. The chief organs of excretion are the *skin*, the *lungs*, and the *kidneys*. The functions of all three of these organs are closely allied. They differ very much in appearance, but are built on the same principle. The blood, as it passes through the numberless capillary channels in these organs, is purified by a sifting process. The products of excretion are, as it were, sifted from the blood, and finally removed from the body (chap. viii.).

The *lungs* have also been described (chap. vii.). The

duty of the lungs, as we have learned, is to excrete carbonic acid, watery vapour, and a small portion of worn-out animal matter.

M. Foster says: "These three channels manage between them to keep the blood pure and fresh; working hard, and clearing off much, when much food or water is taken, or much work is done; and taking their ease, and working slow, when little food is eaten, or when the body is at rest."

The structure of the *skin* has already been described. The main function of the skin, as we have seen, is to rid the body of water and other matters making up the sweat.

The Kidneys.—These two important organs of excretion are of a brownish-red colour, about four inches long, and two inches wide. They lie in the region of the loins, in front of the backbone, behind the intestines, one on each side, and are embedded in fat. A sheep's kidney is a familiar sight in a market. Now, the kidneys of man have the same shape, and look like those of a sheep, only a little longer.

The name "kidney" is popularly given to a kind of bean, "the kidney bean," because of its resemblance to the shape of a kidney.

A kidney is a bundle of long tubes, not so very unlike sweat-glands, all bound together into the kidney-shaped mass, whose appearance is familiar to us. The blood sweats urine into these glands, just as it exudes sweat into the sweat-glands. These glands unite into one common tube, which carries the urine into the bladder, from which it is cast out of the body. The kidney purifies the blood by carrying off urea and other waste matters dissolved in a large quantity of water.

The whole of this excretion is called the urine. It is in reality water, holding in solution urea and several other salts. The urine is constantly being secreted by the kidney. It is carried to the bladder by a tube, the bladder serving as a reservoir. It collects in the bladder until that organ is nearly

full, when it is emptied by contraction of its walls, aided by the abdominal muscles.

The kidneys are very important organs in helping to keep the blood pure. They rid it of the nitrogenous portion of the waste products which it is always receiving. This is passed off for the most part in the urine. About three pints of fluid are daily discharged, on the average, through the kidneys, and a little over one ounce of urea, containing about two hundred and thirty grains of nitrogen. Out of the body, the urea soon changes into carbonic acid and ammonia.

The kidneys also serve to carry off various chemical and mineral substances that are either foreign to the body, or are present in the blood in too large a proportion. Thus, if we should drink a glass of salt water, the kidneys would rid the body of the excess of salt. If the kidneys are inactive, or fail to excrete the nitrogenous waste matters, the work of many other organs is seriously impaired. The blood is poisoned, and death may result, from the powerful poisons left in the body.

The Health of the Kidneys.—The kidneys are very busy organs. Their health is a matter of prime importance to every human life. We have already become familiar with the hygiene of two great organs of excretion,—the skin and the lungs. These three sets of organs, then, working together in harmony, like three gangs of men doing some difficult work, keep the bodily machinery from getting clogged and choked with waste matters. If the balance of healthy life is to be maintained, these three great vital processes, or functions, must be carried on or regulated in strict harmony with each other. Thus, if the free action of the skin is interrupted, the kidneys have extra work to do. They make every effort to do the additional work that is thrown upon them; but, sooner or later, they fail under the burden, and become diseased. Again, a person may overstrain the kidneys

by drinking any fluid in excessive amount. This is especially true of those who drink enormous quantities of strong beer. This, in time, results in disease of these organs. In certain diseases, often due to alcoholic excess, the precious albumen is drained off from the blood through the kidneys.

Like the liver, the kidneys are often singled out by well-meaning people as a favourite seat of imaginary disease. If a person gets cold, strains the deep muscles of the back, or is otherwise crippled, he is too apt to speak of the "crick" in the back as a "trouble with my kidneys." The truth of the matter is, that the most serious and insidious diseases of these organs are rarely accompanied with pain. Hence the popular use of all kinds of nostrums, shrewdly prepared to increase the flow of water, and called a "sure cure" for all kidney ailments, rarely does any good. Nine times out of ten, all such aches and pains in the back are due to a severe cold, muscular cramps, or a bad strain.

Effect of Alcohol upon the Kidneys.—The kidneys are quick to feel the effects of alcohol. They become diseased in various ways, and often to a fatal extent, by alcoholic excess. Indeed, so powerful is the alcoholic poison on the vital action and structure of the kidneys, that physicians who are best fitted to judge, say that at least three-fourths of the instances of kidney disease are due to alcoholic excess, and to this cause alone. In the first place, alcohol excites the kidneys to overaction by a chronic dilatation of the blood-vessels, thus irritating the delicate excretion cells of these organs. Again, it is known that hindering the changes of tissue-waste prevents the proper reduction into urea. Now it is generally admitted, that alcohol in excess does, in some measure, hinder the proper changes in the tissue-waste. Hence a large part passes out in a less soluble and more irritating form. Either from this cause, or from repeated congestion and irritation, alcohol leads at last to wide-spread disease of these vital organs in a large number of cases. The

structure of the kidneys may be so changed from alcoholic excess, that urea is not properly excreted; and albumen is drained off instead. This may give rise to that peculiarly insidious and fatal disease known as "Bright's disease." It is now generally admitted, that the excessive drinking of alcoholic liquors is a frequent cause of this dreaded disease.

Robert T. Edes, M.D., says: "The relation to Bright's disease is not so clearly made out as is assumed by some writers, though I must confess to myself sharing the popular belief that alcohol is one among its most important causes."

Chambers says, in his "Diet in Health": "Whether alcohol or cold be the sharper blade of the shears so apt to cut short life's thread by Bright's disease, I care not greatly, inasmuch as it cannot be questioned that both of them have that tendency."

The structure of the kidney is so changed, that there is no thoroughfare for the natural amount of urea. Thus, the ordinary safety-valve is shut off. The albumen, so essential to healthy blood, is filtered off through the diseased organ; and the waste matters—the ashes—get into the blood, and poison it.

CHAPTER XII.

THE THROAT AND VOICE.

The Throat.—The *throat* is the common passage through which food goes to the stomach, and air to the lungs. It is shut in and protected by the muscles and bones of the neck. Both the outside of the neck and its interior, or the throat, are exposed to sudden and frequent changes of the weather, which oftentimes lead to diseases of the throat and the lungs. We have already learned something of the food and air passages in other sections. The only way to get a proper idea of the throat, is to look into a friend's mouth. First let the person hold his mouth wide open, facing a good light. Hold the tongue down with the handle of a spoon. We are already familiar with the hard palate, soft palate, uvula, and tonsils. Now, on looking directly past these organs, we see the middle portion of the pharynx, which is common to the two highways by which air and food are taken into the inside of the body. Look sharp at the top, and we see the air-passage which leads to the nose. The air-tract at the top has two outlets, the mouth and the nose. Now, if we pull the tongue forcibly forward, a little, curved ridge is sometimes seen behind it. This is the *epiglottis*, which, as we already know, is the trap-door which shuts down, like the lid of a box, over the top of the downward air-passages, or windpipe. The part of the throat directly opposite the line of vision is the back wall of the pharynx, which, as the gullet, or food-passage, continues downward. The pharynx runs up to the base of the skull behind, and ends in a kind of vaulted roof, shaped something like a crooked forefinger, or the top of an old-fashioned chaise

This part of the throat, with the nasal passages, is subject to chronic inflammation, popularly known as "catarrh." All parts of this irregular-shaped region, known as the throat, are covered with a lining-membrane which secretes a fluid to keep them moist and comfortable.

Care of the Throat.—Exposed as it is to unhealthy and unwholesome air, irritating dusts of the street and workshop, it is not strange that the delicate lining of the throat becomes inflamed. The result is a trouble which is popularly called "sore throat." Almost every one has been at times troubled more or less with this ailment. The most frequent cause of throat-disease is the direct action of cold upon the heated body, especially during profuse sweating. Breathing air laden with tobacco-smoke is apt to bring on sore throat. The habit of inhaling or swallowing tobacco-smoke, or breathing it through the nose, is hurtful to the throat, and often leads to disease. Eating the food hot, and then gulping down a deal of ice-water to cool the parts, is another source of sore throat. We may overstrain the muscles of the throat in loud talking, shouting, or by reading aloud too much. All classes of persons who strain the voice, or misuse it, often suffer from a severe kind of sore throat, popularly called "clergyman's sore throat."

Persons subject to throat-disease should take great pains to wear proper underclothing. Daily baths are excellent tonics to the skin, and thus serve indirectly to harden one liable to throat ailments to ordinary changes in the weather. Muffling the neck in scarfs, furs, and wraps is not a good plan—it only increases the liability to catch cold—except, perhaps, during the coldest weather, or during unusual exposure to cold.

The Organ of Speech.—As we have been told in a preceding section, the box-like top of the windpipe is called the *larynx*, meaning "top of the windpipe." It is composed mainly of cartilage. The sides of this box are made of two

flat pieces of cartilage shaped like a shield, called the *thyroid* cartilage. The edges unite in front, and project to form "Adam's apple," which is easily felt, and is plainly to be seen on most lean people, especially spare men. This cartilage shelters the delicate and moveable structure within, and shields it from injury without. The epiglottis is attached to the inner and upper part of this cartilage. Just below the thyroid is a ring-shaped cartilage called the *cricoid*. It is broad behind, quite narrow in front, much like a scal-ring, whence its name. This is easily detected under the skin, a little below the Adam's apple. Two slender, ladle-shaped cartilages (called the *arytenoid*) are placed on the top of the back part of the cricoid. They work with a ball-and-socket joint, and have tiny muscles which regulate their movements with the utmost accuracy and regularity. From each arytenoid cartilage a band of elastic tissue passes forward, and is tied to the inner and front part of the thyroid cartilage towards its lower edge. These two bands, called the *vocal cords*, are narrow strips of firm, fibrous material, with a chink-like opening called the *glottis*, meaning the "mouth-piece of a flute." This is the real organ of voice. All the air which goes out or into the lungs must go through the glottis. Muscles and cartilages act to tighten or loosen these cords. As the air is forced through the glottis, these bands are set into vibration, and thus sound is produced. When the cords are tightly stretched, and near together, they vibrate more rapidly, and send out a high tone: but when they are less tense, and wider apart, their vibrations are less rapid; and a relatively low tone is the result. During ordinary breathing, the vocal cords are widely separated.

The Voice.—If the air be driven out of the lungs by an act of expiration, when the cords are in a state of tension, they vibrate, and produce the sound called the *voice*.

The different musical sounds produced in singing depend upon the varying degree of tension of the vocal cords. The

compass of the voice depends upon the extent to which the variations can take place. A practised singer can at will give the requisite tension for the production of any particular note.

The quality of the voice depends upon the structure of the larynx. In women and children the larynx is smaller, and the vocal cords shorter, than in men: consequently their voices have a higher pitch. The longer the cords, and the larger the larynx, the deeper the voice.

About the age of fourteen, the vocal organs begin to enlarge rapidly. It causes a "change of voice," as it is commonly called, and is most marked in boys. The voices of children are very much alike in both sexes.

Voice may exist without speech, as in many animals. Speech is the voice modified by the throat, teeth, palate, nose, tongue, and lips. In whispering, the sounds are produced by the vibration of the lips.

REVIEW ANALYSIS:
STIMULANTS AND NARCOTICS.

- | | | |
|---|---|---|
| <p>1. <i>Muscles.</i>
(Chap. iii.)</p> | { | <p>1. Effect of Alcohol on the Muscles.</p> |
| <p>2. <i>Food and Drink.</i>
(Chap. iv.)</p> | { | <p>1. Artificial Drinks.
2. Tea, Coffee, and Cocoa.
3. Effect of drinking Tea and Coffee.
4. Alcohol described.
5. Principal Drinks that contain Alcohol.
6. Alcohol as a Food.
7. Alcohol and Work.</p> |
| <p>3. <i>Digestion.</i>
(Chap. v.)</p> | { | <p>1. Indigestion due to Alcohol.
2. Effect of Alcohol on the Stomach-Digestion.
3. Effect of Alcohol on the Liver.</p> |
| <p>4. <i>The Blood and its
Circulation.</i>
(Chap. vi.)</p> | { | <p>1. Effect of Alcohol on the Circulation.
2. How Alcohol gets into the Blood.
3. Effect of Alcohol upon the Heart.</p> |
| <p>5. <i>Breathing.</i>
(Chap. vii.)</p> | { | <p>1. Effect of Alcohol upon the Lungs.
2. Alcohol and the Bodily Heat.</p> |
| <p>6. <i>The Nervous Sys-
tem.</i>
(Chap. ix.)</p> | { | <p>1. General Remarks on Stimulants and Narcotics.
2. General Effect of Alcohol on the Nervous System.
3. Alcoholic Excess and the Nervous System.
4. Final Result of Alcoholic Excess.
5. Inherited craving for Alcohol.
6. Tobacco and its Moderate Use.
7. Excessive Use of Tobacco.
8. Effect of Tobacco upon Young People.
9. Opium.
10. Practical Points about Opium.
11. Chloral.
12. Other Narcotics.</p> |

CHAPTER XIII.

SIMPLE MATTERS OF EVERY-DAY HEALTH.—WHAT TO DO, AND HOW TO DO IT.

What may be done?—Emergencies and accidents of all kinds are likely to happen at any moment. A friend may cut his leg or foot with a scythe or knife; a child may accidentally swallow some laudanum, or push a bean into his nose or ear; a teamster is brought in with his ears frost-bitten; a small boy falls into the river, and is brought out apparently drowned; some one of our own family may be taken suddenly sick with some contagious disease, or may be suffocated with coal-gas. All these, and many other things of a like nature, are likely to call for a cool head, a steady hand, and some practical knowledge of what is to be done. These homely details of every-day health are easily mastered. It is simply the practical application of what we have studied thus far about our bodies. The dry facts of anatomy and physiology become tenfold more attractive and instructive to us when we thus learn to apply what we have studied to the simple matters of daily health.

The Proper use of Alcohol.—In the hands of a good physician, alcohol, like many other powerful agents, may prove a valuable drug. In cases of extreme weakness and bodily peril, undoubtedly alcohol, either alone or combined with other things, as milk, ammonia, etc., has helped to bridge over critical moments of disease when other agents would not be tolerated. Upon the doctor rests the responsibility of giving alcohol, as well as such drugs as aconite, arsenic, strychnia, opium, belladonna, and other poisons. It is well to remember that good physicians, as a rule, are

slow to prescribe, or even to use, the various forms of alcohol in their professional labours.

Alcohol is the basis of most liniments, and, as such, is a useful agent. People are much inclined to use alcohol and rum in family use for all kinds of outward applications. No doubt very hot or very cold water would do just as well in most cases. The indiscriminate use of some form of alcoholic liquor for every little ache or pain that occurs in the family cannot be too severely condemned. Alcoholic mixtures must be used with the greatest caution, especially if there is any danger of stimulating the alcoholic appetite. We must use our common sense, and act honestly and consistently in this matter of using alcohol as in every other act of life. Black coffee, strong tea, hot water, cold water, hot milk, cayenne pepper, and ammonia water, in most emergencies, are strong remedies enough to use "till the doctor comes."

Frost-bite.—The ears, toes, nose, and fingers are occasionally frozen or frost-bitten. No warm air, warm water, or fire is to be allowed near the frozen parts until the natural temperature is nearly restored. Great care must always be taken in the after-treatment, lest serious results should follow. Rub the affected part gently with snow or snow-water in a cold room. The circulation should be restored very slowly. Hot milk with cayenne pepper and hot, strong coffee, should be freely given as stimulants.

Poultices, how to make them, and when to use them.—There are many occasions when the right kind of a poultice, made in the right way, and applied to the right spot, will give a great deal of relief from sudden and severe pains in the chest, abdomen, and elsewhere. The materials are so handy, the relief afforded so great, and the risk of doing harm so little, that even a child should know how to make a poultice, or put on a hot, outward application. Foremost amongst these household remedies

is mustard. To make a "mustard paste," as it is called, mix one or two tablespoonfuls of mustard and the same of fine flour with enough water to make the mixture an even paste. Spread it neatly with a table-knife on a piece of old linen, or even cotton cloth of the required size. Cover the face of the paste with a thin piece of old muslin or linen. Now apply the plaster with the face down. Some skins are easily blistered with mustard, hence it must be watched. About twenty minutes is long enough to keep it on. If the skin smarts badly, and is quite red, the paste should be removed. A mustard blister is painful, and hard to heal. It can be treated by covering it with strips of linen soaked in sweet-oil or vaseline. Do not put mustard paste on children: their skin is easily blistered with it.

A thicker paste, or a poultice proper, can be made out of flaxseed, oatmeal, rye-meal, ground slippery elm, and bread. A poultice to be of any good, and to hold its heat, should be from half an inch to a inch thick. The way to make a good poultice is short and simple. Stir the meal slowly into a bowl of boiling water, just as the old-fashioned "hasty-pudding" is made, until a thin and smooth dough is formed. Fold a piece of old linen of the right size in the middle; spread the dough evenly on one-half of the cloth, and cover it with the other. It is always better to cover the face of any poultice with a bit of old muslin if it is at hand. The secret of using a poultice is to apply it hot, and keep it so by frequent changes. Keep the poultice mixture hot on the stove, use duplicate cloths, and have a fresh, hot poultice to exchange in an instant for the cold one. Never let a poultice get cold and clammy: it will do more harm than good. Flannel wrung out in hot water, and cloths heated dry, and applied to painful places, are called fomentations. Simply dip the flannel, folded several times into the desired shape, into boiling water; put it into a towel to protect the hands, and wring it out well. Apply it hot as possible, cover

it carefully with larger pieces of flannel (oiled silk is the best of all), and use duplicate pieces to make the changes rapidly. These outward applications are useful to relieve sudden cramps and pains in the abdomen and chest, due to severe colds, injuries, sprains, etc. A "crick" or "stitch" in the side or back is quite common from over-straining certain muscles, and catching cold. A swollen face, due to an ulcerated tooth or neuralgia; flying pains in various parts of the body; a colicky pain in the abdomen; boils and other sores tending to "point," and very painful—are a few of the many ailments for which poultices and outward applications will give a temporary relief from suffering.

ACCIDENTS AND EMERGENCIES.

Fainting.—Fainting is too familiar a sight to need much comment. Very little treatment is necessary. A fainting person should be laid flat at once; give plenty of fresh air; and dash cold water, if necessary, on the head and neck. Loosen all tight clothing. It is well enough to hold smelling-salts to the nose, to excite the nerves of sensation.

Epileptic Fits, Convulsions of Children, etc.—Sufferers from "fits" are more or less common. There is a peculiar cry, a loss of consciousness, a moment of rigidity, and violent convulsions come on: there is foaming at the mouth, the eyes are rolled up, and the tongue or lips are often bitten. Such a sufferer should be treated much the same as for fainting-fits. See that the person does not injure himself; crowd a corner of a folded handkerchief between the teeth, to prevent biting of the lips or tongue. Persons who are subject to such fits should not go out alone very much, and never into crowded or excited gatherings of any kind. Children occasionally will eat some indigestible substance, and suddenly be taken with fits. Give an emetic at once, and an enema of warm soap-suds. Put the child's feet and legs into a bath of hot

mustard-water for fifteen minutes. Children sometimes have fits during teething: then a hot bath is generally sufficient.

Asphyxia, or Suffocation.—When for any reason the proper supply of oxygen is cut off, the tissues rapidly load up with carbonic acid. The blood turns dark, and cannot circulate. The healthy red or pink look of the lips and finger-nails becomes a dusky purple. The person is suffering from a lack of oxygen; that is, from asphyxia, or suffocation, meaning “absence of pulse.” The first and essential thing to do is to give fresh air. Remove the person to the open air, loosen all tight clothing, dash on cold water, give stimulants, and, if necessary, use artificial respiration, as stated in the next section on drowning. The chief dangers from poisoning by noxious gases comes from the fumes of burning coal in the furnace, stove, or range; from “blowing out” gas, turning it down, and having it blown out by a draught; from the foul air often found in old wells; from the fumes of charcoal and the foul air of mines.

Apparent Drowning.—Four things have happened to a person nearly dead from drowning. First, he is unconscious, because he has not had enough oxygen. Second, he has sucked water into the air-passages, and it must be removed. Third, he is cold, and needs warmth. Fourth, his blood is so full of carbonic acid that the circulation is at the lowest ebb. What must be done? Remove all tight clothing from the neck, chest, and waist. Sweep the forefinger, covered with a handkerchief or towel, round through the mouth, to free it from froth and mucus. Turn the body on the face, raising it a little, with the hands under the hips, to allow any water to run out from the air-passages. Take only a moment for this. Lay the person flat upon the back, with a folded coat, or pad of any kind, to keep the shoulders raised a little. Remove all the wet, clinging clothing that is convenient. If in a room or sheltered place, strip the body,

and wrap it in blankets, overcoats, etc. If at hand, use bottles of hot water, hot flats, or hot sand round the limbs and feet. Watch the tongue: it generally tends to slip back, and to shut off the air from the glottis. Wrap a coarse towel round the tip, and keep it well pulled forward.

The main thing to do is to keep up artificial respiration until the natural breathing comes, or all hope is lost. This is the simplest way to do it: The person lies on the back; let some one kneel behind the head. Grasp both arms near the elbows, and sweep them upwards above the head until they nearly touch. Make a firm pull for a moment. This tends to fill the lungs with air by drawing the ribs up, and making the chest-cavity larger. Now, return the arms to the sides of the body until they press hard against the ribs. This tends to force out the air. This makes artificially a complete act of respiration. Repeat this act about fifteen times every minute. All this may be kept up for hours. The first sign of recovery is often seen in the slight pinkish tinge of the lips or finger-nails. Because the pulse cannot be felt at the wrist is of little account as a sign of death. Life may be present when only the most experienced ear can detect the faintest heart-beat. When a person can breathe, even a little, he can swallow. Give then brandy or whisky diluted somewhat, or even a few drops often of the raw liquor. Put smelling-salts or hartshorn to the nose, and give a little ammonia and water if it is at hand. Meanwhile do not fail to keep up artificial warmth in the most vigorous fashion. Do not move a person who is just beginning to breathe again, from one place to another for some time, except when forced to do so from cold, or any pressing necessity. Above all things, do all that you do in right good earnest, and not in a spasmodic, half-hearted sort of way.

Sunstroke or Heatstroke.—This severe trouble is caused by an unnatural elevation of the bodily temperature by

exposure to the direct rays of the sun, or from the extreme heat of close and confined rooms, as in the cook-rooms and laundries of hotel basements, from overheated workshops, etc. The worst cases of "sunstroke" often happen in places where the sun's rays never penetrate. There is a sudden loss of consciousness, with deep, laboured breathing, an intense burning heat of the skin, and a marked absence of sweat. The main thing is to lower the temperature. Strip off the clothing; apply chopped ice, wrapped in flannel, to the head. Rub ice over the chest, and place pieces under the armpits and at the sides. If there is no ice, use sheets or cloths wet with cold water. The body may be stripped, and sprinkled with ice-water from a common watering-pot. If the skin is cold, moist, or clammy, the trouble is due to heat-exhaustion. Give plenty of fresh air, but apply no cold to the body. Apply heat, and give stimulants. Remember that sunstroke or heatstroke is a dangerous matter. It may be followed by serious and permanent results. Persons who have once suffered in this way should carefully avoid any risk in the future.

How to carry an Injured Person.—"If injured persons have to be moved from one place to another, it is worth while to know how to do it with the greatest ease and safety to them. If a door or shutter or settee is at hand, any of these will make a good litter, with a blanket or shawls or coats for pillows. In lifting a person upon a stretcher, it should be laid with its foot at his head, so that both are in the same straight line. Then one or two persons should stand on each side of him, and, raising him from the ground, slip him upon the stretcher. This can be done smoothly and gently; whereas, if a stretcher is laid alongside of an injured person some of those who lift him will have to step backwards over it, and in doing so are very apt to stumble. If a limb is crushed or broken, it may be laid upon a pillow, with bandages tied round the whole, so as to keep it from slipping

about. Where an injured person can walk, he can get much help by putting his arms over the shoulders and round the necks of two others. In case of an injury where walking is impossible, and lying down is not absolutely necessary, an injured person may be seated on a chair, and carried; or he may sit upon a board or fence-rail, the ends of which are carried by two men, around whose necks he should place his arms, so as to steady himself; or two men may carry him seated on their interlocked hands, in the way known to children as 'Lady to London.' To do this, each of two persons, standing face to face, should grasp his right fore-arm with his left hand (its back uppermost), then he should grasp his companion's free left fore-arm with his own free right hand (also with its back uppermost). When no litter can be gotten, the body may be supported by a man on each side, with their arms placed behind his chest and under his hips. In carrying an injured person upon a litter, or what serves for one, the bearers ought not to keep step; but, when they are not using a litter, they should keep step."—DULLES'S *Accidents and Emergencies*.

Burns or Scalds.—Burns or scalds are dangerous in proportion to their extent and depth. A child may have one of his fingers burned off with less danger to life than an extensive scald of his back. After severe burns or scalds, remove the clothing with the greatest care. Do not pull, but carefully cut and coax the clothes away from the burned places, taking some time for it. Save the skin unbroken if possible, taking care not to break the blisters. The secret of treatment is to avoid chafing, and to keep out the air. If the burn is slight, put on pads of soft linen soaked in a strong solution of baking-soda and water, one heaped tablespoonful to a cupful of water. It may be put on dry, and kept well covered with cotton-wool or bandages. "Carron oil" is one of the best applications. It is simply half linseed-oil and half lime-water, shaken together. Soak strips of old linen in

this, and gently apply. Simple cold water is better than flour, cotton-batting, and other things which are apt to stick, and make an after-examination very painful. A deep or extensive burn or scald should always have good medical attendance.

Foreign Bodies in the Throat.—Bits of food and other small objects sometimes get lodged in the throat, and are easily got out by the forefinger, by sharp slaps on the back, or thrown out by vomiting. If it is a sliver from a tooth-pick, match, or fish-bone, it is no easy matter to remove it; for it generally sticks into the lining of the passage. Holding a child up by the heels, with the head hanging down, and giving a few vigorous shakings, will often dislodge a foreign body when simpler means fail. If the object has actually passed into the windpipe, and followed by sudden fits of spasmodic coughing, with a dusky hue to the face and fingers, there is great danger of life. Surgical help must be called without delay.

If a foreign body, like coins, pencils, keys, fruit-stones, etc., is swallowed, it is not wise to give physic. Let the bowels alone, and give plenty of hard-boiled eggs, cheese, and butter-biscuits, so that the substance may be passed off in the natural way, in a bulky stool.

Foreign Bodies in the Nose.—Children are apt to push marbles, beans, peas, fruit-stones, buttons, and other small objects, into the nose. Sometimes we can get the child to help by blowing the nose hard. At other times, a sharp blow between the shoulders will cause the substance to fall out. Do not waste time,—especially if it is a pea or bean, which is apt to swell with the warmth and moisture,—but call in medical help at once if you do not meet with success.

Foreign Bodies in the Ear.—It is a much more delicate matter to get foreign bodies out of the ear than from the nose. The simplest thing is to syringe in a little warm water,

which will often wash out the substance. If live insects get into the ear, drop in a little sweet-oil, salt and water, or even molasses. If the tip of the ear is pulled up gently, the liquid will flow in more readily. If a light is held close to the outside ear, the insect may be coaxed to crawl out towards the outer opening of the ear, being attracted by the bright flame.

Foreign Bodies in the Eye.—Cinders, particles of dust, and other small substances, often get into the eye, and cause much pain. Do not rub the eye, however much you may feel like it. It will only make bad matters worse. Often the copious flow of tears will wash the substance away. It is sometimes seen, and removed simply by the twisted corner of a handkerchief carefully used. If it is not removed, or even found, in this way, the upper lid must be turned back. This is the way to do it: Seize the lashes between the thumb and forefinger, and draw the edge of the lid away from the eyeball. Now, telling the patient to look down, press a slender lead-pencil or penholder against the lid, parallel to and above the edge, and then pull the edge up, and turn it over the pencil by means of the lashes. The eye is now easily examined, and usually the foreign body is easily seen and removed. Do not increase the trouble by “poking” at the eye after you fail, but get at once skilled help. After the substance has been removed, keep on cloths frequently wet in cold water, for one day or more. If lime gets into the eye, use large quantities of vinegar or lemon-juice and water, one teaspoonful to a teacupful of water.

Bleeding. Hemorrhage.—*Injuries to the Blood-vessels.*—It is very important to know the difference between bleeding from an artery and that from a vein. If an artery bleeds, the blood spurts in a stream, or leaps in jets, comes very rapidly, and is of a bright scarlet colour. If a vein bleeds, the blood slowly oozes out, or flows in a steady stream, and is of a dark and purple colour. Bleeding from an artery

is a dangerous matter in proportion to the size of the vessel, and life itself may be speedily lost; while hemorrhage from the veins is rarely a serious injury, and generally stops of itself, aided, if need be, by hot water, deep pressure, some form of iron styptic, or even strong alum-water. When an artery is bleeding, always remember to make deep pressure between the wound and the heart. In all cases where common sense would teach us, send at once for the doctor. Meanwhile there is something to do. Keep cool, remember the simplest facts of the anatomy we have just studied, and do not be afraid to act at once. A resolute grip in the right place with firm fingers will do well enough, until a twisted handkerchief, stout cord, shoe-string, or suspender is ready to take its place. If the artery is of some size, make a knot in whatever is used, and bring the pressure of the knot to bear over the artery. If the flow of blood does not stop, change the pressure until the right spot is found. Sometimes it will do to seize a handful of dry earth, and crowd it down into the bleeding wound with a firm pressure. Strips of an old handkerchief, underclothing, or cotton-wadding, might be stuffed into the wound, keeping up the pressure all the time.

Let us try to keep in mind the principal places to apply pressure when arteries are injured and bleeding. If in the *finger*, grasp it with the thumb and forefinger, and pinch it firmly on each side: if in the *hand*, press on the bleeding spot, or press with the thumb just above, and in front of the wrist. For injuries *below the elbow*, grasp the upper part of the arm with the hands, and squeeze hard. The main artery runs in the middle line of the bend of the elbow. Tie the knotted cord here, and bend the fore-arm so as to press hard against the knot. For the *upper arm*, press with the fingers against the bone on the inner side, and just on the edge of the swell of the biceps muscle. Now we are ready for the knotted cord. Take a stout stick of wood, about a foot long, and twist the cord hard with it, bringing the knot firmly

over the artery. For the *foot* or *leg*, pressure as before, in the hollow behind the knee, just above the calf of the leg. Bend the thigh towards the abdomen, and bring the leg up against the thigh, with the knot in the bend of the knee. A knife may glance, and cut the great femoral artery. Remember it runs deep in the inside of the thigh, but is exposed when it comes out of the body below the groin. Press in the hollow just below the groin, about two-thirds of the way from the hip-bone to the middle line of the body. Double the thigh against the abdomen, and bend the leg on to the thigh, with the knotted cord in position.

Bleeding from the Stomach and Lungs.—Blood that comes from the lungs is bright red, frothy, or “soapy.” There is rarely much, it usually follows coughing, feels warm, and has a salty taste. Bleeding from the lungs is a grave symptom. Perfect rest and quiet must be insisted upon. Bits of ice should be eaten freely. Loosen the clothing, keep the shoulders well raised, and the body in a reclining position.

Blood from the stomach is not frothy, has a sour taste, and is usually dark coloured, looking some like coffee-grounds. It is larger in quantity, and apt to be mixed with food. Do the same as before, except keep the person flat on the back instead of in a reclining position.

Bruises. Cut and Torn Wounds.—A bruise is a familiar sight. It is a wound of the soft tissues caused by blows. It is more or less painful, followed by discoloration due to the escape of blood under the skin. A black eye, and a lip or finger hurt by a base-ball, are familiar examples of this sort of injury. Soak the injured part in ice-cold water cloths at first, and, after the pain is easier, soak the parts in water hot as can be borne. If the cuts are small, clean the parts, bring the edges together and stick them with plaster. When wounds are made with ragged edges, such as those made by broken glass and splinters, more skill is called for. Every

bit of foreign substance must be got rid of first. Wash the parts clean with warm water, bring the torn edges together, and hold them in place with strips of plaster. Do not cover such a hurt all over with plaster, but leave plenty of room for the escape of matter. Wounds made from toy-pistols, percussion-caps, and rusty nails, if neglected, often lead to serious results from blood-poisoning. Cloths wrung out in cold water may be enough, but often a hot flaxseed poultice is needed for several days. Keep such wounds perfectly clean.

CARE OF THE SICK-ROOM.

Hints for the Sick-room.—The sick-room should be the lightest and most pleasant room in the house. Some one of the family may be taken sick in the attic, or some inconvenient room. If possible, and especially if there is a prospect of long illness, at once get a more suitable room ready. Take away all extra carpets, upholstered furniture, heavy curtains, etc. A clean floor, with a few rugs to deaden the footsteps, is much better than a woollen carpet. Carpets, extra clothing, etc., only absorb the impurities, and help to keep the room foul. Let the room be accessible to sunlight and fresh air. It is generally best to shade the room somewhat in certain diseases, yet take the time to let in all the sunlight possible consistent with comfort. Sunlight and fresh air are far more efficient helps than most drugs. Besides, they cost nothing but a little painstaking and common sense. Pains must be taken to protect the patient from any noise which may disturb him, such as the noise of passing steam and horse cars, heavy teams, and playing children. Give the sick-room plenty of sweet, fresh air. With a little pains, any room may be supplied with pure air. If you cannot do anything else, cover the sick person all over with extra bed-clothes, open the windows and doors, and fan out the bad air. Be sure and avoid draughts of cold air. Have a thermometer,

and keep the temperature as the doctor directs. Do not allow a kerosene-light, with its flame turned down, to burn through the night. A close room with such odour for a whole night is enough to make a well person sick. If there is no gas, either use the lamp as usual, and put it, carefully shaded, in an adjoining room, or, better still, use a sperm candle for a night-light. Keep a sick-room neat and trim. Remove at once all offensive matters. Never allow such things to remain two minutes in the room. In many diseases, especially scarlet-fever, diphtheria, putrid throat, consumption, etc., use pieces of old linen instead of handkerchiefs, and burn them as soon as they are used. Carelessness or ignorance in this matter often spreads contagious disease. Change the clothes of the bed and of the patient quite often. Do not let such clothing be put away in a closet with others. Put them to soak at once in boiling water, with some disinfectant added if necessary. Do not make a great show of bottles of medicines, spoons, glasses, etc., carefully spread out on the bureau or table. Keep all such things, except such as are absolutely necessary, in an adjoining room. To a patient not used to sickness, a formidable array of drugs and sick-apparatus is apt to be discouraging. Some simple thing, like an orange, a tiny bouquet of favourite flowers, and one or two playthings, may take their place. Never get behind the door, in a corner, or in an adjoining room, and *whisper*. It will fret a well person, to say nothing of its hurtful effects upon a sufferer whose nerves may be sensitive to the faintest noise. Whatever must be said, say it openly and aloud. How often a sudden turn in bed, or a quick glance of inquiry, shows that whispering is doing harm! If the patient is in his right mind, answer his questions plainly and squarely. It may not be best to tell *all* the truth, but nothing is gained trying to avoid a straightforward reply. Do not deceive sick people. Tell what is proper or safe to be told, promptly and plainly. If a physician is employed, carry out his orders to

the very letter, as long as he visits you. Make a note of his directions on a slip of paper. Make a brief record of exactly what you do, the precise time of giving medicines, etc. This should always be done in serious cases, and by night-watchers. Then there is no guess-work. You have the record before you in black and white. All such things are valuable helps to the doctor. Above all, let there be cool, wise heads, willing hands, loving hearts, and a deal of common sense on the part of the helpers in the sick-room; and a thankful submission, and a reasonable patience to endure, in the sick person.

POISONS AND THEIR ANTIDOTES.

Poisons in General.—Poisons of various kinds are quite generally used in the trades, and kept about the house and premises as medicines, as disinfectants, for killing insects and animals, and for many other purposes. People are often careless about them, and leave them almost anywhere, wrapped in a piece of paper, or in some unlabelled bottle, even in the cupboard, or on a shelf about the shed or stable. Children either mistake them, or are urged by some playmate to swallow them. All of us are too apt to seize a bottle or package hastily, and, “before we think,” have swallowed a dose of some poison. The many fatal accidents due to drinking carbolic acid by mistake is a familiar example of how stupid or careless people may be. All poisons should always be put in bottles carefully labelled, and the word “POISON” should be plainly printed in large letters directly across the label. Fasten the cork firmly to the bottle by wire picture-cord, or common iron wire, twisted into a knot at the top. This wire would certainly prevent a person from mistaking, in the dark, carbolic acid, oxalic acid, etc., for some favourite medicine. Poisons should never be kept in the same place with medicines or other bottled preparations used in the household. Put them in some secure place, and under lock and key. Another very simple rule is, never to use the

contents of any package or bottle unless we know exactly what it is. Do not guess at it, or take any chances, but destroy it at once.

Poisons are often taken when medical help, especially in the country, cannot be had at short notice. Poisons do their work rapidly. Something must be done, and that at once, and in earnest. The stomach must be emptied as speedily as possible. Make a quart of warm soapsuds. Force the sufferer to gulp it down, a cupful at a time. Run the finger "down the throat," and hasten the vomiting. A good emetic is made by putting a heaping tablespoonful of ground mustard into a pint of water. Drink a cupful every ten minutes until vomiting is produced. Stir up a handful of powdered alum in a cupful of molasses, and swallow this, a tablespoonful every ten minutes. Be in right good earnest about it, and do not waste time to see if the poisoned person likes such heroic treatment. Vomiting will not do any harm, and the poison may destroy life in a few minutes.

Different Kinds of Poisons.—For convenience, let us arrange the most common poisons into different classes. Some are *acids*, like the *oil of vitriol*; others are *alkalies*, like *lye*; some are irritant *mineral poisons*, like *arsenic* or *sugar of lead*; while others are *vegetable poisons*, like *aeonite* and *Jamestown weed*. We can easily remember the general plan of treatment for each special class of the more common poisons.

Acid Poisons.—Sulphuric acid (oil of vitriol), nitric acid (*aqua fortis*), and muriatic acid (spirits of salt), are in common use in certain workshops, and occasionally used in the household. These are caustic mineral acids, that rapidly burn and destroy the living tissues. *Give an alkali*. Swallow large quantities of strong soapsuds, chalk, tooth-power, soda or saleratus water, magnesia, or lime water. Scrape off the whitening from the wall, or dig out a piece of plaster. Put them into large quantities of water, and swallow the mixture.

Follow this treatment with some mild, soothing tea made of flaxseed or Irish moss. *Oxalic acid* is often mistaken for granulated sugar or Epsom salts. For an antidote, use chalk, whitewash, plaster, etc., as before. *Carbonic acid* in solution is very commonly used about the house. It is a highly dangerous poison, and generally fatal. Provoke vomiting by giving large quantities of soapsuds and sweet-oil mixed together. Follow with large draughts of oil or milk. Give very large doses of Epsom salts.

Alkaline Poisons.—The common alkalis taken as poisons are *ammonia*, or hartshorn, *potash*, and *soda*, usually dissolved, and often in the form of *lye*. Horse-liniments and other liniments generally contain ammonia, and are often taken by mistake. Alkalis burn the lining-membranes rapidly and severely. *Give acids*. Drink vinegar freely. Lemon-juice may be used. Take large quantities of sweet-oil, linseed-oil, and castor-oil.

Metallic Poisons.—*Arsenic* is a white, sweetish powder, used to kill rats. It is occasionally taken by mistake. *Paris green* is a form of arsenic used by farmers. Arsenic is also found in ratsbane and fly-powder. Provoke vomiting at once. Take large quantities of milk, the whites of eggs, flour and water, or oil and lime-water. A good antidote for arsenic is dialyzed iron, which can be bought at any drug-store. It should be given freely in tablespoonful doses, followed by a strong solution of salt and water. In *sugar of lead* poisoning, provoke vomiting, and give Epsom salts. In *copper* poisoning by “blue vitriol” and “verdigris,” give milk or white of eggs, followed by flaxseed tea. Children sometimes eat the *phosphorus* from matches. This poison acts slowly, and there is time enough to get medical help. Give plenty of magnesia, chalk, or whiting, but no oil.

Narcotic Poisons.—The various forms of *opium* are often taken by mistake, or in an overdose. The narcotic effects of the following preparations are due to opium: Laudanum,

paregoric, morphine, Dover's powder, Godfrey's cordial, McMunn's elixir, most cholera-mixtures, and many of the so-called "soothing-sirups" and "drops." Brisk emetics must be given until they act thoroughly. Give plenty of hot, strong coffee without milk or sugar. Keep the patient awake, and do not allow him to fall into a deep sleep. Dash cold water over the head and shoulders, and slap the skin briskly with wet towels or with a slipper. Medical help must be called at once. Among other narcotic poisons occasionally taken without a knowledge of their poisonous character, especially by children, are *aconite*, *hemlock*, *deadly nightshade*, *Jamestown weed*, *monkshood*, and *toadstools*. Use essentially the same treatment as in opium-poisoning.

Other Poisons.—Certain kinds of fish act sometimes as poisons to certain people, such as eels, crabs, mussels, etc. Fresh pork and other fresh meats occasionally act as a mild poison. Canned goods of a cheap grade sometimes act in the same way. Induce vomiting with some brisk emetic, and afterwards give a dose of castor-oil. Alcoholic liquors are sometimes taken in a single poisonous dose. Give a brisk emetic, and stimulate with frequent doses of a mixture made of a teaspoonful or more of ammonia added to a glass of water. For the sting of hornets, wasps, bees, etc., apply a pad of cloth soaked in a solution of carbolic acid, ammonia, or spirits of camphor. Press the barrel of a watch-key deep down on the hurt, to remove the sting of the insect.

DISEASES THAT SPREAD, AND DISINFECTANTS.

How the Air may be Poisoned.—We have learned in a preceding chapter, that the air may be more or less poisoned by the products of respiration, and other useless or injurious matters thrown off from *healthy* human bodies. We have shown the baneful effects of long-continued exposure in an atmosphere laden with these impurities. Now, in like manner, the air may be poisoned at certain times and places

by the products of respiration and bodily emanations of *diseased* persons. Thus, in certain diseases, called *contagious*, organic matters are thrown off in some way from the persons of the sick, which tend to reproduce themselves in the bodies of other persons. Thus, such diseases as small-pox and scarlet-fever are examples of severe and contagious diseases; while whooping-cough, measles, and mumps are contagious, but less harmful.

Again, the air may be poisoned with the foul gases arising from the rapidly decomposing contents of cesspools, sewers, and privy-vaults. This poisoned air is popularly called sewer-gas. The living particles, or "germs," of such diseases as typhoid-fever and dysentery, are believed to be contained, or developed, in the discharges, both from the stomach and bowels, of persons suffering from these diseases. Diphtheria and typhoid-fever are believed to be due, oftentimes, to the decomposition of the contents of cesspools and sewers. Finally, the air may be poisoned by the decomposition of organic matters in the ground, and drawn into the house in various ways. Thus, there seems to be a connection between malarial fever and bad drainage. Certain low, damp soils are especially productive of consumption.

Disinfection.—With our present knowledge, it is not possible to get rid of the germs of disease after they are once fastened in the body. We are able, however, to a certain extent, to destroy them after they leave the body through the emanations and excreta of diseased persons. This destruction of the poisons of infectious and contagious diseases is called *disinfection*, and the means used are called *disinfectants*. We must remember that disinfection cannot compensate for want of cleanliness, nor of ventilation. Those things which destroy bad smells are not necessarily disinfectants, and disinfectants do not necessarily have an odour.

What Disinfectants to use.—It is our aim to speak only of those which can be relied upon, and can be easily

bought in sufficient quantities, even in our smallest villages, at little cost. There are many kinds of patented disinfectants, bearing some high-sounding name, and sold at a high price, which are of no more practical worth than plain brimstone and copperas, properly used. It is of the utmost importance, therefore, to know the comparative value of disinfectants, and the most effective methods of using them. It might be a serious mistake to confound *deodorizers*—which simply kill the odour of disease—with disinfectants, which are believed to kill the germs of disease; and equally so to employ a powerful disinfectant in an ineffective way. Thus, carbolic acid, so much used in the sick room, disinfects what it touches, and does not disinfect the air. It is a costly, uncertain preparation, but acts more effectively in combination with white vitriol and copperas. Simply to make out-buildings or a sick-room smell strong of carbolic acid, does not disinfect them.

The following disinfectants are the most useful :—

(1) Roll-sulphur or brimstone, for fumigation; (2) Sulphate of iron, or copperas—also called green vitriol—used in the proportion of one and one-half pound to the gallon of water, for sewers, cesspools, etc.; (3) sulphate of zinc—called white vitriol—and common salt, dissolving about four table-spoonfuls of the zinc, and two of the salt, to one gallon of water, for clothing, bed-linen, etc.

How to use Disinfectants.—The following practical suggestions, for the use of disinfectants and the management of contagious diseases, were prepared for the National Board of Health by a committee representing some of the ablest physicians and sanitarians in the country.

1. *In the Sick-room.*—The most available agents are fresh air and cleanliness. The clothing, towels, bed-linen, etc., should at once, on removal from the patient, be placed in a pail or tub of the zinc solution, boiling-hot if possible, before removal from the room.

All discharges should either be received in vessels containing copperas solution, or, when this is impracticable, should be immediately covered with copperas solution. All vessels used about the patient should be cleansed with the same solution.

Unnecessary furniture, especially that which is stuffed, carpets and hangings, when possible, should be removed from the room at the outset: otherwise, they should remain for subsequent fumigation and treatment.

(2) *Fumigation*.—Fumigation with sulphur is the only practical method for disinfecting the house. The burning of sulphur produces an irrespirable gas. The person who lights the sulphur must, therefore, immediately leave the room, and, after the lapse of the proper time, must hold his breath as he enters the room to open the windows, and let out the gas. After fumigation, plastered walls should be whitewashed, the woodwork well scrubbed with carbolic soap, and painted portions repainted. For this purpose, the rooms to be disinfected must be vacated. Heavy clothing, blankets, bedding, and other articles which cannot be treated with zinc solution, should be opened and exposed during fumigation, as directed below. Close the rooms as tightly as possible; place the sulphur in iron pans supported upon bricks; set it on fire by hot coals, or with the aid of a spoonful of alcohol, and allow the room to remain closed for twenty-four hours. For a room about ten feet square, at least two pounds of sulphur should be used; for larger rooms, proportionally increased quantities,

3. *Premises*.—Cellars, yards, stables, gutters, privies, cess-pools, water-closets, drains, sewers, etc., should be frequently and liberally treated with copperas solution. The copperas solution is easily prepared by hanging a basket containing about sixty pounds of copperas in a barrel of water.

Put copperas in a pail of water in such quantity that some may constantly remain undissolved at the bottom.

This makes a saturated solution. To every privy or water-closet, use about one pint of the solution night and morning.

4. *Body and Bed Clothing, etc.*—It is *best* to burn all articles which have been in contact with persons sick with contagious or infectious diseases. Articles too valuable to be destroyed should be treated as follows:—

Cotton, linen, flannels, blankets, etc., should be treated with boiling-hot zinc solution, introducing piece by piece, securing thorough wetting, and boiling for at least half an hour.

Heavy woollen clothing, silks, furs, stuffed bed-covers, beds, and other articles which cannot be treated with the zinc solution, should be hung in the room during fumigation, pockets being turned inside out, and the whole garment thoroughly exposed. Afterward they should be hung in the open air, beaten, and shaken. Pillows, beds, stuffed mattresses, upholstered furniture, etc., should be cut open, the contents spread out, and thoroughly fumigated. Carpets are best fumigated on the floor, but should afterwards be removed to the open air, and thoroughly beaten.

The cutting open of stuffed articles may seem unnecessary, but it is not. The poison of contagious diseases cling to such stuffs with great tenacity for years, and must be destroyed before they are fit to be used again.

“Contagious diseases are often caught at the funerals of those who have died of them; and the sanitary code of New York City forbids a public funeral of any person who has died of small-pox, diphtheria, scarlet-fever, yellow-fever, or Asiatic cholera. It is better to limit the attendance at such funerals to as few as possible.”—Dr. TRACY'S *Handbook of Sanitary Information*.

GLOSSARY OF PHYSIOLOGICAL TERMS.

- Ab-do'men** (Latin *abdo, abdere*, to conceal). The largest cavity of the body, containing the liver, stomach, intestines, etc.
- Ab-sor'bents** (L. *absorbere*, to suck up). The vessels which take part in the process of absorption.
- Ab-sorp'tion.** The process of sucking up nutritive or waste matters by the blood-vessels or lymphatics.
- Ac-com-mo-da'tion of the Eye.** The alteration in the shape of the crystalline lens, which accommodates, or adjusts, the eye for near and remote vision.
- Ac-e-tab'u-lum** (L. *acetum*, vinegar). A little cup used by the ancients for holding vinegar; applied, in anatomy, to the round cavity in which the hip-bone receives the head of the femur.
- Ac'id** (L. *acidus*, from *acere*, to be sour). A substance usually sour, sharp, or biting to the taste.
- Ad'am's Ap'ple.** An angular projection of cartilage in the front of the neck. It is particularly prominent in males, and is so called from a notion that it was caused by the apple sticking in the throat of our first parent.
- Al-bu'men, or Albumin** (L. *albus*, white). An animal substance resembling the white of an egg.
- Al-bu'min-oids.** A class of substances resembling albumen: they may be derived from either the animal or vegetable kingdoms.
- Al'i-ment** (L. *alo*, to nourish). That which affords nourishment; food.
- Al-i-ment'a-ry Ca-nal** (from *aliment*). A long tube in which the food is digested, or prepared for reception into the blood.
- Al'ka-li** (Arabic, *al kali*, the soda plant). A name given to certain substances, such as soda, potash, and the like, which have the power of combining with acids.
- An-æs-thet'ics** (Greek *an*, without, *aisthesia*, feeling). Those medical agents which prevent the feeling of pain, such as chloroform, ether, laughing-gas, etc.
- A-nat'o-my** (Gr. *anatemno*, to cut up). The science which describes the structure of living things.
- A-or'ta** (Gr. *airein*, to lift up). The largest artery of the body, arising from the left ventricle of the heart. The name was first applied to the two

large branches of the trachea, which appear to be lifted up by the heart.

A'que-ous Humour (L. *aqua*, water). The watery fluid occupying the space between the cornea and crystalline lens of the eye.

A-rach'noid Mem'brane (Gr. *arachne*, a spider, and *eidōs*, like). The thin covering of the brain and spinal cord, between the dura mater and the pia mater.

Ar'bor Vi'tæ (L.). Literally, "the tree of life;" a name given to the peculiar appearance presented by a section of the cerebellum.

Ar'ter-y (Gr. *aēr*, air, and *terco*, to contain). A vessel by which blood is carried away from the heart. It was supposed by the ancients to contain only air; hence the name.

Ar-tic-u-la'tion (L. *articulo*, to form a joint). The more or less movable union of bones, etc.; a joint.

A-ryt'e-noid Car'ti-la-ges (Gr. *arutaina*, a ladle). Two small cartilages of the larynx, resembling the mouth of a pitcher.

As-sim-i-la'tion (L. *ad*, to, and *similis*, like). The conversion of food into living tissue.

Au'di-to-ry (L. *audio*, to hear) **Nerve**. One of the cranial nerves: it is the special nerve of hearing.

Au'ri-cle (L. *auricula*, a little ear). A cavity of the heart.

Bile. The gall, or peculiar secretion of the liver; a viscid, yellowish fluid, and very bitter to the taste.

Blad'der (Saxon, *bleddra*, a bladder, a goblet). A bag, or sac, serving as receptacle of some secreted fluid: as the *gall-bladder*, etc. In common language, the receptacle of the urine in man and other animals.

Bright's Dis-ease'. A group of diseases of the kidney, first described by Dr. Bright.

Bronch'i (Gr. *bronchos*, windpipe). The two first divisions, or branches, of the trachea: one enters each lung.

Bronch'i-al Tubes. The smaller branches of the trachea within the substance of the lungs, terminating in the air-cells.

Bronch-i'tis (from *bronchos*, and *-itis*, a suffix signifying inflammation). An inflammation of the larger bronchial tubes; a "cold" affecting the lungs.

Bun'ion. An enlargement and inflammation at the first joint of the great toe.

Cal'lus (L. *calleo*, to be thick-skinned). Any excessive hardness of the skin, caused by friction or pressure.

Ca-nal' (L. *canalis*, a canal). In the body, any tube or passage.

Cap'il-la-ry (L. *capillus*, hair). The smallest blood-vessels, so called because they are so tiny.

Car-bon'ic A'cid. The gas which is present in the air breathed out from the lungs; a waste product of the animal kingdom, and a food of the vegetable kingdom. Chemical name is *Carbon Dioxide*.

- Car'di-ac** (Gr. *kardia*, the heart). The cardiac orifice of the stomach is the upper one, and is near the heart; hence its name.
- Car-niv'o-rous** (L. *ca'ro*, flesh, and *vo'ro*, to devour). Subsisting upon flesh.
- Car'ron Oil**. A mixture of equal parts of linseed-oil and lime-water, so called because used at the Carron Iron Works in Scotland.
- Car'ti-lage**. A tough but flexible material, forming a part of the joints, air-passages, nostrils, ear; gristle.
- Ca'se-ine** (L. *ca'seus*, cheese). The albuminoid substance of milk: it forms the basis of cheese.
- Ca-tarrh'**. An inflammation of a mucous membrane.
- Cell** (L. *cella*, a store-room). The name of the tiny microscopic elements, which, with slender threads or fibres, make up most of the body; they were once believed to be little hollow chambers; hence the name.
- Cem'ent**. The substance which forms the outer part of the fang of a tooth.
- Cer-e-bel'lum** (diminutive for *cer'ebrum*, the brain). The little brain, situated beneath the posterior third of the cerebrum.
- Cer'e-brum** (L.). The brain proper, occupying the entire upper portion of the skull. It is nearly divided into two equal parts, called "hemispheres," by a cleft extending from before backward.
- Chlo'ral**. A powerful drug used by physicians to induce sleep.
- Cho'roid** (Gr. *chorion*, skin, and *eidos*, form). The middle coat of the eyeball.
- Chyle** (Gr. *chulos*, juice). The milk-like fluid formed by the digestion of fatty articles of food in the intestines.
- Chyme** (Gr. *chumos*, juice). The pulpy liquid formed by digestion in the stomach.
- Cil'i-a** (pl. of *cil'i-um*, an eyelash). Minute hair-like processes found upon the cells of the air-passages, and other parts that are commonly moist.
- Cir-cu-la'tion** (L. *cir'culus*, a circle). The course of the blood through the blood-vessels of the body.
- Co-ag-u-la'tion** (L. *coag'ulo*, to curdle). Applied to the process by which the blood elots or solidifies.
- Coch'le-a** (L. *coch'lea*, a snail-shell). The spiral cavity of the internal ear.
- Conch'a** (Gr. *konche*, a mussel-shell). The shell-shaped portion of the external ear.
- Con-ges'tion** (L. *con*, together, and *gero*, to bring). An unnatural gathering of blood in any part of the body.
- Con-junc-ti'va** (L. *con*, together, and *jun'go*, to join). A thin layer of mucous membrane which lines the eyelids, and covers the front of the eyeball, thus joining the latter to the lids.
- Con-nect'ive Tis'sue**. The network which connects the minute parts of most of the structures of the body.
- Con-sti-pa'tion** (L. *con*, together, and *stipo*, to crowd close). Costiveness; tardiness in evacuating the bowels.

- Con-sump'tion** (L. *consumo*, to consume). A disease of the lungs, attended with a fever and cough, and causing a gradual decay of the bodily powers. The medical name is *phthisis*.
- Con-trac-til'i-ty** (L. *con*, together, and *tra'ho*, to draw). The property of a muscle which enables it to contract, or draw its extremities closer together.
- Con-vo-lu'tions** (L. *con*, together, and *vol'vo*, to roll). The tortuous foldings of the external surface of the brain.
- Con-vul'sion** (L. *convello*, to pull together). A more or less violent agitation of the limbs or body.
- Corn** (L. *cor'nu*, a horn). A small portion of the outer skin, of horn-like hardness.
- Cor'ne-a** (L. *cor'nu*, a horn). The transparent, horn-like substance which covers a part of the front of the eyeball.
- Cor'pus-cles, Blood** (L. dim. of *cor'pus*, a body). The small disks which give to the blood its red colour: the *white* corpuscles are globular and larger.
- Cos-met'ic** (Gr. *kosmeo*, to adorn). Applied to articles which are supposed to increase the beauty of the skin.
- Cra'ni-al** (L. *cranium*, the skull). Pertaining to the skull.
- Cri'coid** (Gr. *kri'kos*, a ring, and *eidōs*, form). A cartilage of the larynx, resembling a seal-ring in shape.
- Crys'tal-line Lens** (L. *crystal'linum*, a crystal). One of the so-called humours of the eye; a double-convex body situated in the front part of the eyeball.
- Cu'ti-cle** (L. dim. of *cutis*, the skin). The scarf-skin; also called the *epider'mis*.
- Cu'tis** (Gr. *skutos*, a skin, or hide). The true skin, lying beneath the cuticle; also called the *der'mis*.
- Dan'druff**. The small scales, or particles, which separate from the scarf-skin of the scalp.
- De-cus-sa'tion** (L. *decus'sis*, the Roman numeral ten, X.). A reciprocal crossing of fibres from side to side.
- De-gen-er-a'tion** (L. *degenerare*, to grow worse; to deteriorate). A change in the structure of any organ which makes it less fit to perform its duty or function.
- Deg-lu-ti'tion** (L. *deglutire*, to swallow down). The act, or process, of swallowing.
- De-lir'i-um**. A state in which the ideas of a person are wild, irregular, and unconnected.
- Den'tine** (L. *dens, dentis*, a tooth). The hard substance which forms most of a tooth; ivory.
- De-o-do-ri'zer**. An agent which corrects any foul or unwholesome odour.
- Di'a-phragm** (Gr. *diaphrasso*, to divide by a partition). A large, thin muscle which separates the cavity of the chest from the abdomen.

- Di-ar-rhœ'a** (Gr. *diarrhein*, to flow through). An unnaturally frequent and liquid evacuation of the bowels.
- Dif-fus'ion of Gases.** The power of gases to become intimately mingled.
- Dis-in-fect'ant.** Agents used to destroy the causes of infection.
- Dis-lo-ca'tion** (L. *dislocare*, to put out of place). The name of an injury to a joint, in which the bones are forced out of their sockets.
- Dis-sec'tion** (L. *dis*, apart, and *seco*, to cut). The cutting up of an animal in order to learn its structure.
- Duct** (L. *du'co*, to lead). A narrow tube: the *thoracic duct* is the main trunk of the absorbent vessels.
- Du-o-de'num** (L. *duode'ni*, twelve). The first division of the small intestines, about twelve fingers'-breadth long.
- Dys-pep'si-a** (Gr. *dus*, ill, *peptein*, to digest). A condition of the alimentary canal in which it digests imperfectly. Indigestion.
- El'e-ment.** One of the simplest parts of which any thing consists.
- E-met'ic** (Gr. *emeo*, to vomit). Having power to excite vomiting. Also, a medicine which causes vomiting.
- E-mul'sion** (L. *emulgere*, to milk). Oil in a finely divided state, suspended in water.
- En-am'el** (French, *email*). The dense material which covers the crown of a tooth.
- Ep-i-glot'tis** (Gr. *epi*, upon, and *glottis*, the entrance to the windpipe). A leaf-shaped piece of cartilage which covers the top of the larynx during the act of swallowing.
- Ep'i-lep-sy** (Gr. *epilepsis*, a seizure). A nervous disease accompanied by fits in which consciousness is lost. The falling sickness.
- Eu-sta'chi-an** (from an Italian anatomist named Eustaehi). The tube which leads from the throat to the middle ear, or tympanum.
- Ex-cre'tion** (L. *excer'no*, to separate). The separation from the blood of the waste matters of the body; also, the materials excreted.
- Ex-pi-ra'tion** (L. *expi'ro*, to breathe out). The act of forcing air out of the lungs.
- Ex-ten'sion** (L. *ex*, out, and *ten'do*, to stretch). The act of restoring a limb, etc., to its natural position after it has been flexed, or bent; the opposite of *flexion*.
- Fau'ces.** The part of the mouth which opens into the pharynx.
- Fe-nes'tra** (L.). Literally, a window; the opening between the middle and internal ear.
- Fi'bre** (L. *fibra*, a filament). One of the tiny threads of which many parts of the body are composed.
- Fi'brine** (L. *fibra*, a fibre). An albuminoid substance found in the blood.
- Flex'ion** (L. *flexo*, to bend). The act of bending a limb, etc.
- Fol'li-cle** (L. dim. of *fol'lis*, a moneybag). A little pouch, or depression, a membrane.

- Fo-men-ta'tion** (L. *fo'veo*, to keep warm). The application of any warm, soft, medicinal substance to some part of the body by which the vessels are relaxed.
- Fo-ra'men**. A hole, or aperture.
- Fu-mi-ga'tion** (L. *fu'migo*, to perfume a place). The use of certain fumes to counteract contagious effluvia.
- Func'tion** (L. *functio*, a doing). The special duty of any organ of the body.
- Fun'gous Growths** (L. *fun'gus*, a mushroom). A low grade of vegetable life.
- Gan'gli-on** (Gr. *ganglion*, a knot). A knot-like swelling in the course of a nerve; a smaller nerve-centre.
- Gas'tric** (Gr. *gaster*, stomach). Pertaining to the stomach.
- Gel'a-tine** (L. *gelo*, to congeal). An animal substance which dissolves in hot water, and forms a jelly on cooling.
- Gland** (L. *glans*, an acorn). An organ consisting of follicles and ducts, with numerous blood-vessels interwoven.
- Glot'tis** (Gr. *glotta*, the tongue). The narrow opening between the vocal cords.
- Glu'ten**. Literally, glue; the glutinous albuminoid ingredient of wheat.
- Groin**. The lower part of the abdomen just above the thigh.
- Gus-ta'tion** (L. *gusto*, to taste). The sense of taste.
- Gus'ta-to-ry Nerve**. The nerve of taste supplying the front part of the tongue, a branch of the "fifth" pair.
- Gym-nas'tics** (Gr. *gumnazo*, to exercise). The practice of athletic exercises.
- Hem'i-spheres** (Gr. *hemi*, half, and *sphaira*, a sphere). Half a sphere, the lateral halves of the cerebrum, or brain proper.
- Hem'or-rhage** (Gr. *hai'ma*, blood, and *regnumi*, to burst). Bleeding, or the loss of blood.
- He-pat'ic** (Gr. *hepar*, the liver). Pertaining to the liver.
- Her-biv'o-rous** (L. *her'ba*, an herb, and *vo'ro*, to devour). Applied to animals that subsist upon vegetable food.
- Hic'cough**. A convulsive motion of some of the muscles used in breathing, accompanied by a shutting of the glottis.
- Hu'mour**. Moisture; the humours are transparent contents of the eyeball.
- Hy-dro-pho'bi-a** (Gr. *hudor*, water, and *phobemai*, to fear). A disease caused by the bite of a rabid dog or other animal.
- Hy'gi-ene** (Gr. *hygieia*, health). The art of preserving health, and preventing disease.
- In-ci'sor** (L. *inci'do*, to cut). Applied to the four front teeth of both jaws, which have sharp, cutting edges.
- In'cus**. An anvil; the name of one of the bones of the middle ear.
- In'di-an Hemp**. The common name of *Cannabis Indica*, an intoxicating drug, known as *hashcch* and many other names, in Eastern countries.

- In-fe'ri-or Ve'na Ca'va** (L.). Lower hollow vein; the chief vein of the lower part of the body.
- In-flam-ma'tion** (L. prefix *in*, and *flammo*, to flame). A redness or swelling of any part of the body, with heat and pain.
- In-sal-i-va'tion** (L. *in*, and *saliva*, the fluid of the mouth). The mingling of the saliva with the food during the act of chewing.
- In-spi-ra'tion** (L. *inspiro*, *spira'tum*, to breathe in). The act of drawing in the breath.
- In-teg'u-ment** (L. *inte'go*, to cover). The skin, or outer covering of the body.
- In-tes'tine** (L. *in'tus*, within). The part of the alimentary canal which is continuous with the lower end of the stomach; also called the bowels.
- I'ris** (L. *iris*, the rainbow). The thin, muscular ring which lies between the cornea and crystalline lens, and which gives the eye its special colour.
- Jaun'dice** (Fr. *jaunisse*, yellow). A disorder in which the skin and eyes assume a yellowish colour.
- Lab'y-rinth**. The internal ear, so named from its many windings.
- Lach'ry-mal Ap-pa-ra'tus** (L. *lach'ryma*, a tear). The organs for forming and carrying away the tears.
- Lac'te-als** (L. *lac*, *lac'tis*, milk). The absorbent vessels of the small intestines.
- Lar'ynx**. The cartilaginous tube situated at the top of the windpipe, or trachea; the organ of the voice.
- Lens**. Literally, a lentil; a piece of transparent glass or other substance so shaped as either to converge or disperse the rays of light.
- Lig'a-ment** (L. *li'go*, to bind). A strong, fibrous material binding bones or other solid parts together: it is especially necessary to give strength to joints.
- Lig'a-ture** (L. *ligo*, to bind). A thread of some material used in tying a cut or injured artery.
- Lobe**. A round, projecting part of an organ, as of the liver, lungs, or brain.
- Lymph** (L. *lym'pha*, pure water). The watery fluid conveyed by the lymphatic vessels.
- Lym-phat'ic Ves'sels**. A system of absorbent vessels.
- Mal'le-us**. Literally, the mallet; one of the small bones of the middle ear.
- Mar'row**. The soft, fatty substance contained in the central cavities of the bones.
- Mas-ti-ca'tion** (L. *mas'tico*, to chew). The act of cutting and grinding the food to pieces by means of the teeth.
- Me-a'tus** (L. *meare*, to wander). A passage or channel.
- Me-dul'la Ob-lon-ga'ta**. The "oblong marrow," or nervous cord which is continuous with the spinal cord within the skull.
- Mem-bra'na Tym'pan-i**. Literally, the membrane of the drum; a delicate partition separating the outer from the middle ear; it is sometimes incorrectly called the drum of the ear.
- Mem'brane**. A thin layer of tissue serving to cover some part of the body.

- Mi'cro-scope** (Gr. *mikros*, small, and *skopeo*, to look at). An optical instrument which assists in the examination of minute objects.
- Mo'lar** (L. *mo'la*, a mill). The name applied to the three back teeth of each side of the jaw; the grinders, or mill-like teeth.
- Mo'tor** (L. *mo'veo*, *mo'tum*, to move). Causing motion; the name of those nerves which conduct to the muscles the stimulus which causes them to contract.
- Mu'cous Mem-brane**. The thin layer of tissue which covers those internal cavities or passages which communicate with the external air.
- Mu'cus**. The glairy fluid which is secreted by mucous membranes, serving to keep them in a moist condition.
- My-o'pi-a** (Gr. *muo*, to shut, and *ops*, the eye). A defect of vision dependent upon an eyeball that is too long, rendering distant objects indistinct; near-sight.
- Na'sal** (L. *na'sus*, the nose). Pertaining to the nose.
- Nar-cot'ic** (Gr. *narkoo*, to benumb). A medicine, which, in poisonous doses, produces stupor, convulsions, and sometimes death.
- Nerve Cell**. A minute, round, and ashen-grey cell found in the brain and other nervous centres.
- Nerve Fi'bre**. An exceedingly slender thread of nervous tissue.
- Nos'tril** (Anglo-Saxon, *nosu*, nose, and *thyr*, a hole). One of the two outer openings of the nose.
- Nu'cle-us** (L. *nux*, a nut). A central part of any body, or that about which matter is collected. In anatomy, a cell within a cell.
- Nu-cle'o-lus** (diminutive of *nu'cleus*). A little nucleus.
- Nu-tri'tion** (L. *nu'trio*, to nourish). The processes by which the nourishment of the body is accomplished.
- O-don'toid** (Gr. *odous*, a tooth, *oidos*, shape). The name of the bony peg of the second vertebra, around which the first turns.
- Œ-soph'a-gus**. Literally, that which carries food. The tube leading from the throat to the stomach; the gullet.
- O-le-ag'i-nous** (L. *oleum*, oil). Of the nature of oil; applied to an important group of food-principles,—the fats.
- Ol-fac'to-ry** (L. *olfa'cio*, to smell). Pertaining to the sense of smell.
- Op'tic** (Gr. *opto*, to see). Pertaining to the sense of sight.
- Or'bit** (L. *or'bis*, a circle). The bony socket or cavity in which the eyeball is situated.
- Or'gan** (L. *organum*, an instrument or implement). A portion of the body having some special function or duty.
- Os'se-ous** (L. *os*, a bone). Consisting of, or resembling, bone.
- Pal'ate** (L. *pala'tum*, the palate). The roof of the mouth, consisting of the hard and soft palate.
- Pal-pi-ta'tion** (L. *palpitatio*, a frequent or throbbing motion). A violent and irregular beating of the heart.

- Pa-pil'la.** The name of the small elevations found on the skin and mucous membranes.
- Pa-ral'y-sis** (Gr. *paralucin*, to loosen, also, to disable). Loss of function, especially of motion or feeling. Palsy.
- Par'a-site.** A plant or animal that grows or lives on another.
- Pa-tel'la** (L. dim. of *pat'ina*, a pan). The knee-pan.
- Pel'vis.** Literally, a basin. The bony cavity at the lower part of the trunk.
- Pep'sin** (Gr. *pepto*, to digest). The active principle of the gastric juice.
- Per-i-car'di-um** (Gr. *peri*, about, and *kardia*, heart). The sac enclosing the heart.
- Per-i-os'te-um** (Gr. *peri*, around, *osteon*, a bone). A fibrous membrane which surrounds the bones.
- Per-i-stal'tic Move'ments** (Gr. *peri*, round, and *stello*, to send). The slow, wave-like movements of the stomach and intestines.
- Per-i-to-ne'um** (Gr. *periteino*, to stretch around). The investing membrane of the stomach, intestines, and other abdominal organs.
- Per-spi-ra'tion** (L. *perspi'ro*, to breathe through). The sweat.
- Pe'trous** (Gr. *petra*, a rock). The name of the hard portion of the temporal bone, in which is situated the drum of the ear and labyrinth.
- Pha-lan'ges** (Gr. *phalanx*, a body of soldiers closely arranged in ranks and files). The bones of the fingers and toes.
- Phar'ynx** (Gr. *pharunx*, the throat). The cavity between the back of the mouth and gullet.
- Phys-i-ol'o-gy** (Gr. *phusis*, nature, and *logos*, a discourse). The science of the functions of living, organized beings.
- Pi'a Ma'ter** (L.). Literally, the tender mother; the innermost of the three coverings of the brain. It is thin and delicate; hence the name.
- Pig'ment** (L. *pingo*, to paint). Colouring-matter.
- Plas'ma** (Gr. *plasso*, to mould). Any thing formed or moulded. The liquid part of the blood.
- Pleu'ra** (Gr. *pleura*, the side, also, a rib). A membrane covering the lung, and lining the chest.
- Pleu'ri-sy.** An inflammation affecting the pleura.
- Pneu-mo-gas'tric** (Gr. *pneumon*, the lungs, and *gaster*, the stomach). It is the principal nerve of respiration; also called the *vagus*, or wandering nerve.
- Pneu-mo'nia.** An inflammation affecting the air-cells of the lungs.
- Poi'son** (Fr. *poison*). Any substance, which, when applied externally, or taken into the stomach or the blood, works such a change in the animal economy as to produce disease or death.
- Por'tal Vein** (L. *porta*, a gate). The venous trunk formed by the union of all the veins coming from the intestines. It carries the blood to the liver.
- Pres-by-o'pi-a** (Gr. *presbus*, old, and *ops*, the eye). A defect of the accom-

- modation of the eye, caused by the hardening of the crystalline lens ; the "far-sight" of adults and aged persons.
- Proc'ess** (L. *procedo*, *procedo*, to proceed, to go forth). Any projection from a surface ; also, a method of performance ; a procedure.
- Pro'te-id** (Gr. *protos*, first, and *eidos*, form). An element allied to nitrogen ; a substance containing such elements ; an albuminoid.
- Pty'a-lin** (Gr. *ptualon*, saliva). The peculiar organic ingredient of the saliva.
- Pul'mo-na-ry** (L. *pul'mo*, *pulmo'nis*, the lungs). Pertaining to the lungs.
- Pulse** (L. *pell'o*, *pul'sum*, to beat). The striking of an artery against the finger, occasioned by the contraction of the heart, commonly felt at the wrist.
- Pu'pil** (L. *pupilla*). The central round opening in the iris, through which light passes into the interior of the eye.
- Py-lo'rus** (Gr. *puloros*, a gate-keeper). The lower opening of the stomach, at the beginning of the small intestines.
- Re'flex** (L. *reflexus*, turned back). The name given to involuntary movements produced by an excitation travelling along a sensory to a centre, where it is turned back or reflected along motor nerves.
- Re'nal** (L. *renes*, the kidneys). Pertaining to the kidneys.
- Res-pi-ra'tion** (L. *respi'ro*, to breathe frequently). The function of breathing, comprising two acts,—*inspiration*, or breathing in ; and *expiration*, or breathing out.
- Ret'i-na** (L. *rete*, a net). The innermost of the three tunics, or coats, of the eyeball, being an expansion of the optic nerve.
- Sac'cha-rine** (L. *saccharum*, sugar). Of the nature of sugar ; applied to the group of food-substances which embraces the different varieties of sugar, starch, and gum.
- Sa-li'va**. The moisture, or fluids, of the mouth, secreted by the salivary glands. The spittle.
- Scle-rot'ic** (Gr. *skleros*, hard). The tough fibrous, outer coat of the eyeball.
- Se-ba'ceous** (L. *sebum*, fat). Resembling fat ; the name of the oily secretion by which the skin is kept flexible and soft.
- Se-cre'tion** (L. *secer'no*, *secer'tum*, to separate). The process of separating from the blood some essential, important fluid ; which fluid is also called a secretion.
- Sem-i-cir'cu-lar Ca-nals**. Three canals in the internal ear.
- Sem-i-lu'nar** (L. *semi*, half, *luna*, mooned). Shaped like a half-moon.
- Sen-sa'tion**. The perception of an external impression by the nervous system.
- Se'rum**. The clear, watery fluid which separates from the clot of the blood.
- Sock'et** (L. *soccus*, a kind of low-heeled shoe). An opening into which any thing is fitted.
- Spasm** (Gr. *spasmos*, convulsion). A sudden, violent, and involuntary contraction of one or more muscles.

- Spe'cial Sense.** A sense by which we receive particular sensations, differing from those of general sensibility; such as those of sight, hearing, taste, and smell.
- Sprain.** An injury to the ligaments or tendons about a joint.
- Sta'pes.** Literally, a stirrup; one of the small bones of the middle ear, shaped somewhat like a stirrup.
- Stim'u-lant** (L. *stimulo*, to prick or goad on). An agent which causes an increase of vital activity in the body or any of its parts.
- Stri'a-ted** (L. *strio*, to furnish with channels). Marked with fine, parallel lines.
- Sub-cla'vi-an Vein** (L. *sub*, under, and *clavis*, a key). The great vein bringing back the blood from the arm and side of the head; so called because it is situated underneath the *clavicle*, or collar-bone.
- Su-pe'ri-or Ve'na Ca'va** (L. upper hollow vein). The great vein of the upper part of the body.
- Sut'ure** (L. *sutura*, a seam). The union of certain bones of the skull by the interlocking of jagged edges.
- Sym-pa-thet'ic Sys'tem of Nerves.** A double chain of nervous ganglia, connected by numerous small nerves, situated chiefly in front of, and on each side of, the spinal column.
- Symp'tom** (Gr. *sun*, with, and *pipto*, to fall). A sign, or token, of disease.
- Syn-ov'i-al** (Gr. *sun*, with, *oön*, an egg). The liquid which lubricates the joints; joint-oil. So called from its resemblance to the white of a raw egg.
- Sys-tem'ic.** Belonging to the system, or body, as a whole.
- Sys'to-le** (Gr. *sustello*, to contract). The contraction of the heart by which the blood is expelled from that organ.
- Tac'tile** (L. *tactus*, touch). Relating to the sense of touch.
- Tar'tar.** A hard crust which forms on the teeth, and is composed of salivary mucus, animal matter, and a compound of lime.
- Tem'po-ral** (L. *tem'pus*, time, and *tem'pora*, the temples). Pertaining to the temples; so called because the hair begins to turn white with age in that portion of the scalp.
- Ten'don** (L. *ten'do*, to stretch). The white, fibrous cord, or band, by which a muscle is attached to a bone; a sinew.
- Tet'a-nus** (Gr. *teino*, to stretch). A disease marked by persistent contractions of all or some of the voluntary muscles; those of the jaw are sometimes sorely affected; the disorder is then termed locked-jaw.
- Tho-rax** (Gr. *thorax*, a breast-plate). The upper cavity of the trunk of the body, containing the lungs, heart, etc.; the chest.
- Thy'roid** (Gr. *thurcos*, a shield, and *oidos*, form). The largest of the cartilages of the larynx: the projection in the front of the neck is called "Adam's apple."

- Tis'sue.** Any substance or texture in the body formed of various elements, such as cells, fibres, blood-vessels, etc., interwoven with each other.
- To-bac'co** (Indian *tabaco*, the tube, or pipe, in which the Indians smoked the plant). A plant used for smoking and chewing, and in snuff. It has a strong smell and a pungent taste.
- Tra'che-a** (Gr. *trachus*, rough). The windpipe, or the largest of the air-passages.
- Trans-fu'sion** (L. *transfun'do*, to pour from one vessel to another). The operation of injecting blood taken from one person into the veins of another: other fluids than blood are sometimes used.
- Trich-i'na Spi-ra'lis.** (A twisted hair). A minute species of parasite, or worm, which infests the flesh of the hog: may be introduced into the human system by eating pork not thoroughly cooked.
- Tym'pa-num** (Gr. *timpanon*, a drum). The cavity of the middle ear, resembling a drum in being closed by two membranes.
- U-re'a** (L. *urina*, urine). One of the principal constituents of the urine, secreted from the blood by the kidneys.
- U-re'ter** (Gr. *ourein*, to pass water). The excretory duct of the kidneys.
- U-vu'la** (L. *uva*, a grape). The small, pendulous body attached to the back part of the palate.
- Var'i-cose** (L. *varix*, a dilated vein). An unhealthily distended or enlarged vein.
- Vas'cu-lar** (L. *vasculum*, a little vessel). Pertaining to, or possessing, blood or lymph vessels.
- Ve'nous** (L. *ve'na*, a vein). Pertaining to, or contained within, a vein.
- Ven-ti-la'tion.** The introduction of fresh air into a room or building in such a manner as to keep the air within it in a pure condition.
- Ven'tri-cles of the Heart.** The two largest cavities of the heart, situated at its apex, or point.
- Ver'te-bral Col'umn** (L. *ver'tebra*, a joint). The backbone; also called the spinal column and spine.
- Ves'ti-bule.** A portion of the internal ear, communicating with the semi-circular canals and the cochlea; so called from its fancied resemblance to the vestibule, or porch, of a house.
- Vil'li** (L. *villus*, shaggy hair). Minute, thread-like projections found upon the internal surface of the small intestine, giving it a velvety appearance.
- Vit're-ous** (L. *vitrum*, glass). Having the appearance of glass; applied to the humour occupying the largest part of the cavity of the eyeball.
- Viv-i-sec'tion** (L. *vi'vus*, alive, and *se'co*, to cut). The practice of operating upon living animals, for the purpose of studying some physiological process.
- Vo'cal Cords.** Two elastic bands, or ridges, situated in the larynx; the essential parts of the organ of voice.



DETAILED CONTENTS

OF

- KIRK'S PAPERS ON HEALTH. 11 vols., 2s. each.
HALL'S INDIGESTION AND HOW TO CURE IT, 1s.
BELLOW'S THE PHILOSOPHY OF EATING, 3s. 6d.
WHYTE'S MANUAL OF NURSING, 1s.
JACKSON'S HOW TO TREAT THE SICK WITHOUT MEDICINE, 3s. 6d.
HARLAND'S COMMON SENSE IN THE NURSERY, 1s.
TRALL'S SEXUAL PHYSIOLOGY AND HYGIENE, 3s. 6d.
MUNRO'S HANDBOOK OF HYDROPATHY, 1s.
MUNRO'S LADIES' GUIDE TO HEALTH, 1s.
HOLBROOK'S HYGIENIC TREATMENT OF CONSUMPTION, 3s. 6d.
HOLBROOK'S LIVER COMPLAINT, NERVOUS DYSPEPSIA, AND HEADACHE, 2s. 6d.
HALL'S CURATIVE AND HEALTH MAXIMS, 3s. 6d.
HALL'S GOOD HEALTH BY CAREFUL LIVING, 3s. 6d.
GARDNER'S THE CONJUGAL RELATIONSHIPS, 3s. 6d.
HAMMOND'S SLEEP, SLEEPLESSNESS, AND THE DERANGEMENTS OF SLEEP, 3s. 6d.
BLAISDELL'S OUR BODIES, HOW WE LIVE AND KEEP WELL, 3s. 6d.
HALL ON COUGHS AND COLDS (*shortly*).
HALL ON CONSTIPATION IN HEALTH AND DISEASE (*shortly*).

Published by

THOMAS D. MORISON,
225 INGRAM STREET, GLASGOW.

*Any of the above Works sent post free on receipt
of the amount.*

DETAILED CONTENTS OF
PROFESSOR KIRK'S "PAPERS ON HEALTH."
ii Vols. Price 2s. each.

CONTENTS OF FIRST SERIES.

Lowering the Flame.	Repairing Bone.
St. Vitus' Dance.	Sleeplessness.
Neuralgia.	Rheumatism.
Swelling of the Knee.	Rheumatic Fever.
Outstrikes.	Cancer in One Aspect.
From Knee to Ankle.	Nervous Attacks.
The Throat.	Severer Nervous Attacks.
Saving a Limb.	The Soapy Blanket.
Scarlet Fever.	Bleeding from the Lungs.
Swollen Glands.	Shivering.
Bronchitis.	Swollen Veins.
A Bran Poultice.	St. Anthony's Fire.
Paralysis.	Hooping Cough.
The Stomach a Trouble.	Subject to Croup.
Pleurisy.	More Serious Croup.
Palpitation.	Inflamed Eyes.
Swelling after Fever.	The Eyes again.
Bathing the Feet.	Danger to Sight.
Wasting Bone.	Accidents to the Eyes.
	Failing Sight.

PRICE TWO SHILLINGS.

CONTENTS OF SECOND SERIES.

Water and Disease.	Changing a Remedy.
Gastric Fever.	Jaundice.
Dysentery.	Over-Nursing.
Measles.	Teething.
Night Sweats.	Teething Again.
Fatal Illness.	Teething Still.
Infection.	Teething yet Again.
Preventing Infection.	Teething once More.
More about Infection.	Flatulence.
Epidemics.	Hiccup.
Worn and Weary.	Giddiness and Trembling.
General Weakness.	Blind and Bleeding Piles.
Mustard and Cayenne.	Worms.
Sciatica.	Distressing Breasts.
The Arm Chair Fomen- tation.	Shingles.
Sensitiveness.	The Glands of the Bowels.
Loss of Heart.	Olive Oil.
Stomach Cramp.	A Twisted Neck.
The Distress from Bile.	Thirst.
Cold in the Head.	Loss of Balance.
Scalding or Burning.	Inflammation on the Bowels.
Undergoing Remedies.	Inflammation on the Brain.
	The Circulation.

PRICE TWO SHILLINGS.

 CONTENTS OF THIRD SERIES.

Inflammation on the Lungs.	Ring-Worm.
Cold Sitting Down.	Nettle Rash.
Explanation of the Douche.	Chest Pains.
Asthma.	Smallpox.
Narcotics in Asthma.	Smallpox Again.
The Feet in Asthma.	Smallpox Still.
The Skin in Asthma.	Smallpox Outstrikes.
Headache.	Vaccination.
Another Headache.	Consumption.
Diphtheria.	Consumption Again.
Muscular Pains.	Consumption Still.
The Nostrils.	Decline.
A Refractory Knee.	Wasting.
Simple Remedies.	Consumptive Fever.
Changing Treatment.	Delirium in Fever.
A Warning.	Weaning.
Case of a Child.	St. Vitus' Dance Again.
Elastic Stockings.	Eye Treatment.
School Troubles.	Fluid Beef.
The Weary Brow.	Injecting Morphia.
Worn-out Eyes.	Restlessness.
The Hazy Eye.	Restlessness yet Again.
Young Swellings.	A Special Cough.
	Sensible Treatment.

PRICE TWO SHILLINGS.

 CONTENTS OF FOURTH SERIES.

A Fright.	Sprains.
A Declining Limb.	Sprains Again.
Locking of the Bowels.	Ulceration.
Suppressed Perspiration.	Chilblains.
Nourishment.	After Measles.
Nourishment Again.	Contraction of Sinews.
Nourishment Still.	Contractions Again.
Nourishment and Lime.	Cutting Open.
Assimilation.	Santolina.
Heat in Nourishment.	Hearing.
Cold in Nourishment.	The Face.
Water in Nourishment.	The Head's Skin.
Water and Food.	Running Ears.
Air and Appetite.	Singing in the Ears.
Tea in Disease.	Soaping the Head.
Rest in Disease.	The Cold Sitting Bath.
Rest in Cure.	The Root of Illness.
Exercise.	Ear-Ache.
Exercise and the Brain.	Failing Nerve Centres.
Exercise and the Voice.	Barilla Soap.
Cold and Prejudice.	Hard Hearing.
Hot Breath.	A Mistake.
	Deep Seated Inflammation.

PRICE TWO SHILLINGS.

 CONTENTS OF FIFTH SERIES.

Deeply-Seated Inflammation.	Constipation.
Pure Nerve Pain.	Feet Giving Way.
Hoarseness.	Infant Limbs.
Health and Money.	Finding a Remedy.
Blood Purifying.	Vaccination Trouble.
Santolina Anew.	A Difficult Limb.
Suiting our Circumstances.	Disjointing.
Expectoration.	Tooth-Ache.
Breast Cancer.	Inflammatory Outbreaks.
Night Pains.	Troubled Nerves.
Heating In Cooling.	A Frequent Trouble.
Night Fever.	Mind in Disease.
Bandaging.	Aiding Circulation.
Remaining Weakness.	Tempering Treatment.
Delirium in Jaundice.	Drawn up Limbs.
Persisting in Cure.	Catarrh.
Diabetes.	Flannel Bands.
Night Coughs.	Rubbing the Head.
Treating Boils.	Biscuits and Water.
Ulceration.	Epileptic Attacks.
Barilla Ash Soap.	The Mind Depressed.
Acidity.	Hot Flushings.
	Cold Feet.
	A Sprained Heel.

 PRICE TWO SHILLINGS.

CONTENTS OF SIXTH SERIES.

Sciatica Again.	Rest of Brain.
Cold Water Enemas.	Railway Draughts.
Saving our Eyes.	The Cold Cloth in Fits.
Only for the Time.	Brandy.
Paralysis of the Eye.	Balance of Action.
Counting the Pulse.	Nerve Chills.
Internal Heat.	Exhaustion.
Timing Treatment.	Syringing Wounds.
Growing Worse.	Blood Supply.
Heat and Weakness.	Dropsy.
Lumbago.	Seamill Sanatorium.
The Soap Story.	Books and Sanatorium.
Perspiration.	Operations.
Impatience.	Certain Prejudices.
Air-Tight Coverings.	Intermitting Fever.
The Nightmare.	Spots on the Eye.
Soil and Climate.	Rheumatism.
Changing Treatment.	British Cholera.
Hands and Feet.	Sweating Feet.
Soothing Wounds.	Purple Spots.
Hope in Healing.	The Liver.
Doubtful Relief.	Taking Cold.
Seamill Sanatorium Again.	

PRICE TWO SHILLINGS.

 CONTENTS OF SEVENTH SERIES.

Acid and Acid.	Spinal Congestion.
Over-Feeding.	An Incurrible Sore.
Back Failures.	Tight Lacing.
Light Food.	A Shaken Nerve System.
Hives.	Head Sounding.
Cold Water.	Weariness.
Turnip Poulticing.	Weariness Again.
Ideal Trouble.	Face Troubles.
Infant Nursing.	Digestion.
Buttermilk.	Digestion Again.
Seamill Sanatorium Still.	Digestion Still.
Aconite.	Digestion yet Again.
Saving from Drugs.	Indigestion.
Piles Again.	Indigestion Again.
Uphill Breathing.	Assimilation.
Epilepsy.	Assimilation Again.
Narcotic Disease.	Uncontrollable Limbs.
Piles Still.	Assimilation Still.
Right Rubbing.	Squeezing.
Common Sense.	Squeezing Again.
The Spine.	Shampooing.
The Spine Again.	Refreshing Drinks.
Sick Headaches.	Nervousness.
	Walking.

PRICE TWO SHILLINGS.

 CONTENTS OF EIGHTH SERIES.

Hair Coming Off.	Why a Sore will not Heal.
Low Diet.	Cold Weather.
Spinal Trouble.	Chest Protectors.
Spinal Muscles.	Sleepless Infants.
The Spinal Cord.	Chilling the Skin.
Spinal Nerves.	Occupations.
Spinal Nerves Again.	A Tumour.
Spinal Nerves Still.	Oranges.
Organic Nerves.	Medical Advice.
A Twisted Neck.	General Stiffness.
Refractory Eyes.	Pimples on the Face.
Breath and Blood.	Stomach Ulcers.
Breath and Nerve.	A Wintry Skin.
Breath and Muscles.	Urinary Troubles.
The Breath and the Skin.	An Ankle Bone.
The Breath and the Heart.	A Trying Breast.
Breathing and Bronchia.	Brushing.
Disease and Din.	Urinary Troubles Again.
A Nerve Shock.	A Case for Inquiry.
Gravel.	Child Bearing.
Cold Feet.	Child Bearing Again.
True Resting.	Miscarriage.
Unconsciousness.	Chloroform.
Barley.	Comfort in Childbirth.
A Singer's Trouble.	Food in Child-Bearing.
Cauliflower Growths.	Drink in Child-Bearing.

PRICE TWO SHILLINGS.

CONTENTS OF NINTH SERIES.

Atter-Pains.	Rest for the Veins.
Snake Bites.	The Sanatorium Re-
Blood Poisoning.	Arranged.
Needless Amputations.	Smelling Wounds.
Downbearing.	Another Encouragement.
Nervous Prostration.	Hay Fever.
Depressing Ideas.	Soft Bones.
A Fresh Start in Life.	Diarrhoea.
Help in Healing.	Starvation.
An Encouragement.	Mixed Trouble.
Unsound Mind.	Armpit Swelling.
Potatoes.	Dwining.
Rupture.	Cures Losing their Effect.
Head Baths.	Pleurisy Again.
Scrofula.	Gout.
Cure of Scrofula.	Saltrome.
Hydrocele.	In Lodgings.
Mistaken Spinal Treat-	A Tumour Again.
ment.	Strong Neuralgia.
Chronic Rheumatism.	Trouble and the Tele-
A Word on True Rest.	graph.
Another Word on Rest.	Neuralgia Still Further.

PRICE TWO SHILLINGS.

CONTENTS OF TENTH SERIES.

The Windpipe.	Children's Dangers Still.
A Fall.	Children and Teachers.
Seamill Experiences.	Children's Sleep.
Giddiness.	Children's Feet.
A Throat Trouble.	Children Squinting.
More on Soap.	Rheumatic Fever Again.
A Question on Water	Spring Trouble.
Ringworm Again.	A Damp Bed.
Buttermilk Again.	Bowels Reversed and
Losing a Knee.	Righted.
Pain Across the Chest	Sea-Sickness.
and Choking.	"Cancerous Gangrene"
Infants' Food.	in the Foot.
Infants' Food Again.	Urinary Troubles yet
Infant Strength.	Again.
Infant Swellings.	Malaria.
Infants' Clothing.	Children and Bronchitis.
Children in Fever.	A Swelling in the Foot.
Children's Nerves.	Stammering.
Children's Treatment.	Dyspepsia.
Children's Dangers.	A Stiff Neck.
	Skin Creepings.

PRICE TWO SHILLINGS

 CONTENTS OF ELEVENTH SERIES.

Bread.	Erysipelas.
How to save Lives and Limbs.	A Rapid Pulse.
Cutting into Diseased Parts.	Influenza Fever.
Giving Temporary Relief.	Half Dead.
Cutting out the Elbow.	Bromide.
Dangerous Weakness.	The Spine and Bronchitis
Hip-Joint Disease.	Racks in Lifting.
A Terrible Remedy.	Lack of Good Blood.
Splints in Hip-Joint Disease.	A Complication.
Plaster Jackets.	Inflammation of the Arm
Curing Bone.	Joints.
Water in the Head.	Opium.
Words of Cheer.	Quinine and Iron.
Water on the Chest.	Business Headaches.
Lockjaw.	Weak Muscular Action.
Different kinds of Bread.	Evening Sickness.
Palsy.	Angina Pectoris.
Effect of a Fall.	A Case of Decline.
Hysteria.	Gatherings.
Memory.	Thoughts on Sleep.
Memory Again.	More on Sleep.
Food and Memory.	Still more on Sleep.
Destroying an Arm.	Starting in Sleep.
Internal Relaxation.	Mistaken St. Vitus.
The Legs—a Curious Trouble.	Fibrous Tumours.
Black Bile.	Dressing and Bathing.
	Effects of Rheumatic Fever.
	Guaiacum.
	Typhoid—An Instance.
	Trouble in Hearing.

 PRICE TWO SHILLINGS.

PRICE ONE SHILLING.

HAND-BOOK OF HYDROPATHY.

By DR. ALEXANDER MUNRO.

Hydropathic Processes—Damp Compress—Tonic Compress—Tonic Spine Compress—Hot Fomentation—Sitting Bath—Foot and Hand Baths—Pouring on the Head—Tonic Pack to Head—Packing to the Feet—Warm Foot Bath in Bed—Hot Pouring on Diseased Joints—Spine Baths—Cold and Heat to the Spine—The Wet Sheet Packing—Damp Friction—Shallow Bath—Damp Rubbing Sheet—Hot Blanket Rubbing—Enemas—Water Drinking—Combination of the "Acid Cure" with Hydropathy—Indigestion or Ordinary Bad Stomach—Fever—Scarlatina—Measles and Small-pox—Typhus or Typhoid Fever—Gastric Fever—Croup—Hæmorrhage from the Lungs—Bronchitis—Inflammation of the Lungs—Diphtheria—Convulsions and other Fits—Asthma—Whooping Cough—Common Cold—Constipation—Biliousness, not accompanied with Diarrhœa—Diarrhœa—Rheumatism—Tic, Toothache, Sciatica, Lumbago, and Spasmodic Cough—Gout—Swelling and Disease of Joints—Incipient Consumption, or other Chest Affections—Pleurisy—Chronic Skin Complaints—Surface Sores and Painful Skin Eruptions—Abscesses—Boils—Corpulency—Emaciation—Dropsy—Swollen Glands—Dysentery and other loss of blood from the Viscera—Bleeding from the Nose—Erysipelas or Rose—Water in the Head—Piles—Cold Sick Headache, with or without Neuralgic Pains—Distressing Nervous Sensibility—Change—Harmony—Cure—Harmonious Development—Science of Cure—Eating—Proper Distribution of Blood—The Science of Diet—Regular Seasons of Rest.

PRICE ONE SHILLING.

LADIES' GUIDE TO HEALTH.

By DR. ALEXANDER MUNRO.

Introduction—Secretion—Menstruation, or Monthly Periods—Treatment of Deferred or Deficient Menstruation, whether accompanied by pain or not—Falling of the Womb—Leucorrhœa, or Whites—Disorders of the Urinary Organs—Piles—Pregnancy—Toothache, and Neuralgic Pains—Abortion—Child-birth—Treatment of the Mother after Delivery—Cases—Frequency of Pregnancy—Sore Nipples and Nursing—Weaning—Sterility.

14 HYGIENIC TREATMENT OF CONSUMPTION.

PRICE 3s. 6d.

THE
HYGIENIC TREATMENT OF CONSUMPTION
AND CONSUMPTIVE TENDENCIES.

By M. L. HOLBROOK, M.D.

PART I.—NATURE AND CAUSE OF THE DISEASE.
PART II.—PREVENTION AND TREATMENT IN ITS EARLIER STAGES.
PART III.—TREATMENT IN MORE ADVANCED STAGES.

PART I.

Nature and Cause of the Disease.

Chapter I. The Disease.
" II. The Causes of Consumption.
" III. Micro-Organisms as the Immediate Cause of Consumption.

PART II.

Prevention and Treatment of Consumption in its Earlier Stages.

Chapter I. Prevention.
" II. Preventing Colds.
" III. Enlarging the Chest.
" IV. Indian Club Exercise.
" V. Rowing.
" VI. Vocal Gymnastics.
" VII. Special Vocal Exercises.
" VIII. Scientific Physical Culture.
" IX. Horseback Exercise.
" X. Toughening the Constitution.
" XI. Clothing.
" XII. The House and Home.
" XIII. Climate.
" XIV. Baths and Bathing.
" XV. The Sun Bath.
" XVI. Food and Drink.
" XVII. Physic Forces—The Will.
" XVIII. Other Physic Forces.

PART III.

Treatment in more Advanced Cases.

Chapter I. Open Air, Rest, and Light—Cures.
" II. Enlarging the Chest.
" III. Self Help.
" IV. Difficulties in the Way—Cautions.

PRICE 3s. 6d.

HOW TO TREAT
THE SICK WITHOUT MEDICINE.

By JAMES C. JACKSON, M.D.

Chapter I. My Method of Treating the Sick.—II. What is Disease.—III. The True Materia Medica.—IV. Air.—V. Food.—VI. Water.—VII. Time for taking Baths.—VIII. Sunlight.—IX. Dress.—X. Exercise.—XI. Sleep and its Recuperativeness.—XII. The Sick Chamber and its surroundings.—XIII. Children and their Diseases, Constitutional Peculiarities.—XIV. Teething, Teething Diarrhœa, Summer Complaints, Fits.—XV. Skin Eruptions, Scald Head, Common Itch.—XVI. Measles.—XVII. Croup.—XVIII. Diphtheria.—XIX. Scarlet Fever, Whooping Cough.—XX. Summer Complaint, Dysentery.—XXI. Baldness, Deafness, Blindness, Inflammation of the Eyes.—XXII. Nasal Catarrh, Nose-bleeding.—XXIII. Apoplexy, Inflammation of the Brain, Dropsy of the Brain.—XXIV. Paralysis, Local Palsy.—XXV. Epilepsy.—XXVI. Insanity.—XXVII. Drunkenness.—XXVIII. Hysteria.—XXIX. St. Vitus' Dance.—XXX. Mumps.—XXXI. Quinsy, Bronchitis, Inflammation of the Lungs.—XXXII. Pulmonary Consumption, Pleurisy, Spitting of Blood, Asthma.—XXXIII. The Heart and its Diseases.—XXXIV. Dyspepsia.—XXXV. Colic.—XXXVI. Cancerous Condition of the Stomach.—XXXVII. Diseases of the Splcen.—XXXVIII. Diseases of the Liver.—XXXIX. Stony Deposits in Liver and Bladder, Jaundice.—XL. Diseases of the Intestines, Duodenitis, Bowel-Colic.—XLI. Inflammation of the Bowels, Peritonitis.—XLII. Dropsy of the Peritoneum.—XLIII. Lead Colic.—XLIV. Inflammation of the Mesenteric Glands.—XLV. Diseases of the Kidneys, Congestion, Inflammation, Diabetes, Gravel.—XLVI. Bright's Disease of the Kidneys, Urinary Diseases. XLVII. Neuralgia of the Bladder, Paralysis of the Bladder, Inflammation of the Bladder.—XLVIII. Worms.—XLIX. Piles.—L. Sexual Organs.—LI. Rheumatism.—LII. Intermittent Fever, or Fever and Ague.—LIII. Remittent Fever, Congestive Chills.—LIV. Typhus and Typhoid Fevers.—LV. Erysipelas, Purpura Hemorrhagica, Acne.—LVI. Ulcers, Irritable Ulcers, Indolent Ulcers, Varicose Ulcers, Specific Ulcers, Boils.—LVII. Burns, Scalds, Tumours.—LVIII. Varicose Veins. Baths, and How to Take them.

PRICE 3s. 6d.

SEXUAL
PHYSIOLOGY AND HYGIENE.

An Exposition Practical, Scientific, Moral, and
Popular of some of the Fundamental
Problems of Sociology

By R. T. TRALL, M.D.

Chap. I.—The Origin of Life.	Chap. X.—Lactation.
” II.—Sexual Generation.	” XI.—The Law of Sex.
” III.—Physiology and Hygiene of Menstruation.	” XII.—Effect of Previous Impregnation on the Female.
” IV.—The Contests for Females.	” XIII.—Regulation of the Number of Offspring.
” V.—The Contests for Females— <i>continued</i> .	” XIV.—The Law of Sexual Intercourse.
” VI.—Impregnation.	” XV.—Hereditary Transmission.
” VII.—Pregnancy.	” XVI.—Sexual Hygiene.
” VIII.—Embryology.	
” IX.—Parturition.	

PRICE ONE SHILLING.

MANUAL OF NURSING
FOR
HOME AND HOSPITAL.

INCLUDING MONTHLY NURSING AND THE NURSING OF
SICK CHILDREN.

By VICTORIA WHYTE.

ABRIDGED LIST—

Qualifications of a Nurse—Instructions for Nurses—Sick-Room Management—Beds and Bedding—Ventilation and Temperature—Prevention of the Spread of Contagious Diseases—On Observing the Sick—Dressing Patients—Feeding Patients—Special Cases—Passive Exercise—Administration of Medicines—Enemata—Hot, Cold, and other Applications—Poultices—The Dressing of Wounds—Kinds of Dressings—Bandages—Surgical Operations—Fever Cases—Bed-Sores—Emergencies—Insensible Patients—Delirious Patients—Faintness—Burns—Stings and Bites—Lodgment of Foreign Bodies—Sunstroke—Poisons—Monthly Nursing—Nursing of Sick Children—Hygiene of Children—Cooking for the Sick—Table of Weights and Measures.

PRICE 3s. 6d.

POPULAR CYCLOPÆDIA
OF
CURATIVE AND HEALTH
MAXIMS;

COMPRISING

About Three Thousand Counsels, Alphabetically Arranged,
regarding the Cure of Diseases, the Maintenance
of Health and the Increase of Strength.

By W. W. HALL, M.D.

Among hundreds of subjects the following may be given at
random. But, without seeing the volume, it is utterly impossible
to form any conception of this wonderful book:—

Apoplexy.	Dreams.	Maternity.
Asthmatic Affections.	Digestion.	Marriage.
Acids and Food.	Exercise.	Milk.
Accidents.	Eyes.	Nauseous Odours.
Avoidable Diseases.	Ears.	Nursing.
Baths and Bathing.	Eating and Pain.	Neuralgia.
Bitters.	Epidemics.	Pulse.
Burns and Scalds.	Emergencies.	Perspiration.
Brain and Muscle.	Fatigue.	Piles.
Brown Bread.	Fevers.	Poultices.
Bowels.	Food Rules.	Rubbing.
Bone.	Gastric Juice.	Rising Early.
Breath.	Gouty Pains.	Recreation.
Bruises.	Grapes and Health.	Summer Diet.
Biliousness.	Hydrophobia.	Stoutness.
Colds.	Heart Disease.	Smallpox.
Consumption.	Headache.	Sprains.
Cold Feet.	Healthy Old Age.	Sleep and Sleeplessness.
Constipation.	Insanity.	Soothing Syrups.
Chills.	Infant Suffering.	Smoking.
Coughs.	Imbecility.	Sunshine.
Children's Clothing.	Infection.	Symptoms.
Children's Medicines.	Inflammation.	Stimulants.
Corns.	Infant's Diet.	Sores and Wounds.
Compresses.	Leanness.	Throat Complaints.
Character.	Lungs.	Toothache.
Chilblains.	Longevity.	Visiting Invalids.
Dyspepsia.	Liver.	Wines and Spirits.
Duration of Life.	Mouth Shut.	Winter Diet.
	Etc., etc., etc.	

18 LIVER COMPLAINT, AND HEADACHE.

PRICE 2s. 6d.

LIVER COMPLAINT, NERVOUS
DYSPEPSIA, AND HEADACHE:

THEIR
CAUSES, PREVENTION, AND CURE.

BY

M. L. HOLBROOK, M.D.

Chapter	I.—General View of the Liver and its work.
”	II.—Functions of the Liver.
”	III.—The Bile : Its Quantity and Use.
”	IV.—Derangements of the Liver.
”	V.—Torpid Livers.
”	VI.—Relation of the Liver and Kidneys.
”	VII.—Diseases caused by Uric Acid.
”	VIII.—Diseases caused by Deranged Liver.
”	IX.—Effect of a Deranged Liver on the Nerves.
”	X.—Effects of a Diseased Liver on the Heart.
”	XI.—Causes of Liver Complaint.
”	XII.—The Home Cure of Diseases of the Liver.
”	XIII.—Miscellaneous questions regarding the Liver answered.

SECTION II.

INFLUENCE OF MENTAL CULTIVATION IN PRO-
DUCING DYSPEPSIA.

SECTION III.

HEADACHES : THEIR CAUSE.
THE CURE AND PREVENTION OF HEADACHES.

PRICE ONE SHILLING.

COMMON SENSE IN THE NURSERY.

By MARION HARLAND.

- CHAP. I.—Baby's Bath—When and how to give it.
 CHAP. II.—When, where, and how Baby should Sleep.
 CHAP. III.—Baby's Day Nap.
 CHAP. IV.—Baby's Nurse.
 CHAP. V.—Baby at Home in Winter.
 CHAP. VI.—Baby Abroad in Winter.
 CHAP. VII. The Precocious Baby
 CHAP. VIII. Photographing Baby
 CHAP. IX.—The Baby that must go to the country.
 CHAP. X.—The Baby that must stay in town.
 CHAP. XI.—A Sabbath Twilight Talk with Mamma.
 CHAP. XII. How do you feed him?
 CHAP. XIII.—Artificial Foods.
 CHAPTER XIV.
 WHEN TO FEED HIM — Oatmeal Porridge—Hominy and Milk.
 CHAPTER XV.
 THE ARROWROOT FAMILY — Arrowroot Milk Porridge — Arrowroot Jelly — Arrowroot Blanc-Mange.
 CHAPTER XVI.
 THE PORRIDGE FAMILY — Corn Starch Porridge — Rice Flour Porridge — Indian Meal Porridge — Ground Rice Porridge — Frothed Porridge — Wheaten Grits — Mush and Milk — Panada.
 CHAPTER XVII.
 PREPARATIONS FOR DELICATE CHILDREN — Rice Jelly — Sago Jelly — Barley Water — Toast Water — Dried Flour Porridge — Beef Tea — Barley Milk — Goat's Milk — Peptonized Milk — Lime Water in Milk.
 CHAPTER XVIII.
 NURSERY DESSERTS — Sago Pudding — Rice Pudding — Brown Pudding — Graham Brewis.
- CHAPTER XIX.
 A MENU FOR BIGGER BABIES—Rice Soup—Poached Eggs on Cream Toast—Baked Potatoes—Apple Sauce—Custard Pudding.
 CHAPTER XX.
 FRUITS—Apples—Baked Apples—Steamed Apples—Peaches—Pears—Blackberries—Grapes.
 CHAPTER XXI.
 MEATS — Beef — Mutton—Veal—Pork—Poultry—Fried Meats.
 CHAPTER XXII.
 OUTFITS—Baby's First Clothes—Short Clothes.
 CHAPTER XXIII.
 MOTHERS' HALF-MINUTES—Medicine Bottles—Pure Air—Baby's Bed — Whims of appetite — Napkins — On rainy days — Frightening Children—Afraid of the Nurse—A child who cries by the hour without cause—The newest Baby—The very fat Baby—Green (colour) in the Nursery—Teething Rings — Scurf on the Scalp—The Nurse's Gown—Soothing Syrup — Baby's natural heat—Holding the Baby—Street Corners — Travelling Basket — Baby Powders.
 CHAPTER XXIV.
 MOTHERS' HALF-MINUTES (continued)—Baby's Prayers—He will play with Fire—Alcohol hurtful—The summer-day nap — Sea-water bath—Ravelbelt — Care of Baby's first Teeth—Flattering Baby—When to begin with Farinaceous Food—Romping with Baby—Plenty of Light and Air—Lift the Carriage over rough places—Painted Toys—Treating Baby — Rumps and bruises—Forcing the Mind—Nursery ventilation — Bassinette Perambulator.

20 SLEEP, SLEEPLESSNESS, AND OUR BODIES.

PRICE 3s. 6d.

SLEEP, SLEEPLESSNESS,
AND THE DERANGEMENTS OF SLEEP,

OR

THE HYGIENE OF THE NIGHT.

By WILLIAM A. HAMMOND, M.D.

- Chapter I.—The Necessity of Sleep.
" II.—The Causes of Sleep.
" III.—The Physical Phenomena of Sleep.
" IV.—The State of the Mind during Sleep.
" V.—The Physiology of Dreams.
" VI.—Morbid Dreams.
" VII.—Somnambulism.
" VIII.—The Pathology of Wakefulness.
" IX.—The Exciting Causes of Wakefulness.
" X.—The Treatment of Wakefulness.
" XI.—Somnolence.
" XII.—Somnolentia, or Sleep Drunkenness.
" XIII.—Appendix.
-

PRICE 3s. 6d.

OUR BODIES,
AND HOW WE LIVE AND KEEP WELL;
OR, HOW TO KNOW OURSELVES:

*Being a Popular and Hygienic Account of the Human System and
its Workings.*

WITH

GLOSSARY AND PHYSIOLOGICAL TERMS AND MEANINGS.

By ALFRED S. BLAISDELL, M.D.

- Chapter I.—Introduction.
" II.—The Bony Framework.
" III.—The Muscles.
" IV.—Food and Drink.
" V.—Digestion.
" VI.—The Blood and its Circulation.
" VII.—Breathing.
" VIII.—The Skin.
" IX.—The Nervous System.
" X.—The Special Senses.
" XI.—Excretion.
" XII.—The Throat and Voice.
" XIII.—Matters of Every Day Health and Emergencies.
" XIV.—Glossary of Physiological Terms and Means.
-

CONJUGAL RELATIONSHIPS—INDIGESTION. 21

PRICE 3s. 6d.

THE CONJUGAL RELATIONSHIPS

WITH REGARD TO

Personal Health and Hereditary Well-Being
PRACTICALLY TREATED.

By AUGUSTUS K. GARDNER, M.D.,

Professor of Midwifery in New York College.

- Chapter I.—The Modern Woman's Physical Deterioration.
" II.—Local Disease in Children and its Causes.
" III.—At what Age should one Marry?
" IV.—Is Continnence Physically Injurious?
" V.—Personal Pollution.
" VI.—The Injurious Results of Physical Excess.
" VII.—Methods Used to Prevent Conception and their
Consequences.
" VIII.—Infanticide Morally and Historically Considered.
" IX.—Conjugal Relations during the Period of Menstrua-
tion.
" X.—Conjugal Relations between the Old.
" XI.—Marriage between Old Men and Young Girls.
" XII.—What May be Done with Health in View and the
Fear of God before Us.
-

PRICE ONE SHILLING.

INDIGESTION AND HOW TO
CURE IT.

By W. W. HALL, M.D.

Chapter I. What is Indigestion?—II. Evils of Exercise before
Breakfast, Fagged Out, Night Air.—III. Evils of Cold Feet.—IV.
Regulating the Bowels, Taking Cold, Checking Perspiration.—
V. Baths and Bathing, Perils of Cold Water.—VI. Indigestion
causing Bad Blood, Eating Too Much and Too Often.—VII. Con-
sequences of Indigestion.—VIII. The Philosophy of Indigestion.
—IX. Digestibility of Food, Fundamental Principles.—X. Dys-
peptics grow Worse.—XI. Mental and Physical Work soon after
Eating.—XII. Nutritive Value of Different Foods.—XIII. How
Much to Eat.—XIV. Imperfect Digestion, Imperfect Blood.—XV.
Various Cures.—XVI. Various Cures, *continued*, Causes of Failure.
—XVII. Things to be Avoided in Daily Life.—XVIII. Philosophy
of Exercise—Sleep and Rest.

22 GOOD HEALTH BY CAREFUL LIVING.

PRICE 3s. 6d.

GOOD HEALTH by CAREFUL LIVING, OR HOW TO CURE AND HOW TO PREVENT OUR EVERYDAY AILMENTS.

DYSPEPSIA, DIARRHOEA, BILIOUSNESS, WEAKNESS,
HEADACHE, NEURALGIA, CONSTIPATION, NERVOUSNESS,
ETC., ETC.

By W. W. HALL, M.D.

Chapter I. The Objects of Eating, We Eat to Grow, We Eat for Repair, And to have Power to Work.—II. When to Eat, Breakfast, Evils of Early Drinking, Why an Early Breakfast, Breakfast in Winter, The best Supper Time, Dinner Time, Lunch.—III. Eating down Town, The Insidious Enemy, Stock Exchange Sensibility, What shall Business Men do?—IV. Cure of a Surfeit, How Walking promotes Health, A cheerful Mind, A proper Lunch, A delightful Sandwich, The fatal Glass, Lunch and Health, City Dinners.—V. What to Eat, Appetite, What Fat shall we Eat, The Acquisition of Leanness, How to get Fat.—VI. How much to Eat, Bad Blood, Light Suppers, City Health, Leave off Hungry, Eating by Weight and Measure, How much to Eat in a Day, Prison Fare.—VII. Diet for the Sick, How much must I Eat, The Case of Lewis Cornora, Summer Diet, Spring Diseases, Keeping Lent, The Digestive Organs, The Diseases of Digestion.—VIII. Regularity of Children's Eating, Forcing Children to Eat, A Crying Parental Folly, Young Ladies' Eating, A Sick Wife, Evils of Boarding Schools, Novel Reading, Fine Dresses, Talking about Men, Broken Ties, Maiden Purity, The Girl at Home, Consumption, Errors in Eating.—IX. Regularity in Eating, Nature's Habits, An Infallible Remedy, A Bad Family Habit, Act from Principle, Perils of Eating, Irregular and Frequent Eating.—X. How to Eat, Chew Food deliberately, and don't Wash it Down, Let the Children Alone, Healthful Feeding of Children, Cold Feet, Headache.—XI. Biliousness, A Lazy Liver, Want of Appetite, Mischievous Tonics, Dull Pains, Cure for Biliousness, Insensible Perspiration.—XII. Dyspepsia, Its Physical Symptoms, Its Mental Symptoms, Why are we Dyspeptic? Ulterior Results, Bad Blood, Food does not Strengthen, On Medicines.—XIII. The Cure of Dyspepsia, Exercise, Recuperative Power, A Hard-Earned Victory, Weight and Measure Again, Hurry in Eating, Feeling of "Goneness," Whetting the Appetite.—XIV. Meeting the Difficulty, What shall we Eat? What shall we Drink? Hunger, "Eating does Me no Good," Cole Slaw, Other Plans.—XV. Neuralgia, Its Nature and Cause, Its Certain Cure.—XVI. Nervousness, What is it? How to be Treated,

[Contents continued on next page.]

Cases in Point, Helping Nature, Nervous Debility.—XVII. Nervousness Still, A Remedy, Physical Nervousness, Hysterics, Mental and Physical Exercise and Duties.—XVIII.—The Unity of Disease, Biliousness, Dyspepsia, Neuralgia, Nervousness.—XIX. Air and Exercise, New Style of Hospital Life, Cases in Point, Dyspepsia and Liver Complaint Again, The Effects of Physic and Medicine.—XX. Spitting Blood, Epilepsy, Diarrhoea, Dysentery, Nervous Dyspepsia, Bloody Flux.

[For Remainder of Contents of this most instructive Work, see the Volume itself.]

PRICE 3s. 6d.

PHILOSOPHY OF EATING

OR THE SCIENCE OF
GOOD HEALTH, MUSCULAR STRENGTH, AND
MENTAL ACTIVITY, BY MEANS OF DIET.

POPULARLY EXPLAINED

BY

ALBERT J. BELLOWS, M.D.,

PROFESSOR OF CHEMISTRY, PHYSIOLOGY, AND HYGIENE.

CHAP. I. The Human Body, Its Composition and Requirements.—II. What is Food, Its Origin and Chemical Composition?—III. Varieties of Bread and Bread Making in Relation to Health and Strength.—IV. Farina, Rye, Maize, Buckwheat, Oats, Rice, Beans, Peas, Lentils, in Relation to Health and Strength.—V. Starch, Arrowroot, Tapioca, Sago, Moss, Sugar, in Relation to Health and Strength.—VI. Potatoes, Parsnips, Turnips, Carrots, Animal Food, Fish, in Relation to Health, Strength, and Activity.—VII. Mental as well as Physical Health, Strength, and Activity, can be regulated by, as it is to a great extent dependent on, Diet.—VIII. Food for the Brain and Nerves, Food for

[*Contents continued on next page.*]

Muscular Activity, Daily amount required.—IX. The Daily Amount of Food necessary, and the right proportion of Muscle-Making and Heat-Producing Elements.—X. Tables giving the Amount of Nutriment in various articles.—XI. Illustrations of the effect of different modes of Diet.—XII. Tables giving an analysis of various articles of food in a dried state, and in their natural state.—XIII. Fish, Reptiles, Turtle, Crustacea, Molluscous Animals, Lobsters, Oysters as food in relation to Health.—XIV. Classification of Foods in common use.—XV. Food for Out-of-Door Work with the Thermometer below Zero, Food for Warm Weather.—XVI. Food for Old People, Food for Children, Food for Children Deficient in Vital Energy.—XVII. How the Blood becomes Impure, How to Purify the Blood.—XVIII. The Organization of Foods.—XIX. On Water.—XX. Use of Water in the Human System, Demand for Water in the Human System.—XXI. Importance of using Pure Water, Snow Water, Spring Water, River Water, Hard Water.—XXII. Substitutes for Water, Tea, Coffee, Beer, Cider, Wine, Cocoa, Chocolate.—XXIII. Alcohol, Various Theories and Examples.—XXIV. Wine, Beer, Ale, Vinegar, Acidulous Drinks.—XXV. Elements of Food lost in Cooking, Extract of Beef, Acidulous Drinks again, Fermentation.—XXVI. Diet in Sickness.—XXVII. Adaptation of Food to Different Diseases.—XXVIII. The Laws of Nutrition.—XXIX. What is the Natural Food for Man?—XXX. Condiments, Salt, Cinnamon, Cassia, Clove, Nutmeg, Ginger, Pepper, Capsicum, Vanilla, in relation to Health.—XXXI. Gout: Its Cause and Cure.—XXXII. Food for Thinking Men.—XXXIII. Food for Labouring Men.—XXXIV. Food for Labouring Men, *continued*, The Varieties and Combinations required, What should be avoided.—XXXV. Natural Food affords the highest gustatory enjoyment, The Responsibility of Parents.—XXXVI. Food for Sedentary People.—XXXVII. Food for Winter.—XXXVIII. Chronic Diseases cured by Diet.—XXXIX. Food for Summer.—XL. Prevention and Cure of Dyspepsia.—XLI. Consumption of the Blood.—XLII. How to Prevent Apoplexy, Neuralgia, and Nervous Diseases.—XLIII. The Cause and Prevention of Defective Teeth.—XLIV. How to Prevent Diseases of Heart.—XLV. How to Cure Corpulence.—XLVI. Lean-ness: Its Cause and Cure.—XLVII. How to Secure a Good Appetite and a Good Digestion.
